

# ISO 15031-5:2015-08 (E)

## Road vehicles - Communication between vehicle and external equipment for emissions-related diagnostics - Part 5: Emissions-related diagnostic services

---

<b>Contents</b>		<b>Page</b>
Foreword .....		vi
Introduction .....		vii
<b>1</b>	<b>Scope .....</b>	<b>1</b>
<b>2</b>	<b>Normative references .....</b>	<b>1</b>
<b>3</b>	<b>Terms, definitions, and abbreviated terms .....</b>	<b>2</b>
<b>3.1</b>	<b>Terms and definitions .....</b>	<b>2</b>
<b>3.2</b>	<b>Abbreviated terms .....</b>	<b>4</b>
<b>4</b>	<b>Conventions .....</b>	<b>6</b>
<b>5</b>	<b>Document overview .....</b>	<b>6</b>
<b>6</b>	<b>Technical requirements .....</b>	<b>6</b>
<b>6.1</b>	<b>General requirements .....</b>	<b>6</b>
<b>6.2</b>	<b>Diagnostic service requirements .....</b>	<b>6</b>
<b>6.2.1</b>	<b>Multiple responses to a single data request .....</b>	<b>6</b>
<b>6.2.2</b>	<b>Application timing parameter definition .....</b>	<b>7</b>
<b>6.2.3</b>	<b>Minimum time between requests from external test equipment .....</b>	<b>18</b>
<b>6.2.4</b>	<b>Data not available .....</b>	<b>26</b>
<b>6.2.5</b>	<b>Maximum values .....</b>	<b>36</b>
<b>6.2.6</b>	<b>Invalid signals .....</b>	<b>36</b>
<b>6.3</b>	<b>Diagnostic message format .....</b>	<b>36</b>
<b>6.3.1</b>	<b>Addressing method .....</b>	<b>36</b>
<b>6.3.2</b>	<b>Maximum message length .....</b>	<b>37</b>
<b>6.3.3</b>	<b>Request/Response message format .....</b>	<b>37</b>
<b>6.3.4</b>	<b>Response code parameter definition .....</b>	<b>38</b>
<b>6.3.5</b>	<b>Header byte definition of ISO 9141-2, ISO 14230-4, and SAE J1850 .....</b>	<b>39</b>
<b>6.3.8</b>	<b>Non-data bytes included in diagnostic messages with SAE J1850 .....</b>	<b>40</b>
<b>6.3.9</b>	<b>Non-data bytes included in diagnostic messages with ISO 9141-2 and ISO 14230-4 .....</b>	<b>41</b>
<b>6.4</b>	<b>Byte order convention .....</b>	<b>41</b>
<b>6.5</b>	<b>Allowance for expansion and enhanced diagnostic services .....</b>	<b>41</b>
<b>6.6</b>	<b>Definition of PIDs for services 0116 and 0216 .....</b>	<b>41</b>
<b>6.7</b>	<b>Format of data to be displayed .....</b>	<b>41</b>
<b>7</b>	<b>Diagnostics service definition for ISO 9141-2, ISO 14230-4, and SAE J1850 .....</b>	<b>42</b>
<b>7.1</b>	<b>Service 0116 -- Request current powertrain diagnostic data .....</b>	<b>42</b>
<b>7.1.1</b>	<b>Functional description .....</b>	<b>42</b>
<b>7.1.2</b>	<b>Message data bytes .....</b>	<b>42</b>
<b>7.1.3</b>	<b>Parameter definition .....</b>	<b>43</b>
<b>7.1.4</b>	<b>Message example .....</b>	<b>44</b>
<b>7.2</b>	<b>Service 0216 -- Request powertrain freeze frame data .....</b>	<b>47</b>
<b>7.2.1</b>	<b>Functional description .....</b>	<b>47</b>
<b>7.2.2</b>	<b>Message data bytes .....</b>	<b>48</b>
<b>7.2.3</b>	<b>Parameter definition .....</b>	<b>49</b>
<b>7.2.4</b>	<b>Message example .....</b>	<b>49</b>
<b>7.3</b>	<b>Service 0316 -- Request emission-related diagnostic trouble codes .....</b>	<b>51</b>
<b>7.3.1</b>	<b>Functional description .....</b>	<b>51</b>

7.3.2	Message data bytes .....	52
7.3.3	Parameter definition .....	53
7.3.4	Message example .....	53
7.4	Service 0416 -- Clear/reset emission-related diagnostic information .....	56
7.4.1	Functional description .....	56
7.4.2	Message data bytes .....	56
7.4.3	Parameter definition .....	57
7.4.4	Message example .....	57
7.5	Service 0516 -- Request oxygen sensor monitoring test results .....	58
7.5.1	Functional description .....	58
7.5.2	Message data bytes .....	58
7.5.3	Parameter definition .....	59
7.5.4	Message example .....	61
7.6	Service 0616 -- Request On-board monitoring test results for specific monitored systems .....	63
7.6.1	Functional description .....	63
7.6.2	Message data bytes .....	64
7.6.3	Parameter definition .....	65
7.6.4	Message example .....	66
7.7	Service 0716 -- Request emission-related diagnostic trouble codes detected during current or last completed driving cycle .....	68
7.7.1	Functional description .....	68
7.7.2	Message data bytes .....	68
7.7.3	Parameter definition .....	69
7.7.4	Message example .....	69
7.8	Service 0816 -- Request control of on-board system, test, or component .....	69
7.8.1	Functional description .....	69
7.8.2	Message data bytes .....	69
7.8.3	Parameter definition .....	71
7.8.4	Message example .....	71
7.9	Service 0916 -- Request vehicle information .....	72
7.9.1	Functional description .....	72
7.9.2	Message data bytes .....	72
7.9.3	Parameter definition .....	73
7.9.4	Message example .....	74
8	Diagnosticservice definition for ISO15765-4 .....	91
8.1	Service 0116 -- Request current powertrain diagnostic data .....	91
8.1.1	Functional description .....	91
8.1.2	Message data bytes .....	92
8.1.3	Parameter definition .....	94
8.1.4	Message example .....	94
8.2	Service 0216 -- Request powertrain freeze frame data .....	97
8.2.1	Functional description .....	97
8.2.2	Message data bytes .....	98
8.2.3	Parameter definition .....	100
8.2.4	Message example .....	100
8.3	Service 0316 -- Request emission-related diagnostic trouble codes .....	103
8.3.1	Functional description .....	103
8.3.2	Message data bytes .....	104
8.3.3	Parameter definition .....	104
8.3.4	Message example .....	104
8.4	Service 0416 -- Clear/Reset emission-related diagnostic information .....	106
8.4.1	Functional description .....	106
8.4.2	Message data bytes .....	107
8.4.3	Parameter definition .....	107
8.4.4	Message example .....	107
8.5	Service 0516 -- Request oxygen sensor monitoring test results .....	108
8.6	Service 0616 -- Request on-board monitoring test results for specific monitored systems .....	108
8.6.1	Functional description .....	108

8.6.2	Message data bytes .....	109
8.6.3	Parameter definition .....	112
8.6.4	Message example .....	117
8.7	Service 0716 -- Request emission-related diagnostic trouble codes detected during current or last completed driving cycle .....	119
8.7.1	Functional description .....	119
8.7.2	Message data bytes .....	120
8.7.3	Parameter definition .....	120
8.7.4	Message example .....	120
8.8	Service 0816 -- Request control of on-board system, test, or component .....	120
8.8.1	Functional description .....	120
8.8.2	Message data bytes .....	121
8.8.3	Parameter definition .....	123
8.8.4	Message example .....	123
8.9	Service 0916 -- Request vehicle information .....	124
8.9.1	Functional description .....	124
8.9.2	Message data bytes .....	125
8.9.3	Parameter definition .....	126
8.9.4	Message example .....	127
8.10	Service 0A16 -- Request emission-related diagnostic trouble codes with permanent status .....	138
8.10.1	Functional description .....	138
8.10.2	Message data bytes .....	139
8.10.3	Parameter definition .....	139
8.10.4	Message example .....	139
	<b>Bibliography .....</b>	<b>140</b>