

ISO 17987-4:2016-09 (E)

Road vehicles - Local Interconnect Network (LIN) - Part 4: Electrical physical layer (EPL) specification 12 V/24 V

Contents	Page
Foreword	iv
Introduction	v
1 Scope	1
2 Normative references	1
3 Terms, definitions, symbols and abbreviated terms	1
3.1 Terms and definitions	1
3.2 Symbols	2
3.3 Abbreviated terms	5
4 Conventions	6
5 Electrical physical layer requirements	6
5.1 Bit rate deviation	6
5.1.1 12 V LIN systems: Parameters	6
5.1.2 24 V LIN systems: Parameters	7
5.2 Timing requirements	9
5.2.1 Bit timing	9
5.2.2 Synchronization procedure	9
5.2.3 Bit sample timing	9
5.3 Line driver/receiver	11
5.3.1 General configuration	11
5.3.2 Definition of supply voltages for the physical interface	11
5.3.3 Signal specification	12
5.3.4 12 V LIN systems: Electrical parameters	13
5.3.5 24 V LIN systems: Electrical parameters	17
5.3.6 Line characteristics	20
5.3.7 12 V LIN systems: performance in non-operation supply voltage range	20
5.3.8 24 V LIN systems: performance in non-operation supply voltage range	21
5.3.9 Performance during fault modes	21
5.3.10 ESD/EMI compliance	21
Annex A (informative) LIN peripheral interface design considerations	22
Bibliography	27