ISO 15082:2016-11 (E)

Road vehicles - Tests for rigid plastic safety glazing materials

Contents

Page

Foreword v

1 Scope 1

2 Normative references 1

3 Termsanddefinitions 1

4 Test conditions 1

5 Conditioning of test specimens 1

6 Application of tests 2

7 Optical properties test 2

8 Head-form/fragmentation test 2
8.1 Principle 2
8.2 Apparatus 2
8.3 Test specimens 3
8.4 Procedure 4
8.5 Expression of results 4

9 Head-form test with deceleration measurement 5
9.1 Principle 5
9.2 Test conditions 5
9.3 Conditioning of test pieces 5
9.4 Apparatus 5
9.5 Calibration procedure and adjustment of the head-form 11
9.6 Test pieces 12
9.7 Test procedure 12
9.8 Evaluation 13
9.9 Expression of results 14

10 Ball test 14
10.1 227 g ball test 14
10.1.1 Principle 14
10.1.2 Apparatus 14
10.1.3 Test specimens 15
10.1.4 Procedure 15
10.1.5 Expression of results 16
10.2 2260 g ball test 16
10.2.1 Principle 16
10.2.2 Apparatus 16
10.2.3 Test specimens 16
10.2.4 Procedure 16
10.2.5 Expression of results 16

11 Abrasion resistance test 17
11.1 Principle 17
11.2 Abrasion resistance under dry conditions 17
11.2.1 Apparatus 17

11.3 Test specimens 21
11.4 Standardization of abrading wheels 21
11.5 Procedure 21
11.5.1 Cleaning 22
11.5.2 Conditioning 22
11.5.3 Initial haze measurement 22
11.5.4 Abrasion 22
11.5.5 After abrasion 23
11.5.6 Final haze measurement 23

11.6 Expression of results 24
11.7 Abrasion resistance under wet conditions (car wash test) 25
11.7.1 Apparatus 25
11.7.2 Reagents 27
11.7.3 Test specimens 27
11.7.4 Procedure 28
11.7.5 Expression of results 28

12 Cross-cut test 28
12.1 Principle 28
12.2 Apparatus 28
12.3 Test specimens 29
12.4 Procedure 29
12.5 Expression of results 30

13 Chemical resistance test 30
13.1 Principle 30
13.2 Chemical agents 30
13.3 Test specimens 30
13.4 Test procedure 31
13.5 Expression of results 32

14 Resistance to simulated weathering test 32
14.1 Principle 32
14.2 Exposure apparatus 32
14.2.1 Long arc xenon lamp 32
14.2.2 Measurements 33
14.3 Test specimens 33
14.4 Procedure 33
14.4.1 Temperature 34
14.4.2 Relative humidity 34
14.4.3 Water 35
14.5 Evaluation 35
14.6 Expression of results 35
14.7 Report of test parameters 35

15 Fire resistance test 36
15.1 Principle 36
15.2 Apparatus 36
15.3 Test specimens 36
15.4 Test procedure 36
15.5 Expression of results 37

Annex A (informative) Flexibility/rigidity categorization test for plastic safety glazing material 38

Annex B (informative)Vacuumpick-upnozzlemodification 39

Annex C (normative) Calibration of the washing equipment 40

Annex D (informative)CalibrationverificationofTaberabraser 42

Annex E (informative) Round robin test results to determine values for AS 4000S hard- coated polycarbonate reference samples in the Taber abrasion test 44

Bibliography 45