

ISO/TS 17429:2017-03 (E)

Intelligent transport systems - Cooperative ITS - ITS station facilities for the transfer of information between ITS stations

| Contents | | Page |
|--------------------|---|-------------|
| Foreword | | v |
| Introduction | | vi |
| 1 | Scope | 1 |
| 2 | Normative references | 1 |
| 3 | Terms and definitions | 2 |
| 4 | Abbreviated terms | 4 |
| 5 | Conformance | 4 |
| 6 | Overview | 5 |
| 6.1 | Motivations | 5 |
| 6.1.1 | Communication services | 5 |
| 6.1.2 | General purpose ITS station facilities layer services | 6 |
| 6.1.3 | Information sharing services | 7 |
| 6.2 | Technical specification overview | 8 |
| 6.2.1 | Architecture elements | 8 |
| 6.2.2 | ITS-S application processes | 9 |
| 6.2.3 | Communication Profile Handler (CPH) | 10 |
| 6.2.4 | Facilities Services Handler (FSH) | 11 |
| 6.2.5 | Content Subscription Handler (CSH) | 12 |
| 6.2.6 | Service access points (SAP) | 12 |
| 6.2.7 | Application data unit and protocol data unit | 12 |
| 7 | General requirements | 13 |
| 8 | Requirements for the "ITS-S application Processes" | 13 |
| 8.1 | ITS-S-AP: Requirements for data transmission | 13 |
| 8.2 | ITS-S-AP: Requirements for publishing and subscribing to data objects | 13 |
| 8.3 | ITS-S-AP: Flow type registration | 14 |
| 8.4 | ITS-S-AP: Transmitting data | 14 |
| 8.5 | ITS-S-AP: Receiving data | 14 |
| 8.6 | ITS-S-AP: Publishing data objects | 14 |
| 8.7 | ITS-S-AP: Subscribing to the reception of data objects | 15 |
| 8.8 | ITS-S-AP: Stopping the reception of data objects | 15 |
| 8.9 | ITS-S-AP: Receiving data objects | 15 |
| 9 | Requirements for the Communication Profile Handler | 15 |
| 9.1 | CPH: Initialization | 15 |
| 9.2 | CPH: Management of communication profiles | 16 |
| 9.2.1 | CPH: Communication flow profile parameters | 16 |
| 9.2.2 | CPH: Updating communication flow profile parameters | 17 |
| 9.2.3 | CPH: Reporting communication flow statistics | 18 |
| 9.3 | CPH: Processing data sent by ITS-S application processes | 18 |
| 9.3.1 | CPH: Processing TransmitFlowData instructions | 18 |
| 9.3.2 | CPH: Checking for a corresponding communication flow profile | 19 |
| 9.3.3 | CPH: Checking for an available path | 19 |

| | | |
|---|--|----|
| 9.3.4 | CPH: Performing address resolution | 19 |
| 9.3.5 | CPH: Checking for ITS-S facilities services | 20 |
| 9.3.6 | CPH: Transmission to the NF-SAP | 20 |
| 10 | Requirements for the Facilities Services Handler | 20 |
| 10.1 | FSH: Initialization | 20 |
| 10.2 | FSH: ITS-S facilities layer protocol data unit format (ITS-FPDU) | 21 |
| 10.3 | FSH: Execution of facilities services | 21 |
| 10.4 | FSH: Transmission to the NF-SAP | 22 |
| 10.5 | FSH: Reception of messages | 22 |
| 11 | Requirements for the Content Subscription Handler | 22 |
| 11.1 | CSH: Initialization | 22 |
| 11.2 | CSH: processing content publication from ITS-S-AP | 23 |
| 11.3 | CSH: processing content subscription from ITS-S-AP | 24 |
| 11.4 | CSH: processing content subscription cancellation from ITS-S-AP | 24 |
| 11.5 | CSH: transmitting content to ITS-S-AP | 24 |
| 11.6 | ITS-S generic data container format | 24 |
| 12 | FA-SAP service primitive functions | 25 |
| 12.1 | Overview | 25 |
| 12.2 | Error codes | 25 |
| 12.3 | TransmitFlowData | 26 |
| 12.4 | ReceiveFlowData | 26 |
| 12.5 | PublishContent | 27 |
| 12.6 | SubscribeContent | 28 |
| 12.7 | CancelContent | 28 |
| 12.8 | ReceiveContent | 29 |
| 13 | NF-SAP service primitive functions | 29 |
| 13.1 | ReceiveNTSDU | 29 |
| 13.2 | TransmitNTSDU | 30 |
| Annex A (normative) ASN.1 modules | | 31 |
| Annex B (informative) Profiles | | 37 |
| Bibliography | | 42 |