DIN SPEC 70122:2018-11 (E)

Electromobility - Conformance tests for digital communication between a d.c. EV charging station and an electric vehicle for control of d.c. charging in the Combined Charging System; Text in English, only on CD-ROM

Inhalt

Seite

1 Scope 7
2 Normative references 7
3 Terms and definitions 8
4 Symbols (and abbreviated terms) 13
5 Conventions 14
5.1 Requirement structure 14
5.2 Test system description 14
6 Test architecture reference model 14
6.1 General information 14
6.2 Platform adapter interface 15
6.3 SUT adapter interfaces 15
6.4 Codecs 16
7 Test suite conventions 17
7.1 General information 17
7.2 Test suite structure (TSS) 17
7.3 Test profiles 19
7.3.1 Test configurations 20
7.3.2 Components and ports 20
7.3.3 Protocol Implementation Conformance Statement (PICS) Definition 23
7.3.4 Protocol Implementation extra Information for Testing (PIXIT) Definition 24
7.3.5 Test control 26
7.4 Test suite identifiers 28
7.4.1 Module identifiers 29
7.4.2 Test case identifiers 29
7.4.3 Template identifiers 30
7.4.4 Function identifiers 31
7.4.5 Timer identifiers 32
7.4.6 PICS/PIXIT identifiers 33
7.4.7 Verdict identifiers 34
7.5 Test suite coverage 34
7.6 Test case description 88
7.7 Test case specification 90
7.7.1 Data types 90
7.7.2 Templates 90
7.7.3 Timeouts and timers 91
7.7.4 Library functions 91
7.7.5 Common behavior 91
7.7.6 Test case modelling 91
7.7.7 Message handling depending on SUT type 92
7.7.8 IEC 61851-1 PWM event handling and control 92
7.7.9 Data link status control functionality 94
7.7.10 EIM status control functionality 94
7.7.11 Transmission power limitation functionality 95

8 Test case descriptions for Physical and Data Link Layer 96
8.1 General information 96
8.2 SECC + PLC bridge test cases 96
8.3 EVCC + PLC bridge test cases 96

9 Test case descriptions for DIN SPEC 70121 SLAC messages 97
9.1 General information 97
9.2 SECC + PLC bridge test cases 98
9.2.1 SECC test cases for CmSlacParm 98
9.2.2 SECC test cases for AttenuationCharacterization 100
9.2.3 SECC test cases for CmValidate 114
9.2.4 SECC test cases for CmSlacMatch 122
9.2.5 SECC test cases for PLCLinkStatus 136
9.2.6 SECC test cases for CmAmpMap 140
9.3 EVCC + PLC bridge test cases 144
9.3.1 EVCC test cases for CmSlacParm 144
9.3.2 EVCC test cases for AttenuationCharacterization 151
9.3.3 EVCC test cases for CmValidate 162
9.3.4 EVCC test cases for CmValidateOrCmSlacMatch 174
9.3.5 EVCC test cases for CmSlacMatch 174
9.3.6 EVCC test cases for PLCLinkStatus 184
9.3.7 EVCC test cases for CmAmpMap 186

10 Test case descriptions for DIN SPEC 70121 V2GTP 191
10.1 General information 191
10.2 SECC + PLC bridge test cases 191
10.3 EVCC + PLC bridge test cases 194

11 Test case descriptions for DIN SPEC 70121 SDP messages 198
11.1 General information 198
11.2 SECC + PLC bridge test cases 198
11.3 EVCC + PLC bridge test cases 199

12 Test case descriptions for DIN SPEC 70121 V2G application layer messages 203
12.1 General information 203
12.2 SECC + PLC bridge test cases 203
12.2.1 V2G protocol handshake 203
12.2.2 V2G messages 206
12.3 EVCC + PLC bridge test cases 283
12.3.1 V2G protocol handshake 283
12.3.2 V2G messages 285

13 Modifications for ISO 15118 Interoperability 392
13.1 General information 392
13.2 Requirements revision 392
13.3 PIXIT Definition for ISO 15118 Interoperability 392
13.4 Test suite identifiers for ISO 15118 Interoperability 393
13.4.1 Test case identifiers 393
13.4.2 Function identifiers 394
13.4.3 PIXIT identifiers 394
13.5 Test case descriptions for DIN SPEC 70121 SLAC messages 395
13.5.1 General information 395
13.5.2 SECC + PLC bridge test cases 395
13.5.3 EVCC + PLC bridge test cases 400
13.6 Test case descriptions for DIN SPEC 70121 SDP messages 408
13.6.1 General information 408
13.6.2 SECC + PLC bridge test cases 408
13.6.3 EVCC + PLC bridge test cases 410
13.7 Test case descriptions for DIN SPEC 70121 V2G application layer messages 415
13.7.1 General information 415

13.7.2 SECC + PLC bridge test cases 415

Annex A (normative) Configuration specifications 418
A.1 Timer configuration 418
A.2 PICS configuration 419
A.3 PIXIT configuration 421

Annex B (normative) Control part specification 422
B.1 SECC control parts 422
B.2 EVCC control parts 431

Annex C (normative) Test-case specifications for DIN SPEC 70121 SLAC messages 443
C.1 SECC + PLC bridge test cases 443
C.1.1 SECC test cases for CmSlacParm 443
C.1.2 SECC test cases for AttenuationCharacterization 446
C.1.3 SECC test cases for CmValidate 453
C.1.4 SECC test cases for CmSlacMatch 458
C.1.5 SECC test cases for PLCLinkStatus 465
C.1.6 SECC test cases for CmAmpMap 468
C.2 EVCC + PLC bridge test cases 470
C.2.1 EVCC test cases for CmSlacParm 470
C.2.2 EVCC test cases for AttenuationCharacterization 474
C.2.3 EVCC test cases for CmValidate 481
C.2.4 EVCC test cases for CmValidateOrCmSlacMatch 489
C.2.5 EVCC test cases for CmSlacMatch 489
C.2.6 EVCC test cases for PLCLinkStatus 495
C.2.7 EVCC test cases for CmAmpMap 497

Annex D (normative) Test-case specifications for DIN SPEC 70121 V2GTP 500
D.1 SECC + PLC bridge test cases 500
D.2 EVCC + PLC bridge test cases 502

Annex E (normative) Test-case specifications for DIN SPEC 70121 SDP messages 505
E.1 SECC + PLC bridge test cases 505
E.2 EVCC + PLC bridge test cases 507

Annex F (normative) Test-case specifications for DIN SPEC 70121 V2G application layer messages 511
F.1 SECC + PLC bridge test cases 511
F.1.1 V2G protocol handshake 511
F.1.2 V2G messages 514
F.2 EVCC + PLC bridge test cases 548
F.2.1 V2G protocol handshake 548
F.2.2 V2G messages 549

Annex G (normative) Function specifications for supporting test execution 597
G.1 Configuration functions 597
G.2 Pre-condition functions 601
G.2.1 SECC + PLC bridge functions 601
G.2.2 EVCC + PLC bridge functions 607
G.3 Post-condition functions 613
G.3.1 SECC + PLC bridge functions 613
G.3.2 EVCC + PLC bridge functions 614
G.4 Common behavior functions 614
G.4.1 SECC + PLC bridge functions 614
G.4.2 EVCC + PLC bridge functions 616
G.5 Library functions 619

Annex H (normative) Function specifications for DIN SPEC 70121SLAC messages 622
H.1 SECC + PLC bridge functions 622
H.1.1 SECC functions for CmSlacParm 622
H.1.2 SECC functions for AttenuationCharacterization 625

H.1.3 SECC functions for CmValidate 640
H.1.4 SECC functions for CmSlacMatch 657
H.1.5 SECC functions for CmSetKey 663
H.1.6 SECC functions for PLCLinkStatus 664
H.1.7 SECC functions for CmAmpMap 667
H.2 EVCC + PLC bridge functions 672
H.2.1 EVCC functions for CmSlacParm 672
H.2.2 EVCC functions for AttenuationCharacterization 675
H.2.3 EVCC functions for CmValidate 704
H.2.4 EVCC functions for CmValidateOrCmSlacMatch 728
H.2.5 EVCC functions for CmSlacMatch 730
H.2.6 EVCC functions for CmSetKey 733
H.2.7 EVCC functions for PLCLinkStatus 734
H.2.8 EVCC functions for CmAmpMap 736

Annex I (normative) Function specifications for DIN SPEC 70121 V2GTP 742
I.1 SECC + PLC bridge functions 742
I.2 EVCC + PLC bridge functions 744

Annex J (normative) Function specifications for DIN SPEC 70121 SDP messages 746
J.1 SECC + PLC bridge functions 746
J.2 EVCC + PLC bridge functions 747

Annex K (normative) Function specifications for DIN SPEC 70121 V2G application layer messages 751
K.1 SECC + PLC bridge functions 751
K.1.1 V2G protocol handshake 751
K.1.2 V2G messages 755
K.2 EVCC + PLC bridge functions 840
K.2.1 V2G protocol handshake 840
K.2.2 V2G messages 843

Annex L (normative) Template specifications for DIN SPEC 70121 SLAC messages 924
L.1 Common + PLC bridge templates 924
L.1.1 CMN templates for CmSlacParm 925
L.1.2 CMN templates for CmStartAttenCharInd 926
L.1.3 CMN templates for CmMnbcSoundInd 926
L.1.4 CMN templates for CmAttenCharRsp 927
L.1.5 CMN templates for CmValidate 927
L.1.6 CMN templates for CmSlacMatch 929
L.1.7 CMN templates for CmSetKey 931
L.1.8 CMN templates for CmAmpMap 931
L.1.9 CMN templates for CmNwStats 933
L.2 SECC + PLC bridge templates 934
L.2.1 SECC templates for CmAttenCharInd 934
L.3 EVCC + PLC bridge templates 934
L.3.1 EVCC templates for CmAttenProfileInd 934
L.3.2 EVCC templates for CmAttenCharInd 935

Annex M (normative) Template specifications for V2G TCP Port Control 937

Annex N (normative) Template specifications for DIN SPEC 70121 V2GTP 938
N.1 Common + PLC bridge templates 938

Annex O (normative) Template specifications for DIN SPEC 70121 SDP messages 940
O.1 Common + PLC bridge templates 940

Annex P (normative) Template specifications for DIN SPEC 70121 V2G application layer messages 941
P.1 Common + PLC bridge templates 941
P.1.1 V2G protocol handshake. 941
P.1.2 V2G messages 942

P.2 SECC + PLC bridge templates 949
P.2.1 V2G protocol handshake 949
P.2.2 V2G messages 949
P.3 EVCC + PLC bridge templates 953
P.3.1 V2G protocol handshake 953
P.3.2 V2G messages 953

Annex Q (normative) Data type definitions 956
Q.1 Data types for PICS 956
Q.2 Data types for PIXIT 956
Q.3 Data types for SLAC 957
Q.4 Data types for V2G TCP Port Control 961
Q.5 Data types for V2GTP 962
Q.6 Data types for SDP messages 963
Q.7 Data types for V2G messages 963