

ISO 24102-1:2018 (E)

Intelligent transport systems — ITS station management — Part 1: Local management

Contents

| | |
|--------|---|
| | Foreword |
| | Introduction |
| 1 | Scope |
| 2 | Normative references |
| 3 | Terms and definitions |
| 4 | Symbols and abbreviated terms |
| 5 | Introduction |
| 6 | General requirements |
| 6.1 | Basics |
| 6.2 | Security management |
| 6.3 | Privacy management |
| 6.4 | Application management |
| 6.5 | Facilities management |
| 6.6 | Networking & transport management |
| 6.7 | Access technology management |
| 7 | CI basic management |
| 7.1 | General |
| 7.2 | CI status |
| 7.2.1 | CI state machine |
| 7.2.2 | Registration |
| 7.2.3 | VCI creation |
| 7.2.4 | Deregistration |
| 7.2.5 | Inactivation |
| 7.2.6 | Activation |
| 7.2.7 | Suspension of a CI |
| 7.2.8 | Resuming |
| 7.2.9 | Connection |
| 7.2.10 | Disconnection |
| 7.2.11 | Deletion of a VCI |
| 7.3 | I-Parameters |
| 7.3.1 | General |
| 7.3.2 | Setting of parameter values |
| 7.3.3 | Retrieval of parameter values |
| 7.3.4 | Monitoring of parameters |
| 7.3.5 | Access to other ITS-SCUs |
| 7.4 | Manufacturer access |
| 8 | Interference management |
| 8.1 | General |
| 8.2 | DSRC mitigation techniques |
| 8.3 | Cross-CI prioritization (self-interference) |
| 8.3.1 | General |
| 8.3.2 | Registration of CI for prioritization request |
| 8.3.3 | Prioritization request |
| 8.3.4 | Prioritization release |

- 9 Regulatory information management
 - 10 Congestion control
 - 11 Networking & transport layer forwarding information management
 - 11.1 General
 - 11.2 Maintenance commands
 - 11.3 Procedures
 - 12 Paths and flows
 - 13 Legacy CI
 - 14 Neighbour list
 - 15 Management data elements
 - 15.1 ITS-SCU list
 - 15.2 VCI list
 - 15.3 VCI performance parameter list
 - 15.4 Cross-CI prioritization list
 - 15.5 Application requirements list
 - 16 Dynamic data
 - 17 Conformance
 - 18 Test methods
- Annex A (normative) ASN.1 modules**
- A.1 Overview
 - A.2 Module CALMmanagement
 - A.3 Definitions to be added in ISO 24102-3
- Annex B (normative) Management parameters**
- B.1 Overview
 - B.2 Description
 - B.2.1 StationID (ITS-SUID)
 - B.2.2 MinPrioCrossCI
 - B.2.3 ItsScuKinematicState
 - B.2.4 ITS-SCU-ID
 - B.2.5 VciList
 - B.2.6 CrossCiPrioList
 - B.2.7 StationUnitID
 - B.2.8 ApplicationRequirementsList
 - B.2.9 VCIperformanceList
 - B.2.10 Talive
 - B.2.11 ITS-scuList
 - B.2.12 RSMPTimeout
- Annex C (normative) Implementation conformance statement (ICS) proforma**
- C.1 Guidance for completing the ICS proforma
 - C.1.1 Purposes and structure
 - C.1.2 Abbreviated terms and conventions
 - C.1.3 Instructions for completing the ICS proforma
 - C.2 Identification of the Implementation
 - C.2.1 Date of the statement
 - C.2.2 Identification of IUT
 - C.2.3 Identification of SUT
 - C.2.4 Product supplier
 - C.2.5 Client
 - C.2.6 ICS contact person
 - C.3 Implementation specification
 - C.4 Global statement of conformance

- C.5 Detailed conformance statements**
- C.5.1 Design choices**
- C.5.2 Basic features**
- C.5.3 CI Basic management**
- C.5.4 Interference management**
- C.5.5 Networking & transport layer management**
- C.5.6 Management data elements**

Page count: 44