

ISO 14827-3:2019 (E)

Transport information and control systems — Data interfaces between centres for transport information and control systems — Part 3: Data interfaces between centres for intelligent transport systems (ITS) using XML (Profile A)

Contents

	Foreword
	Introduction
1	Scope
2	Normative references
3	Terms and definitions
4	Symbols and abbreviated terms
5	Conformance
6	Messaging rules
6.1	General
6.2	Push
6.2.1	General
6.2.2	General message structure
6.2.2.1	Introduction
6.2.2.2	XML version and character encoding scheme
6.2.2.3	SOAP envelope
6.2.2.4	SOAP header
6.2.2.5	SOAP body
6.2.3	Subscription message structure
6.2.3.1	Introduction
6.2.3.2	Profile A
6.2.4	Publication message structure
6.2.4.1	Introduction
6.2.4.2	Profile A
6.2.5	Receipt message structure
6.2.5.1	Introduction
6.2.5.2	Profile A
6.3	Pull with SOAP
6.3.1	General
6.3.2	General message structure
6.3.2.1	Introduction
6.3.2.2	XML version and character encoding scheme
6.3.2.3	SOAP envelope
6.3.2.4	SOAP header
6.3.2.5	SOAP body
6.3.3	Request message structure
6.3.3.1	Introduction
6.3.3.2	Profile A
6.3.4	Response message structure
6.3.4.1	Introduction
6.3.4.2	Profile A
6.4	Pull without SOAP
6.4.1	General
6.4.2	General message structure
6.4.3	Request message structure
6.4.3.1	Introduction

- 6.4.3.2 Profile A
- 6.4.4 Response message structure
- 6.4.4.1 Introduction
- 6.4.4.2 Profile A

Annex A (normative) Functional Exchange Profile (FEP)

- A.1 List of requirements for the FEP
- A.2 Selection of exchange features

Annex B (normative) Tag scripts for composing XML messages

- B.1 Push
 - B.1.1 Introduction
 - B.1.2 General message structure
 - B.1.2.1 Introduction
 - B.1.2.2 XML version and character encoding scheme
 - B.1.2.3 SOAP envelope
 - B.1.2.4 SOAP header
 - B.1.2.5 SOAP body
 - B.1.3 Subscription message structure
 - B.1.3.1 Introduction
 - B.1.3.2 Profile A
 - B.1.3.2.1 General
 - B.1.3.2.2 Subscription header
 - B.1.3.2.2.1 Introduction
 - B.1.3.2.2.2 Subscription header
 - B.1.3.2.2.3 Reference information
 - B.1.3.2.2.4 Subscription ID
 - B.1.3.2.2.5 Subscription name
 - B.1.3.2.2.6 Client address
 - B.1.3.2.2.7 Subscription type
 - B.1.3.2.2.8 Subscription operating code
 - B.1.3.2.2.9 Broadcast alert
 - B.1.3.2.2.10 Subscription start time/Subscription stop time
 - B.1.3.2.2.11 Subscription frequency
 - B.1.4 Publication message structure
 - B.1.4.1 Introduction
 - B.1.4.2 Profile A
 - B.1.4.2.1 General
 - B.1.4.2.1.1 Introduction
 - B.1.4.2.1.2 Publication header
 - B.1.4.2.1.3 Reference information
 - B.1.4.2.1.4 Subscription ID
 - B.1.4.2.1.5 Subscription name
 - B.1.4.2.1.6 Subscription count
 - B.1.4.2.2 Publication payload
- B.1.5 Receipt message structure
 - B.1.5.1 Introduction
 - B.1.5.1.1 Profile A
 - B.1.5.1.2 General
 - B.1.5.1.3 Receipt header
 - B.1.5.1.3.1 Receipt header
 - B.1.5.1.3.2 Reference information
- B.2 Pull with SOAP
 - B.2.1 General
 - B.2.2 General message structure
 - B.2.2.1 Introduction
 - B.2.2.2 XML version and character encoding scheme
 - B.2.2.3 SOAP envelope
 - B.2.2.4 SOAP header
 - B.2.2.5 SOAP body
 - B.2.3 Request message structure
 - B.2.3.1 Profile A
 - B.2.3.1.1 General
 - B.2.3.1.2 Request payload

- B.2.4** Response message structure
- B.2.4.1** Introduction
- B.2.4.2** Profile A
- B.2.4.2.1** General
- B.2.4.2.2** Response payload
- B.3** Pull without SOAP
- B.3.1** Introduction
- B.3.2** General message structure
- B.3.3** Request message structure
- B.3.4** Response message structure

Annex C (normative) Protocol usage methods

- C.1** Generic protocol
- C.1.1** Encoding
- C.1.1.1** Character encoding scheme
- C.1.1.2** Compression
- C.1.1.3** XML version
- C.1.2** Protocol
- C.1.2.1** SOAP
- C.1.2.2** HTTP
- C.2** Messaging rule
- C.2.1** General
- C.2.2** Push
- C.2.3** Pull with SOAP
- C.2.4** Pull without SOAP

Annex D (informative) Message structures

- D.1** Push
- D.2** Pull

Page count: 27