

DIN EN ISO 15118-5:2019-08 (E)

Road vehicles - Vehicle to grid communication interface - Part 5: Physical layer and data link layer conformance test (ISO 15118-5:2018); English version EN ISO 15118-5:2019, only on CD-ROM

Contents	Page
Foreword.....	vii
Introduction.....	viii
1 Scope	1
2 Normative references	2
3 Terms and definitions.....	2
4 Symbols (and abbreviated terms)	7
5 Conventions	8
5.1 Requirement structure.....	8
5.2 Test system description	8
6 Test architecture reference model.....	8
6.1 General information	8
6.2 Platform adapter interface.....	9
6.3 SUT adapter interfaces	9
6.4 Codex	10
7 Test suite conventions	10
7.1 General information	10
7.2 Test suite structure (TSS).....	10
7.3 Test profiles.....	12
7.3.1 Test configurations	12
7.3.2 Components and ports.....	13
7.3.3 Protocol implementation conformance statement (PICS) definition.....	14
7.3.4 Protocol implementation extra information for testing (PIXIT) definition.....	15
7.3.5 Test control.....	17
Table 12 — SECC AC PICS/PIXIT configuration.....	17
Table 13 — SECC DC PICS/PIXIT configuration.....	18
Table 14 — EVCC AC PICS/PIXIT configuration	19
Table 15 — EVCC DC PICS/PIXIT configuration	20
7.4 Test suite identifiers.....	22
7.4.1 Module identifiers	22
7.4.2 Test case identifiers.....	22
7.4.3 Template identifiers.....	24
7.4.4 Function identifiers	25
7.4.5 Timer identifiers.....	26
7.4.6 PICS/PIXIT identifiers.....	26
7.4.7 Verdict identifiers	27
7.5 Test suite coverage	27
Table 29 — ATS coverage of requirements in ISO 15118-3	28
Table 30 — Groups for a simplified TC Id representation (see Table 29)	46
7.6 Test case description.....	56
7.7 Test case specification	57

7.7.1	Data types	57
7.7.2	Templates	57
7.7.3	Timeouts and timers	58
7.7.4	Library functions	58
7.7.5	Test case modelling.....	58
7.7.6	SLAC Message handling for different SUT types.....	59
7.7.7	IEC 61851-1 PWM event handling and control.....	59
7.7.8	Data link status control functionality	61
7.7.9	EIM status control functionality	61
7.7.10	Transmission power limitation functionality.....	61
7.7.11	Attenuator injection functionality	61
8	Test case descriptions for ISO 15118-3 HPGP PLC signal measurement.....	62
8.1	General information.....	62
8.2	Test case for PLC signal measurement for ISO 15118-3	62
8.3	SECC + PLC bridge test cases	62
8.3.1	SECC test cases for CmSlacParm.....	62
8.3.2	SECC test cases for AttenuationCharacterization	69
8.3.3	SECC test cases for CmValidate.....	79
8.3.4	SECC test cases for CmSlacMatch	86
8.3.5	SECC test cases for PLCLinkStatus.....	98
8.3.6	SECC test cases for CmAmpMap.....	110
8.4	EVCC + PLC bridge test cases	114
8.4.1	EVCC test cases for CmSlacParm	114
8.4.2	EVCC test cases for AttenuationCharacterization.....	122
8.4.3	EVCC test cases for CmValidate	130
8.4.4	EVCC test cases for CmValidateOrCmSlacMatch.....	142
8.4.5	EVCC test cases for CmSlacMatch.....	142
8.4.6	EVCC test cases for PLCLinkStatus	148
8.4.7	EVCC test cases for CmAmpMap	159
	Annex A (normative) Configuration specifications.....	164
A.1	Timer configuration	164
A.2	PICS configuration	165
A.3	PIXIT configuration	165
	Annex B (normative) Control part specification.....	167
B.1	SECC control parts.....	167
B.1.1	AC specific control parts	167
B.1.2	DC specific control parts.....	172
B.2	EVCC control parts	177
B.2.1	AC specific control parts	177
B.2.2	DC specific control parts.....	181
	Annex C (normative) Test-case specifications for 15118-3	186
C.1	SECC + PLC bridge test cases	186
C.1.1	SECC test cases for CmSlacParm.....	186
C.1.2	SECC test cases for AttenuationCharacterization	190
C.1.3	SECC test cases for CmValidate.....	197

C.1.4	SECC test cases for CmSlacMatch	202
C.1.5	SECC test cases for PLCLinkStatus.....	209
C.1.6	SECC test cases for CmAmpMap.....	212
C.2	EVCC + PLC bridge test cases	214
C.2.1	EVCC test cases for CmSlacParm.....	214
C.2.2	EVCC test cases for AttenuationCharacterization	219
C.2.3	EVCC test cases for CmValidate.....	224
C.2.4	EVCC test cases for CmValidateOrCmSlacMatch	232
C.2.5	EVCC test cases for CmSlacMatch	232
C.2.6	EVCC test cases for PLCLinkStatus.....	236
C.2.7	EVCC test cases for CmAmpMap	244
Annex D (normative)	Function specifications for supporting test execution.....	248
D.1	Configuration functions.....	248
D.2	Pre-condition functions.....	250
D.2.1	SECC + PLC bridge functions	250
D.2.2	EVCC + PLC bridge functions.....	253
D.3	Post-condition functions.....	256
D.3.1	SECC + PLC bridge functions	256
D.3.2	EVCC + PLC bridge functions.....	257
D.4	Library functions	257
Annex E (normative)	Function specifications for 15118-3.....	259
E.1	SECC + PLC bridge functions	259
E.1.1	SECC functions for CmSlacParm	259
E.1.2	SECC functions for AttenuationCharacterization	266
E.1.3	SECC functions for CmValidate.....	281
E.1.4	SECC functions for CmSlacMatch	298
E.1.5	SECC functions for CmSetKey.....	303
E.1.6	SECC functions for PLCLinkStatus.....	304
E.1.7	SECC functions for CmAmpMap	313
E.2	EVCC + PLC bridge functions.....	318
E.2.1	EVCC functions for CmSlacParm.....	319
E.2.2	EVCC functions for AttenuationCharacterization.....	324
E.2.3	EVCC functions for CmValidate	346
E.2.4	EVCC functions for CmValidateOrCmSlacMatch	367
E.2.5	EVCC functions for CmSlacMatch.....	370
E.2.6	EVCC functions for CmSetKey	373
E.2.7	EVCC functions for PLCLinkStatus	373
E.2.8	EVCC functions for CmAmpMap.....	379

Annex F (normative) Template specifications for 15118-3	385
F.1 Common + PLC bridge templates	385
F.1.1 CMN templates for CmSlacParm.....	386
F.1.2 CMN templates for CmStartAttenCharInd.....	387
F.1.3 CMN templates for CmMnbcSoundInd.....	387
F.1.4 CMN templates for CmAttenCharRsp	387
F.1.5 CMN templates for CmValidate.....	388
F.1.6 CMN templates for CmSlacMatch	389
F.1.7 CMN templates for CmSetKey	390
F.1.8 CMN templates for CmAmpMap	391
F.1.9 CMN templates for CmNwStats	394
F.2 SECC + PLC bridge templates.....	394
F.2.1 SECC templates for CmAttenCharInd	395
F.3 EVCC + PLC bridge templates	395
F.3.1 EVCC templates for CmAttenProfileInd.....	395
F.3.2 EVCC templates for CmAttenCharInd.....	395
Annex G (normative) Data type definitions	397
G.1 Data types for PICS.....	397
G.2 Data types for PIXIT	397
G.3 Data types for SLAC.....	398
Bibliography.....	403