

DIN CEN ISO/TS 19091:2019-11 (E)

Intelligent transport systems - Cooperative ITS - Using V2I and I2V communications for applications related to signalized intersections (ISO/TS 19091:2019); English version CEN ISO/TS 19091:2019

Contents		Page
Foreword		vi
Introduction		vii
1 Scope		1
2 Normative references		1
3 Terms and definitions		2
4 Abbreviated terms		10
5 General description (informative).....		12
5.1 Overview		12
5.2 Functional model.....		12
5.2.1 Description		12
5.2.2 Architecture		14
5.2.3 Message interactions		16
5.2.4 Common operational assumptions.....		16
5.3 Safety use cases.....		18
5.3.1 Intent		18
5.3.2 Additional assumptions.....		18
5.3.3 Architecture implications		18
5.4 Mobility/sustainability use cases.....		19
5.4.1 Intent		19
5.4.2 Additional assumptions.....		19
5.4.3 Architecture implications		19
5.5 Priority/pre-emption use cases.....		20
5.5.1 Intent		20
5.5.2 Additional assumptions.....		21
5.5.3 Architecture implications		21
5.5.4 Public transport signal priority application		22
5.5.5 Freight vehicle signal priority application		23
5.5.6 Emergency (public safety) vehicle pre-emption application.....		25
6 Function description (informative).....		25
6.1 Public safety vehicle.....		26
6.1.1 Broadcast public safety vehicle information		26
6.1.2 Broadcast emergency response indication.....		26
6.2 Signal pre-emption		26
6.2.1 Signal pre-empt request (normal power)		26
6.2.2 Signal pre-empt request (high power)		26
6.2.3 Request signal pre-empt — Message identifier		27
6.2.4 Request signal pre-empt — Intersection identifier.....		27
6.2.5 Request signal pre-empt — Approach lane		27
6.2.6 Request signal pre-empt — Egress lane.....		27
6.2.7 Request signal pre-empt — Vehicle class.....		27
6.2.8 Request signal pre-empt — Time of service.....		27
6.2.9 Request signal pre-empt — Vehicle identity.....		28

6.2.10	Request signal pre-empt — Vehicle location and speed	28
6.2.11	Request signal pre-empt — Cancellation	28
6.2.12	Request signal pre-empt — Transaction identifier	28
6.2.13	Request signal pre-empt — Duration	28
6.3	Public transport and commercial vehicle	28
6.3.1	Broadcast priority requesting vehicle information	28
6.4	Signal priority requirements	29
6.4.1	Signal priority request	29
6.4.2	Request signal priority — Message identifier	29
6.4.3	Request signal priority — Intersection identifier	29
6.4.4	Request signal priority — Approach lane	29
6.4.5	Request signal priority — Egress lane	29
6.4.6	Request signal priority — Vehicle class	30
6.4.7	Request signal priority — Time of service	30
6.4.8	Request signal priority — Vehicle identity	30
6.4.9	Request signal priority — Vehicle location and speed	30
6.4.10	Request signal priority — Service information	30
6.4.11	Request signal priority cancellation	31
6.4.12	Request signal priority — Priority request level	31
6.4.13	Request signal priority — Transaction identifier	31
6.4.14	Request signal priority — Duration	31
6.4.15	Request signal priority — Transit schedule	31
6.5	Broadcast area's geometrics	31
6.5.1	Broadcast roadway geometrics	31
6.5.2	Broadcast roadway geometrics — Message identifier	31
6.5.3	Broadcast intersection — Identifier	32
6.5.4	Broadcast intersection — Reference point	32
6.5.5	Broadcast intersection — Lane/approach default width	32
6.5.6	Broadcast intersection — Egress lanes/approach	32
6.5.7	Broadcast intersection — Ingress lanes/approach	32
6.5.8	Broadcast intersection — Lane/approach number	32
6.5.9	Broadcast intersection — Lane/approach centerline coordinates	32
6.5.10	Broadcast intersection — Vehicle lane/approach manoeuvres	33
6.5.11	Broadcast intersection — Pedestrian crossing lane/approach manoeuvres	33
6.5.12	Broadcast intersection — Special lane/approach manoeuvres	34
6.5.13	Broadcast intersection — Version identifier	34
6.5.14	Broadcast intersection — Crossings	34
6.5.15	Broadcast intersection — Lane/approach width	34
6.5.16	Broadcast intersection — Node lane/approach width	34
6.5.17	Broadcast intersection — Egress connection	35
6.5.18	Broadcast intersection — Traffic control	35
6.5.19	Broadcast intersection — Traffic control by lane/approach	35
6.5.20	Broadcast road conditions	35
6.5.21	Broadcast intersection — Signal group	35
6.6	Broadcast GNSS augmentation details	35
6.6.1	Broadcast GNSS augmentations	35
6.6.2	Broadcast GNSS augmentation detail — NMEA	36
6.6.3	Broadcast GNSS augmentation detail — RTCM	36
6.7	Signalized intersection requirements	36
6.7.1	Broadcast signal phase and timing information	36
6.7.2	Broadcast signal phase and timing — Message identifier	36
6.7.3	Broadcast signal phase and timing — Intersection identifier	36

6.7.4	Broadcast signal phase and timing — Intersection status	36
6.7.5	Broadcast signal phase and timing — Timestamp	37
6.7.6	Broadcast manoeuvre — Signal group	37
6.7.7	Broadcast manoeuvre — Manoeuvre state	37
6.7.8	Broadcast manoeuvre — Vehicular state	37
6.7.9	Broadcast manoeuvre — Pedestrian state	37
6.7.10	Broadcast manoeuvre — Special state	37
6.7.11	Broadcast manoeuvre — Time of change — Minimum	37
6.7.12	Broadcast manoeuvre — Time of change — Maximum	38
6.7.13	Broadcast manoeuvre — Succeeding signal indications	38
6.7.14	Broadcast manoeuvre — Succeeding signal indication time of change	39
6.7.15	Broadcast manoeuvre pending manoeuvre start time	39
6.7.16	Broadcast manoeuvre — Pedestrian detect	39
6.7.17	Broadcast manoeuvre — Pedestrian call	39
6.7.18	Broadcast manoeuvre — Optimal speed information	39
6.7.19	Broadcast manoeuvre — Signal progression information	39
6.7.20	Broadcast manoeuvre — Egress lane queue	39
6.7.21	Broadcast manoeuvre — Egress lane storage availability	40
6.7.22	Broadcast manoeuvre — Wait indication	40
6.8	Broadcast cross traffic sensor information	40
6.9	Broadcast vulnerable road user sensor information	40
6.10	Broadcast dilemma zone violation warning	40
6.11	Broadcast signal preferential treatment status	40
6.11.1	Broadcast preferential treatment — Signal status message	40
6.11.2	Broadcast preferential treatment — Message identifier	41
6.11.3	Broadcast preferential treatment — Intersection identifier	41
6.11.4	Broadcast preferential treatment — Intersection status	41
6.11.5	Broadcast preferential treatment — Prioritization request status	41
6.11.6	Broadcast preferential treatment — Vehicle source	41
6.11.7	Broadcast preferential treatment — Transaction identifier	41
6.12	Message identifier	41
6.13	System performance requirements	42
6.13.1	Broadcast intersection — Computed lane/approach	42
6.14	Transmission rates — Signal preferential treatment	42
6.14.1	Maximum transmission rate — Request signal preferential treatment	42
6.14.2	Maximum response time — Request signal preferential treatment	42
6.14.3	Minimum transmission rate — Signal status message	42
6.14.4	Minimum transmission period — Signal status message	42
6.15	Transmission rate requirements — Broadcast roadway geometrics information	42
6.15.1	Minimum transmission rate — Broadcast roadway geometrics information	43
6.15.2	Maximum transmission rate — Broadcast roadway geometrics information	43
6.15.3	Default transmission rate — Broadcast roadway geometrics information	43
6.16	Transmission rate requirements — GNSS augmentations detail broadcasts	43
6.16.1	Minimum transmission rate — GNSS augmentation details broadcasts	43
6.16.2	Default transmission rate — GNSS augmentation details broadcasts	43
6.17	Transmission rate requirements — Broadcast signal phase and timing information	43
6.17.1	Minimum transmission rate — Broadcast signal phase and timing information	43
6.17.2	Maximum transmission rate — Broadcast signal phase and timing information	43
6.17.3	Default transmission rate — Broadcast signal phase and timing information	43
6.18	Transmission rate requirements — Broadcast cross traffic sensor information	44
6.18.1	Minimum transmission rate — Broadcast cross traffic sensor information	44
6.18.2	Maximum transmission rate — Broadcast cross traffic sensor information	44
6.18.3	Default transmission rate — Broadcast cross traffic sensor information	44

6.19	Transmission rate requirements — Broadcast vulnerable road user sensor information.....	44
6.19.1	Transmission rate — Broadcast vulnerable road user sensor information	44
6.19.2	Maximum transmission rate — Broadcast vulnerable road user sensor information	44
6.19.3	Default transmission rate — Broadcast vulnerable road user sensor information.....	44
7	Messages	44
8	Conformance	45
Annex A (informative)	Use cases.....	46
Annex B (informative)	Use case to requirements traceability	110
Annex C (informative)	Requirements traceability matrix.....	127
Annex D (normative)	Extension procedures	143
Annex E (normative)	Profile A for J2735™	144
Annex F (normative)	Profile B for J2735™	148
Annex G (normative)	Profile C for J2735™	173
Bibliography	233