

ISO 21219-3:2019 (E)

Intelligent transport systems — Traffic and travel information (TTI) via transport protocol experts group, generation 2 (TPEG2) — Part 3: UML to binary conversion rules (TPEG2-UBCR)

Contents

	Foreword
	Introduction
1	Scope
2	Normative references
3	Terms and definitions
4	Abbreviated terms
5	Rules for UML to binary format description conversion
5.1	Definition of binary format description
5.2	Abstract data types
5.3	Binary format specific data types
5.4	TPEG tables
5.5	Compound data types
5.5.1	Rule 1: Classes
5.5.2	Rule 2: Datastructures
5.5.3	Rule 3: Selector
5.5.4	Rule 4: Attributes
5.5.5	Rule 4a: Datatypes
5.5.6	Rule 4b: Ordering
5.5.7	Rule 4c: Single multiplicity
5.5.8	Rule 4d: Multiplicity [0..maxOccurs>1], Multiplicity [1..maxOccurs>1] and Multiplicity [minOccurs>1..maxOccurs>1]
5.5.9	Rule 4e: Multiplicity [0..1]
5.5.10	Rule 6 — Specialisations/Abstract classes
Annex A	(normative) Usage of the binary component structure to detect and skip unknown content
A.1	Using the binary component structure to skip over unknown content
A.2	Example for jumping over unknown content types

Page count: 19