DIN EN 12896-4:2020-01 (E)

Public transport - Reference data model - Part 4: Operations monitoring and control; English version EN 12896-4:2019, only on CD-ROM

Contents

Page

European foreword ... 10

Introduction ... 11

1 Scope ... 12
1.1 General Scope of the Standard ... 12
1.2 Functional Domain Description ... 13
1.3 Particular Scope of this Document ... 13

2 Normative references ... 14

3 Terms and definitions ... 14

4 Symbols and Abbreviations ... 16

5 Operations monitoring and control ... 17
5.1 Introduction ... 17
5.2 Dated Operational Plans ... 18
5.2.1 Principles ... 18
5.2.2 Vehicle Work Production Components ... 19
5.2.3 Dated Vehicle Service ... 23
5.2.4 Dated Call ... 24
5.2.5 Implementation of Dated Plans ... 25
5.2.6 Production Plan ... 25
5.3 Resource Detection and Monitoring ... 27
5.3.1 Limits ... 27
5.3.2 Functions Related to the Monitoring Process ... 27
5.3.3 Resources to be monitored ... 28
5.3.4 Vehicle Detecting ... 29
5.3.5 Vehicle Monitoring ... 30
5.4 Vehicle Assignments ... 31
5.4.1 General ... 31
5.4.2 Assignments ... 32
5.4.3 Work Plan Assignment ... 32
5.4.4 Vehicle Assignment ... 33
5.5 Monitored Operations ... 33
5.5.1 Monitored Services ... 33
5.5.2 Monitored Passing Times ... 35
5.5.3 Other Monitored Situations ... 36
5.5.4 Expected and Registered Situation ... 37
5.6 Control Actions ... 37
5.6.1 General ... 37
5.6.2 Vehicle Control Actions ... 39
5.6.3 Elementary Journey Control Actions ... 40
5.6.4 Composite Journey Control Actions ... 43
5.6.5 Interchange Control Actions ... 44
5.7 Operational Events ... 46
5.8 Operational Messages ... 48
5.9 Situation Description ... 49
5.10 Monitored Facilities ... 52

Annex A (normative) **Data Dictionary** 55
A.1 Introduction 55
A.2 Data Dictionary — Operations Monitoring and Control 55
A.2.1 ALARM 55
A.2.2 ARRIVAL 55
A.2.3 CALL 56
A.2.4 CALL FOR MEANS 56
A.2.5 CALL FOR REPAIRS 56
A.2.6 CALL PART 56
A.2.7 CASUALTIES 57
A.2.8 CHANGE OF JOURNEY PATTERN 57
A.2.9 CHANGE OF JOURNEY TIMING 57
A.2.10 CHANGE OF VEHICLE 58
A.2.11 COMPOSITE JOURNEY CONTROL ACTION 58
A.2.12 CONTROL ACTION 58
A.2.13 DATED ARRIVAL 59
A.2.14 DATED CALL 59
A.2.15 DATED CALL PART 59
A.2.16 DATED DEPARTURE 59
A.2.17 DATED JOURNEY PART 60
A.2.18 DATED SPECIAL SERVICE 60
A.2.19 DATED VEHICLE JOURNEY INTERCHANGE 61
A.2.20 DATED VEHICLE SERVICE 61
A.2.21 DATED VEHICLE SERVICE PART 61
A.2.22 DELAY 62
A.2.23 DEPARTURE 62
A.2.24 DEPARTURE EXCHANGE 62
A.2.25 DEPARTURE LAG 63
A.2.26 DETECTED OPERATION 63
A.2.27 DRIVER INCIDENT 63
A.2.28 EASEMENT 64
A.2.29 ELEMENTARY JOURNEY CONTROL ACTION 64
A.2.30 ESTIMATED PASSING TIME 64
A.2.31 EXTRA DATED VEHICLE JOURNEY 65
A.2.32 FACILITY CONDITION 65
A.2.33 FACILITY MONITORING METHOD 66

A.2.34 FACILITY OPERATIONAL EVENT 66
A.2.35 FACILITY STATUS 66
A.2.36 FLEXIBLE JOURNEY ACTIVATION 67
A.2.37 IMPEDED TIME 67
A.2.38 INCIDENT 67
A.2.39 INTERCHANGE CANCELLATION 68
A.2.40 INTERCHANGE CONTROL ACTION 68
A.2.41 INTERCHANGE CREATION 69
A.2.42 INTERCHANGE MODIFICATION 69
A.2.43 JOURNEY CANCELLATION 70
A.2.44 JOURNEY CREATION 70
A.2.45 LOGICAL DRIVER 70
A.2.46 LOGICAL VEHICLE 70
A.2.47 LOGICAL VEHICLE CANCELLATION 71
A.2.48 LOGICAL VEHICLE CREATION 71
A.2.49 METHOD OF CAPTURE 71
A.2.50 MONITORED FACILITY 71
A.2.51 MONITORED JOURNEY PART FACILITY 72
A.2.52 MONITORED LOCAL SERVICE FACILITY 72
A.2.53 MONITORED OPERATION 72
A.2.54 MONITORED PLACE EQUIPMENT FACILITY 73
A.2.55 MONITORED SPECIAL SERVICE 73
A.2.56 MONITORED VEHICLE EQUIPMENT FACILITY 73
A.2.57 MONITORED VEHICLE JOURNEY 74
A.2.58 MONITORED VEHICLE JOURNEY FACILITY 74
A.2.59 OBSERVED PASSING TIME 74
A.2.60 OPERATIONAL EVENT 75
A.2.61 OPERATIONAL MESSAGE 75
A.2.62 PARTIAL JOURNEY CANCELLATION 75
A.2.63 PLANNED REMEDY 76
A.2.64 PRODUCTION PLAN 76
A.2.65 PT SITUATION 76
A.2.66 PT SITUATION AFFECTED SCOPE 76
A.2.67 PT SITUATION CONSEQUENCE 77
A.2.68 PT SITUATION CONSEQUENCE SCOPE 77
A.2.69 PT SITUATION GENERAL CONSEQUENCE 78

A.2.70 PT SITUATION MESSAGE **78**
A.2.71 RELATED SITUATION **78**
A.2.72 REMEDY **79**
A.2.73 RESORPTION **79**
A.2.74 RESPACING **79**
A.2.75 SITE OPERATIONAL EVENT **80**
A.2.76 SITUATION **80**
A.2.77 SITUATION CAUSE **80**
A.2.78 SITUATION REASON **81**
A.2.79 SITUATION SOURCE **81**
A.2.80 TYPE OF DELAY **81**
A.2.81 TYPE OF SITUATION SOURCE **82**
A.2.82 TYPE OF VEHICLE DETECTING **82**
A.2.83 TYPE OF VEHICLE MONITORING **82**
A.2.84 VEHICLE ASSIGNMENT **83**
A.2.85 VEHICLE CONTROL ACTION **83**
A.2.86 VEHICLE DETECTING **83**
A.2.87 VEHICLE DETECTING LOG ENTRY **84**
A.2.88 VEHICLE INCIDENT **84**
A.2.89 VEHICLE MONITORING **84**
A.2.90 VEHICLE MONITORING LOG ENTRY **85**
A.2.91 VEHICLE WORK ASSIGNMENT **85**
Annex B (normative) **Additional Common Concepts — Extension to EN 12896-1:2016, *Public Transport – Reference Data Model – Part 1: Common Concepts*** **86**
B.1 Methodology and Conventions **86**
B.1.1 Methodology for conceptual modelling **86**
B.1.1.1 General **86**
B.1.1.2 General **86**
B.1.1.3 Packages **86**
B.1.1.4 Package Prefixes and Package order **87**
B.1.1.5 Part Prefixes and diagram names **88**
B.1.1.6 Class diagrams **88**
B.1.1.7 Class Diagram Presentations **89**
B.1.1.8 Use of Colour **89**
B.1.2 MODEL Class Diagrams **90**
B.1.2.1 General **90**
B.1.2.2 Classes and attributes **91**

B.1.2.2.1 General 91
B.1.2.2.2 Attribute visibility 91
B.1.2.2.3 Attribute names 92
B.1.2.2.4 Attribute types 92
B.1.2.2.5 Multiplicity of Attributes 92
B.1.2.2.6 Common attributes 92
B.1.2.2.7 Simple Diagram Example 92
B.1.2.3 Relationships 94
B.1.2.3.1 General 94
B.1.2.3.2 Association relationships 94
B.1.2.3.3 Reflexive associations 94
B.1.2.3.4 Aggregation relationship 95
B.1.2.3.5 Generalization relationship 96
B.1.2.3.6 Multiplicity (Cardinality) of Relationships 97
B.1.2.3.7 Presence of Relationships on a given diagram 97
B.1.2.3.8 Relationships and navigability 98
B.1.2.3.9 Positional semantics for laying out classes and relationships 100
B.1.2.3.10 Explicit Frames 100
B.1.3 Summary of Rules for Transmodel Presentation 100
B.1.3.1 Presentation of Class Structure diagrams 100
B.1.3.2 Rules for naming and presenting classes 101
B.1.3.3 Rules for use of role names 101
B.1.3.4 Rules for use of multiplicity 102
B.1.3.5 Rules for relationship qualifiers 103
B.1.3.6 Rules for presenting relationships 104
B.1.3.7 Rules for Placing Role names 104
B.2 Extensions to the Common Concept MODEL 104
B.2.1 General 104
B.2.2 Additional Common Concepts — Additional Generalizations 104
B.2.2.1 Generic Type of Value – Conceptual MODEL 104
B.2.2.2 Generic Assignment – Conceptual MODEL 106
B.2.2.3 Generic Section – Conceptual MODEL 106
B.2.3 Extensions to the Generic Framework 107
B.2.3.1 General 107
B.2.3.2 Alternative Text – Conceptual MODEL 107
B.2.3.3 Generic View – Conceptual MODEL 108

B.2.3.4 Generic Loggable Object – Conceptual MODEL 109
B.2.3.5 Event Model – Conceptual MODEL 109
B.2.4 Extensions to the Reusable Components 110
B.2.4.1 Employee Model – Conceptual MODEL 110
B.2.4.2 Message Model – Conceptual MODEL 111
B.2.4.2.1 Messages 111
B.2.4.2.2 Publication Scope 112
B.2.4.3 Role Model – Conceptual MODEL 113
B.2.4.3.1 Generic Roles 113
B.2.4.3.2 Service Organization Roles 114
B.2.4.3.3 Employee Roles 114
B.2.4.3.4 Administrative Organization Roles 115
B.2.4.3.5 Technology Organization Roles 116
B.2.4.3.6 Messaging Roles 117
B.2.4.3.7 Transport Customer Roles 118
B.2.4.4 Security List – Conceptual MODEL 118
B.2.4.5 Transfer Time – Conceptual MODEL 119
B.2.5 Data Dictionary 119
B.2.5.1 General 119
B.2.5.2 ADMINISTRATIVE ORGANIZATION ROLE 120
B.2.5.3 ALTERNATIVE TEXT 120
B.2.5.4 ASSIGNMENT 120
B.2.5.5 BLACKLIST 120
B.2.5.6 CLASS ATTRIBUTE 121
B.2.5.7 CONDUCTOR ROLE 121
B.2.5.8 CUSTOMER SERVICE PROVIDER ROLE 121
B.2.5.9 CUSTOMER SERVICE ROLE 121
B.2.5.10 DATA COLLECTOR ROLE 122
B.2.5.11 DRIVER ROLE 122
B.2.5.12 EMPLOYEE 122
B.2.5.13 EMPLOYEE ROLE 122
B.2.5.14 EVENT 123
B.2.5.15 GENERAL EVENT 123
B.2.5.16 GENERAL OBSERVER ROLE 123
B.2.5.17 GENERAL SECTION 124
B.2.5.18 LOG 124

B.2.5.19 LOG ENTRY 124
B.2.5.20 LOGGABLE OBJECT 124
B.2.5.21 MESSAGE 125
B.2.5.22 MESSAGE PART 125
B.2.5.23 MESSAGE PRIORITY 125
B.2.5.24 ORGANIZATION ROLE 125
B.2.5.25 PT SCOPE 126
B.2.5.26 PUBLICATION APPROVER ROLE 126
B.2.5.27 PUBLICATION DECISION 126
B.2.5.28 PUBLICATION SCOPE 126
B.2.5.29 PUBLICATION WINDOW 127
B.2.5.30 PUBLISHING ACTION 127
B.2.5.31 PUBLISHING CHANNEL 127
B.2.5.32 QUALIFICATION 127
B.2.5.33 REGISTRAR ROLE 128
B.2.5.34 SECTION 128
B.2.5.35 SECTION IN LINK SEQUENCE 128
B.2.5.36 SECURITY LIST 128
B.2.5.37 SECURITY LISTABLE 129
B.2.5.38 SECURITY LISTING 129
B.2.5.39 SECURITY MANAGER ROLE 129
B.2.5.40 SERVICE OPERATOR ROLE 129
B.2.5.41 SITUATION AUTHOR ROLE 130
B.2.5.42 SPECIFIC OBSERVER ROLE 130
B.2.5.43 STATION EMPLOYEE ROLE 130
B.2.5.44 TECHNOLOGY ORGANIZATION ROLE 130
B.2.5.45 TRAFFIC INFORMATION OFFICER ROLE 131
B.2.5.46 TRANSFER TIME 131
B.2.5.47 TRANSPORT USER ROLE 131
B.2.5.48 TRAVEL DOCUMENT CONTROLLER ROLE 131
B.2.5.49 TRAVEL DOCUMENT CONTROLLING ORGANIZATION ROLE 132
B.2.5.50 TRAVEL ORGANIZATION ROLE 132
B.2.5.51 TYPE OF AUDIENCE 132
B.2.5.52 TYPE OF EVENT 132
B.2.5.53 TYPE OF MESSAGE 133
B.2.5.54 TYPE OF MESSAGE PART CONTENT 133

B.2.5.55 TYPE OF QUALIFICATION **133**
B.2.5.56 TYPE OF SECURITY LIST **133**
B.2.5.57 TYPE OF VALUE **134**
B.2.5.58 View **134**
B.2.5.59 WHITELIST **134**
Annex C (informative) **Data Model Evolution** **135**
C.1 Change Requests **135**
C.2 Source of Text **163**
C.3 Diagram Status **163**
Annex D (informative) **Mapping to DATEX II and SIRI (SX and FM)** **165**
D.1 Related standards **165**
D.2 Mapping with DATEX II **165**
D.2.1 DATEX II **165**
D.2.2 DATEX II and Transmodel **166**
D.2.3 Overview of correspondence of Situation elements **166**
D.2.4 Outline Mapping between DATEX II and Transmodel **169**
D.3 Mapping with SIRI SX and SIRI FM **170**
D.3.1 SIRI — Service Interface for Real-time Information **170**
D.3.2 Outline Mapping between SIRI— SX — and Transmodel **171**
D.3.3 Outline Mapping between SIRI— FM— and Transmodel **172**
Bibliography **174**