ISO 8820-8:2019-10 (E)

Road v ehicles - Fuse-links - Part 8: Fuse-links with bolt-in contacts (Type H and J) w ith rated voltage of 450 V

Contents

Page

Foreword iv

1 Scope 1

2 Normative references 1

3 Termsanddefinitions 1

4 Marking, labelling and colour coding 1

5 Tests and requirements 2
5.1 General 2
5.1.1 Test criteria 2
5.1.2 Test sequence 2
5.1.3 Test cable sizes 2
5.2 Voltage drop 3
5.2.1 Tests 3
5.2.2 Requirements 3
5.3 Transient current cycling 4
5.3.1 Test 4
5.3.2 Requirements 4
5.4 Environmental conditions 4
5.5 Operating time-rating 4
5.5.1 Test 4
5.5.2 Requirement 5
5.6 Current steps 5
5.7 Breaking capacity 5
5.7.1 Test 5
5.7.2 Requirement 5
5.8 Strength of terminals 5
5.8.1 Test 5
5.8.2 Requirements 6
5.9 Temperature rise 6
5.9.1 Test 6
5.9.2 Requirement 6
5.10 Resistance against temperature shock 6
5.10.1 Test 6
5.10.2 Requirement 7

6 Dimensions 7
6.1 Type H 7
6.2 Type J 8

7 TestfixtureforfuseslinksTypeHandTypeJ 9

AnnexA(informative)Classification 10

Bibliography 11