

ISO 14229-1:2020-02 (E)

Road vehicles - Unified diagnostic services (UDS) - Part 1: Application layer

| Contents | | Page |
|-------------------|---|-------------|
| Foreword..... | | ix |
| Introduction..... | | x |
| 1 | Scope | 1 |
| 2 | Normative references | 1 |
| 3 | Terms and definitions..... | 2 |
| 4 | Symbols and abbreviated terms..... | 5 |
| 5 | Conventions | 5 |
| 6 | Document overview | 6 |
| 7 | Application layer services | 7 |
| 7.1 | General | 7 |
| 7.2 | Format description of application layer services | 9 |
| 7.3 | Format description of service primitives | 9 |
| 7.3.1 | General definition..... | 9 |
| 7.3.2 | Service request and service indication primitives | 10 |
| 7.3.3 | Service response and service confirm primitives..... | 11 |
| 7.3.4 | Service request-confirm and service response-confirm primitives | 11 |
| 7.4 | Service data unit specification | 12 |
| 7.4.1 | Mandatory parameters..... | 12 |
| 7.4.2 | Vehicle system requirements..... | 14 |
| 7.4.3 | Optional parameters - A_AE, application layer remote address..... | 15 |
| 8 | Application layer protocol..... | 15 |
| 8.1 | General definition..... | 15 |
| 8.2 | A_PDU, application protocol data unit | 16 |
| 8.3 | A_PCI, application protocol control information | 16 |
| 8.4 | SI, service identifier | 17 |
| 8.5 | A_NR_SI, Negative response service identifier | 17 |
| 8.6 | Negative response/confirmation service primitive..... | 18 |
| 8.7 | Server response implementation rules..... | 18 |
| 8.7.1 | General definitions..... | 18 |
| 8.7.2 | General server response behaviour | 19 |
| 8.7.3 | Request message with SubFunction parameter and server response behaviour..... | 21 |
| 8.7.4 | Request message without SubFunction parameter and server response behaviour | 25 |
| 8.7.5 | Pseudo code example of server response behaviour | 27 |
| 8.7.6 | Multiple concurrent request messages with physical and functional addressing..... | 29 |
| 9 | Service description conventions | 29 |
| 9.1 | Service description | 29 |
| 9.2 | Request message..... | 30 |
| 9.2.1 | Request message definition | 30 |
| 9.2.2 | Request message SubFunction parameter \$Level (LEV_) definition | 31 |
| 9.2.3 | Request message data-parameter definition | 33 |
| 9.3 | Positive response message..... | 33 |
| 9.3.1 | Positive response message definition..... | 33 |
| 9.3.2 | Positive response message data-parameter definition | 34 |

| | | |
|--------|--|-----|
| 9.4 | Supported negative response codes (NRC_) | 34 |
| 9.5 | Message flow examples | 35 |
| 10 | Diagnostic and communication management functional unit | 36 |
| 10.1 | Overview | 36 |
| 10.2 | DiagnosticSessionControl (10 ₁₆) service | 36 |
| 10.2.1 | Service description | 36 |
| 10.2.2 | Request message | 40 |
| 10.2.3 | Positive response message | 41 |
| 10.2.4 | Supported negative response codes (NRC_) | 42 |
| 10.2.5 | Message flow example(s) DiagnosticSessionControl – Start programmingSession | 43 |
| 10.3 | ECUReset (11 ₁₆) service | 43 |
| 10.3.1 | Service description | 43 |
| 10.3.2 | Request message | 44 |
| 10.3.3 | Positive response message | 45 |
| 10.3.4 | Supported negative response codes (NRC_) | 46 |
| 10.3.5 | Message flow example ECUReset | 47 |
| 10.4 | SecurityAccess (27 ₁₆) service | 47 |
| 10.4.1 | Service description | 47 |
| 10.4.2 | Request message | 49 |
| 10.4.3 | Positive response message | 51 |
| 10.4.4 | Supported negative response codes (NRC_) | 51 |
| 10.4.5 | Message flow example(s) SecurityAccess | 52 |
| 10.5 | CommunicationControl (28 ₁₆) service | 54 |
| 10.5.1 | Service description | 54 |
| 10.5.2 | Request message | 54 |
| 10.5.3 | Positive response message | 56 |
| 10.5.4 | Supported negative response codes (NRC_) | 56 |
| 10.5.5 | Message flow example CommunicationControl (disable transmission of network management messages) | 57 |
| 10.5.6 | Message flow example CommunicationControl (switch a remote network into the diagnostic-only scheduling mode where the node with address 000A ₁₆ is connected to) | 57 |
| 10.5.7 | Message flow example CommunicationControl (switch to application scheduling mode with enhanced address information, the node 000A ₁₆ , which is connected to a sub-network, is addressed) | 58 |
| 10.6 | Authentication (29 ₁₆) service | 59 |
| 10.6.1 | Service overview | 59 |
| 10.6.2 | Authentication with PKI Certificate Exchange (APCE) | 60 |
| 10.6.3 | Authentication with Challenge-Response (ACR) | 65 |
| 10.6.4 | Common requirements | 69 |
| 10.6.5 | Request message | 71 |
| 10.6.6 | Positive response message | 78 |
| 10.6.7 | Supported negative response codes (NRC_) | 85 |
| 10.6.8 | Message flow example(s) Authentication | 86 |
| 10.7 | TesterPresent (3E ₁₆) service | 108 |
| 10.7.1 | Service description | 108 |
| 10.7.2 | Request message | 108 |
| 10.7.3 | Positive response message | 108 |
| 10.7.4 | Supported negative response codes (NRC_) | 109 |
| 10.7.5 | Message flow example(s) TesterPresent | 109 |
| 10.8 | ControlDTCSetting (85 ₁₆) service | 110 |
| 10.8.1 | Service description | 110 |
| 10.8.2 | Request message | 111 |

| | | |
|---------|---|-----|
| 10.8.3 | Positive response message..... | 112 |
| 10.8.4 | Supported negative response codes (NRC_)..... | 112 |
| 10.8.5 | Message flow example(s) ControlDTCSetting | 113 |
| 10.9 | ResponseOnEvent (86 ₁₆) service | 114 |
| 10.9.1 | Service description | 114 |
| 10.9.2 | Request message..... | 121 |
| 10.9.3 | Positive response message..... | 127 |
| 10.9.4 | Supported negative response codes (NRC_)..... | 130 |
| 10.9.5 | Message flow example(s) ResponseOnEvent..... | 131 |
| 10.10 | LinkControl (87 ₁₆) service..... | 146 |
| 10.10.1 | Service description | 146 |
| 10.10.2 | Request message | 147 |
| 10.10.3 | Positive response message | 149 |
| 10.10.4 | Supported negative response codes (NRC_) | 149 |
| 10.10.5 | Message flow example(s) LinkControl | 150 |
| 11 | Data transmission functional unit..... | 152 |
| 11.1 | Overview..... | 152 |
| 11.2 | ReadDataByIdentifier (22 ₁₆) service..... | 153 |
| 11.2.1 | Service description | 153 |
| 11.2.2 | Request message..... | 153 |
| 11.2.3 | Positive response message..... | 154 |
| 11.2.4 | Supported negative response codes (NRC_)..... | 155 |
| 11.2.5 | Message flow example ReadDataByIdentifier..... | 157 |
| 11.3 | ReadMemoryByAddress (23 ₁₆) service | 159 |
| 11.3.1 | Service description | 159 |
| 11.3.2 | Request message..... | 159 |
| 11.3.3 | Positive response message..... | 161 |
| 11.3.4 | Supported negative response codes (NRC_)..... | 161 |
| 11.3.5 | Message flow example ReadMemoryByAddress..... | 163 |
| 11.4 | ReadScalingDataByIdentifier (24 ₁₆) service..... | 166 |
| 11.4.1 | Service description | 166 |
| 11.4.2 | Request message..... | 166 |
| 11.4.3 | Positive response message..... | 166 |
| 11.4.4 | Supported negative response codes (NRC_)..... | 167 |
| 11.4.5 | Message flow example ReadScalingDataByIdentifier | 169 |
| 11.5 | ReadDataByPeriodicIdentifier (2A ₁₆) service..... | 172 |
| 11.5.1 | Service description | 172 |
| 11.5.2 | Request message..... | 176 |
| 11.5.3 | Positive response message..... | 176 |
| 11.5.4 | Supported negative response codes (NRC_)..... | 177 |
| 11.5.5 | Message flow example ReadDataByPeriodicIdentifier..... | 180 |
| 11.6 | DynamicallyDefineDataIdentifier (2C ₁₆) service | 191 |
| 11.6.1 | Service description | 191 |
| 11.6.2 | Request message..... | 192 |
| 11.6.3 | Positive response message..... | 195 |
| 11.6.4 | Supported negative response codes (NRC_)..... | 196 |
| 11.6.5 | Message flow examples DynamicallyDefineDataIdentifier..... | 197 |
| 11.7 | WriteDataByIdentifier (2E ₁₆) service..... | 212 |
| 11.7.1 | Service description | 212 |
| 11.7.2 | Request message..... | 212 |
| 11.7.3 | Positive response message..... | 213 |
| 11.7.4 | Supported negative response codes (NRC_)..... | 214 |
| 11.7.5 | Message flow example WriteDataByIdentifier | 215 |

| | | |
|--------|--|-----|
| 11.8 | WriteMemoryByAddress (3D ₁₆) service | 216 |
| 11.8.1 | Service description | 216 |
| 11.8.2 | Request message | 217 |
| 11.8.3 | Positive response message | 218 |
| 11.8.4 | Supported negative response codes (NRC_) | 219 |
| 11.8.5 | Message flow example WriteMemoryByAddress | 221 |
| 12 | Stored data transmission functional unit..... | 223 |
| 12.1 | Overview | 223 |
| 12.2 | ClearDiagnosticInformation (14 ₁₆) service | 223 |
| 12.2.1 | Service description | 223 |
| 12.2.2 | Request message | 224 |
| 12.2.3 | Positive response message | 225 |
| 12.2.4 | Supported negative response codes (NRC_) | 225 |
| 12.2.5 | Message flow example ClearDiagnosticInformation..... | 226 |
| 12.3 | ReadDTCInformation (19 ₁₆) service | 227 |
| 12.3.1 | Service description | 227 |
| 12.3.2 | Request message | 238 |
| 12.3.3 | Positive response message | 249 |
| 12.3.4 | Supported negative response codes (NRC_) | 263 |
| 12.3.5 | Message flow examples – ReadDTCInformation | 264 |
| 13 | InputOutput control functional unit | 297 |
| 13.1 | Overview | 297 |
| 13.2 | InputOutputControlByIdentifier (2F ₁₆) service | 297 |
| 13.2.1 | Service description | 297 |
| 13.2.2 | Request message | 298 |
| 13.2.3 | Positive response message | 299 |
| 13.2.4 | Supported negative response codes (NRC_) | 300 |
| 13.2.5 | Message flow example(s) InputOutputControlByIdentifier | 301 |
| 14 | Routine functional unit | 310 |
| 14.1 | Overview | 310 |
| 14.2 | RoutineControl (31 ₁₆) service | 311 |
| 14.2.1 | Service description | 311 |
| 14.2.2 | Request message | 312 |
| 14.2.3 | Positive response message | 314 |
| 14.2.4 | Supported negative response codes (NRC_) | 315 |
| 14.2.5 | Message flow example(s) RoutineControl | 317 |
| 15 | Upload download functional unit..... | 321 |
| 15.1 | Overview | 321 |
| 15.2 | RequestDownload (34 ₁₆) service..... | 321 |
| 15.2.1 | Service description | 321 |
| 15.2.2 | Request message | 322 |
| 15.2.3 | Positive response message | 323 |
| 15.2.4 | Supported negative response codes (NRC_) | 324 |
| 15.2.5 | Message flow example(s) RequestDownload..... | 325 |
| 15.3 | RequestUpload (35 ₁₆) service..... | 325 |
| 15.3.1 | Service description | 325 |
| 15.3.2 | Request message | 326 |
| 15.3.3 | Positive response message | 327 |
| 15.3.4 | Supported negative response codes (NRC_) | 328 |
| 15.3.5 | Message flow example(s) RequestUpload..... | 329 |
| 15.4 | TransferData (36 ₁₆) service | 330 |
| 15.4.1 | Service description | 330 |

| | | |
|-----------------------|---|-----|
| 15.4.2 | Request message..... | 330 |
| 15.4.3 | Positive response message..... | 331 |
| 15.4.4 | Supported negative response codes (NRC_)..... | 332 |
| 15.4.5 | Message flow example(s) TransferData..... | 334 |
| 15.5 | RequestTransferExit (37 ₁₆) service..... | 334 |
| 15.5.1 | Service description..... | 334 |
| 15.5.2 | Request message..... | 335 |
| 15.5.3 | Positive response message..... | 335 |
| 15.5.4 | Supported negative response codes (NRC_)..... | 336 |
| 15.5.5 | Message flow example(s) for downloading/uploading data..... | 337 |
| 15.6 | RequestFileTransfer (38 ₁₆) service..... | 344 |
| 15.6.1 | Service description..... | 344 |
| 15.6.2 | Request message..... | 344 |
| 15.6.3 | Positive response message..... | 346 |
| 15.6.4 | Supported negative response codes (NRC_)..... | 348 |
| 15.6.5 | Message flow example(s) RequestFileTransfer..... | 350 |
| 16 | Security sub-layer definition..... | 353 |
| 16.1 | General..... | 353 |
| 16.1.1 | Purpose..... | 353 |
| 16.1.2 | Security sub-layer description..... | 353 |
| 16.1.3 | Security sub-layer access..... | 354 |
| 16.1.4 | General server response behaviour..... | 356 |
| 16.2 | SecuredDataTransmission (84 ₁₆) service..... | 358 |
| 16.2.1 | Service description..... | 358 |
| 16.2.2 | Request message..... | 358 |
| 16.2.3 | Positive response message for successful internal message..... | 360 |
| 16.2.4 | Supported negative response codes (NRC_)..... | 362 |
| 16.2.5 | Message flow example SecuredDataTransmission..... | 363 |
| 17 | Non-volatile server memory programming process..... | 366 |
| 17.1 | General information..... | 366 |
| 17.2 | Detailed programming sequence..... | 370 |
| 17.2.1 | Programming phase #1 — Download of application software and/or application data..... | 370 |
| 17.3 | Server reprogramming requirements..... | 379 |
| 17.3.1 | Requirements for servers to support programming..... | 379 |
| 17.3.2 | Software, data identification and fingerprints..... | 382 |
| 17.3.3 | Server routine access..... | 383 |
| 17.4 | Non-volatile server memory programming message flow examples..... | 383 |
| 17.4.1 | General information..... | 383 |
| 17.4.2 | Programming phase #1 — Pre-Programming step..... | 383 |
| 17.4.3 | Programming phase #1 — Programming step..... | 384 |
| 17.4.4 | Programming phase #1 — Post-Programming step..... | 389 |
| Annex A (normative) | Global parameter definitions..... | 390 |
| Annex B (normative) | Diagnostic and communication management functional unit data-parameter definitions..... | 400 |
| Annex C (normative) | Data transmission functional unit data-parameter definitions..... | 405 |
| Annex D (normative) | Stored data transmission functional unit data-parameter definitions.... | 422 |
| Annex E (normative) | Input output control functional unit data-parameter definitions..... | 444 |
| Annex F (normative) | Routine functional unit data-parameter definitions..... | 445 |
| Annex G (normative) | Upload and download functional unit data-parameter..... | 447 |
| Annex H (informative) | Examples for addressAndLengthFormatIdentifier parameter values.. | 448 |
| Annex I (normative) | Security access state chart..... | 450 |
| Annex J (informative) | Recommended implementation for multiple client environments..... | 458 |
| Bibliography..... | | 464 |