

Contents

	Foreword
	Introduction
1	Scope
2	Normative references
3	Terms and definitions
4	Abbreviated terms
5	Wake-up and synchronised link sleep functionality
5.1	General
5.2	PHY service interface for a GEPOF entity
5.3	Neighbour PHY service interface for a GEPOF entity
5.4	Conciliation service interface
5.4.1	General
5.4.2	CON_WakeUpSleepPacket.request
5.4.3	CON_WakeUpSleepPacket.indication
5.4.4	CON_WakeUpSleepPacketACK.indication
5.4.5	CON_SignalDetected.indication
5.4.6	CON_OAMActive.indication
5.5	FFME service interface
5.5.1	General
5.5.2	FFME_PowerDownStatus.request
5.5.3	FFME_PowerDownStatus.indication
5.5.4	FFME_WakeUp.indication
5.6	802-3bv service interface
5.6.1	General
5.6.2	802-3bv_PowerDownStatus.request
5.6.3	802-3bv_RXDETECT.indication
5.7	WUSME Sublayer
5.7.1	General
5.7.2	WUSME wake-up functionality
5.7.2.1	WUSME wake-up state diagram variables
5.7.2.2	WUSME wake-up state diagram
5.7.3	WUSME synchronised link sleep functionality
5.7.3.1	WUSME synchronised link sleep state diagram variables
5.7.3.2	WUSME synchronised link sleep state diagram
5.7.4	PHY_SleepStatus.indication generation
5.8	FFME sublayer
5.8.1	General
5.8.2	FFME power state functionality
5.8.2.1	FFME power state diagram variables
5.8.2.2	FFME power state diagram
5.9	Conciliation sublayer
5.9.1	General
5.9.2	Conciliation sublayer variables
5.9.3	CRC16 computation
5.9.4	Generating ISO/IEC/IEEE 8802-3:2017/Amd 9:2018, Clause 45 stimuli from CON_WakeUpSleepPacket.request

- 5.9.5 Generating CON_WakeUpSleepPacket.indication from ISO/IEC/IEEE 8802-3:2017/Amd 9:2018, Clause 45 stimuli
- 5.9.6 Generating CON_WakeUpSleepPacketACK.indication from ISO/IEC/IEEE 8802-3:2017/Amd 9:2018, Clause 45 stimuli
- 5.9.7 Generating CON_SignalDetected.indication from ISO/IEC/IEEE 8802-3:2017/Amd 9:2018, Clause 45 stimuli
- 5.9.8 Conciliation sublayer constants
- 6 PICS proforma
 - 6.1 General
 - 6.2 Major capabilities/options
 - 6.3 Wake-up and synchronised link sleep PICS items
- 7 Test plan
 - 7.1 Test plan scope
 - 7.2 Test plan architecture
 - 7.3 Test plan organization
 - 7.4 Test case sections
 - 7.5 Test case reference tables
 - 7.5.1 Block 1: test mode and loopback test cases
 - 7.5.2 Block 2: PCS, PMA, PMD and MDI test cases
 - 7.5.3 Block 3. EEE, OAM and wake-up and synchronised link sleep test cases
 - 7.6 Test setups
 - 7.6.1 General
 - 7.6.2 Test setup 1: TS_BASE
 - 7.6.3 Test setup 2: TS_EXTEND
 - 7.6.4 Test setup 3: TS_SIGPOW
 - 7.6.5 Test setup 4: TS_AOPTX
 - 7.6.6 Test setup 5: TS_ER
 - 7.6.7 Test setup 6: TS_CW
 - 7.6.8 Test setup 7: TS_SW
 - 7.6.9 Test setup 8: TS_RT_FT
 - 7.6.10 Test setup 9: TS_OS
 - 7.6.11 Test setup 10: TS_NOD_POD
 - 7.6.12 Test setup 11: TS_DIST
 - 7.6.13 Test setup 12: TS_RIN
 - 7.6.14 Test setup 13: TS_MPD
 - 7.6.15 Test setup 14: TS_TJ
 - 7.6.16 Test setup 15: TS_2LP
 - 7.6.17 Test setup 16: TS_AOPRX
 - 7.6.18 Test setup 17: TS_LOOP
 - 7.7 Block 1 test cases: test modes and loopbacks
 - 7.7.1 General
 - 7.7.2 LBT_1: Loopback control
 - 7.7.2.1 Purpose
 - 7.7.2.2 Test case references
 - 7.7.2.3 Test setup
 - 7.7.2.4 Discussion
 - 7.7.2.5 Test configuration
 - 7.7.2.6 Test procedure steps
 - 7.7.2.7 Observable results
 - 7.7.2.8 Remarks
 - 7.7.3 LBT_2: GMII loopback
 - 7.7.3.1 Purpose
 - 7.7.3.2 Test case references
 - 7.7.3.3 Test setup
 - 7.7.3.4 Discussion
 - 7.7.3.5 Test configuration
 - 7.7.3.6 Test procedure steps
 - 7.7.3.7 Observable results
 - 7.7.3.8 Remarks
 - 7.7.4 LBT_3: PMD loopback
 - 7.7.4.1 Purpose
 - 7.7.4.2 Test case references

7.7.4.3	Test setup
7.7.4.4	Discussion
7.7.4.5	Test configuration
7.7.4.6	Test procedure steps
7.7.4.7	Observable results
7.7.4.8	Remarks
7.7.5	TMT_1: Test mode configuration general
7.7.5.1	Purpose
7.7.5.2	Test case references
7.7.5.3	Test setup
7.7.5.4	Discussion
7.7.5.5	Test configuration
7.7.5.6	Test procedure steps
7.7.5.7	Observable results
7.7.5.8	Remarks
7.7.6	TMT_2: Test mode 1 transmission
7.7.6.1	Purpose
7.7.6.2	Test case references
7.7.6.3	Test setup
7.7.6.4	Discussion
7.7.6.5	Test configuration
7.7.6.6	Test procedure steps
7.7.6.7	Observable results
7.7.6.8	Remarks
7.7.7	TMT_4: Test mode 2 transmission
7.7.7.1	Purpose
7.7.7.2	Test case references
7.7.7.3	Test setup
7.7.7.4	Discussion
7.7.7.5	Test configuration
7.7.7.6	Test procedure steps
7.7.7.7	Observable results
7.7.7.8	Remarks
7.7.8	TMT_5: Test mode 3 transmission
7.7.8.1	Purpose
7.7.8.2	Test case references
7.7.8.3	Test setup
7.7.8.4	Discussion
7.7.8.5	Test configuration
7.7.8.6	Test procedure steps
7.7.8.7	Observable results
7.7.8.8	Remarks
7.7.9	TMT_6: Test mode 4 transmission
7.7.9.1	Purpose
7.7.9.2	Test case references
7.7.9.3	Test setup
7.7.9.4	Discussion
7.7.9.5	Test configuration
7.7.9.6	Test procedure steps
7.7.9.7	Observable results
7.7.9.8	Remarks
7.7.10	TMT_7: Test mode 5 transmission
7.7.10.1	Purpose
7.7.10.2	Test case references
7.7.10.3	Test setup
7.7.10.4	Discussion
7.7.10.5	Test configuration
7.7.10.6	Test procedure steps
7.7.10.7	Observable results
7.7.10.8	Remarks
7.7.11	TMT_8: Test mode 6 transmission
7.7.11.1	Purpose
7.7.11.2	Test case references
7.7.11.3	Test setup

7.7.11.4	Discussion
7.7.11.5	Test configuration
7.7.11.6	Test procedure steps
7.7.11.7	Observable results
7.7.11.8	Remarks
7.7.12	TMT_3: Test mode 1 reception
7.7.12.1	Purpose
7.7.12.2	Test case references
7.7.12.3	Test setup
7.7.12.4	Discussion
7.7.12.5	Test configuration
7.7.12.6	Test procedure steps
7.7.12.7	Observable results
7.7.12.8	Remarks
7.7.13	LBT_4: Line loopback
7.7.13.1	Purpose
7.7.13.2	Test case references
7.7.13.3	Test setup
7.7.13.4	Discussion
7.7.13.5	Test configuration
7.7.13.6	Test procedure steps
7.7.13.7	Observable results
7.7.13.8	Remarks
7.8	Block 2 test cases: Mandatory functionality
7.8.1	General
7.8.2	PCST_1: PCS transmission signalling
7.8.2.1	Purpose
7.8.2.2	Test case references
7.8.2.3	Test setup
7.8.2.4	Discussion
7.8.2.5	Test configuration
7.8.2.6	Test procedure steps
7.8.2.7	Observable results
7.8.2.8	Remarks
7.8.3	PCST_2: PCS transmission PHD
7.8.3.1	Purpose
7.8.3.2	Test case references
7.8.3.3	Test setup
7.8.3.4	Discussion
7.8.3.5	Test configuration
7.8.3.6	Test procedure steps
7.8.3.7	Observable results
7.8.3.8	Remarks
7.8.4	PCST_3: Transmission PCS payload data
7.8.4.1	Purpose
7.8.4.2	Test case references
7.8.4.3	Test setup
7.8.4.4	Discussion
7.8.4.5	Test configuration
7.8.4.6	Test procedure steps
7.8.4.7	Observable results
7.8.4.8	Remarks
7.8.5	PCST_4: PCS reception header and payload data
7.8.5.1	Purpose
7.8.5.2	Test case references
7.8.5.3	Test setup
7.8.5.4	Discussion
7.8.5.5	Test configuration
7.8.5.6	Test procedure steps
7.8.5.7	Observable results
7.8.5.8	Remarks
7.8.6	PCST_5: PCS transmission alignment
7.8.6.1	Purpose
7.8.6.2	Test case references

7.8.6.3	Test setup
7.8.6.4	Discussion
7.8.6.5	Test configuration
7.8.6.6	Test procedure steps
7.8.6.7	Observable results
7.8.6.8	Remarks
7.8.7	PCST_6: PCS reception alignment
7.8.7.1	Purpose
7.8.7.2	Test case references
7.8.7.3	Test setup
7.8.7.4	Discussion
7.8.7.5	Test configuration
7.8.7.6	Test procedure steps
7.8.7.7	Observable results
7.8.7.8	Remarks
7.8.8	PMAT_1: Transmission PMA power scaling test
7.8.8.1	Purpose
7.8.8.2	Test case references
7.8.8.3	Test setup
7.8.8.4	Discussion
7.8.8.5	Test configuration
7.8.8.6	Test procedure steps
7.8.8.7	Observable results
7.8.8.8	Remarks
7.8.9	PMAT_2: THP transmission
7.8.9.1	Purpose
7.8.9.2	Test case references
7.8.9.3	Test setup
7.8.9.4	Discussion
7.8.9.5	Test configuration
7.8.9.6	Test procedure steps
7.8.9.7	Observable results
7.8.9.8	Remarks
7.8.10	PMAT_3: State diagrams – Transmit PHD commit point
7.8.10.1	Purpose
7.8.10.2	Test case references
7.8.10.3	Test setup
7.8.10.4	Discussion
7.8.10.5	Test configuration
7.8.10.6	Test procedure steps
7.8.10.7	Observable results
7.8.10.8	Remarks
7.8.11	PMAT_4: State diagrams – Receive PHD commit point
7.8.11.1	Purpose
7.8.11.2	Test case references
7.8.11.3	Test setup
7.8.11.4	Discussion
7.8.11.5	Test configuration
7.8.11.6	Test procedure steps
7.8.11.7	Observable results
7.8.11.8	Remarks
7.8.12	PMAT_5: State diagrams – TX control
7.8.12.1	Purpose
7.8.12.2	Test case references
7.8.12.3	Test setup
7.8.12.4	Discussion
7.8.12.5	Test configuration
7.8.12.6	Test procedure steps
7.8.12.7	Observable results
7.8.12.8	Remarks
7.8.13	PMAT_6: State diagrams – RX control
7.8.13.1	Purpose
7.8.13.2	Test case references
7.8.13.3	Test setup

7.8.13.4 Discussion
7.8.13.5 Test configuration
7.8.13.6 Test procedure steps
7.8.13.7 Observable results
7.8.13.8 Remarks
7.8.14 PMAT_7: State diagrams – Link monitor
7.8.14.1 Purpose
7.8.14.2 Test case references
7.8.14.3 Test setup
7.8.14.4 Discussion
7.8.14.5 Test configuration
7.8.14.6 Test procedure steps
7.8.14.7 Observable results
7.8.14.8 Remarks
7.8.15 PMAT_8: State diagrams – PHD monitor
7.8.15.1 Purpose
7.8.15.2 Test case references
7.8.15.3 Test setup
7.8.15.4 Discussion
7.8.15.5 Test configuration
7.8.15.6 Test procedure steps
7.8.15.7 Observable results
7.8.15.8 Remarks
7.8.16 PMAT_9: State diagrams – Adaptive THP TX
7.8.16.1 Purpose
7.8.16.2 Test case references
7.8.16.3 Test setup
7.8.16.4 Discussion
7.8.16.5 Test configuration
7.8.16.6 Test procedure steps
7.8.16.7 Observable results
7.8.16.8 Remarks
7.8.17 PMAT_10: State diagrams – Adaptive THP request
7.8.17.1 Purpose
7.8.17.2 Test case references
7.8.17.3 Test setup
7.8.17.4 Discussion
7.8.17.5 Test configuration
7.8.17.6 Test procedure steps
7.8.17.7 Observable results
7.8.17.8 Remarks
7.8.18 PMAT_11: State diagrams – Quality monitor state diagram
7.8.18.1 Purpose
7.8.18.2 Test case references
7.8.18.3 Test setup
7.8.18.4 Discussion
7.8.18.5 Test configuration
7.8.18.6 Test procedure steps
7.8.18.7 Observable results
7.8.18.8 Remarks
7.8.19 PMAT_12: Synchronisation
7.8.19.1 Purpose
7.8.19.2 Test case references
7.8.19.3 Test setup
7.8.19.4 Discussion
7.8.19.5 Test configuration
7.8.19.6 Test procedure steps
7.8.19.7 Observable results
7.8.19.8 Remarks
7.8.20 PMAT_13: Equalization and BER measurement
7.8.20.1 Purpose
7.8.20.2 Test case references
7.8.20.3 Test setup
7.8.20.4 Discussion

7.8.20.5 Test configuration
7.8.20.6 Test procedure steps
7.8.20.7 Observable results
7.8.20.8 Remarks
7.8.21 PMDT_1: PMD transmit function – Electrical to optical
7.8.21.1 Purpose
7.8.21.2 Test case references
7.8.21.3 Test setup
7.8.21.4 Discussion
7.8.21.5 Test configuration
7.8.21.6 Test procedure steps
7.8.21.7 Observable results
7.8.21.8 Remarks
7.8.22 PMDT_2: PMD transmit function – Power control
7.8.22.1 Purpose
7.8.22.2 Test case references
7.8.22.3 Test setup
7.8.22.4 Discussion
7.8.22.5 Test configuration
7.8.22.6 Test procedure steps
7.8.22.7 Observable results
7.8.22.8 Remarks
7.8.23 PMDT_3: PMD receive function – Optical to electrical
7.8.23.1 Purpose
7.8.23.2 Test case references
7.8.23.3 Test setup
7.8.23.4 Discussion
7.8.23.5 Test configuration
7.8.23.6 Test procedure steps
7.8.23.7 Observable results
7.8.23.8 Remarks
7.8.24 PMDT_4: PMD signal detect function
7.8.24.1 Purpose
7.8.24.2 Test case references
7.8.24.3 Test setup
7.8.24.4 Discussion
7.8.24.5 Test configuration
7.8.24.6 Test procedure steps
7.8.24.7 Observable results
7.8.24.8 Remarks
7.8.25 PMD_MDIT_1: Transmitter optical specifications – AOP
7.8.25.1 Purpose
7.8.25.2 Test case references
7.8.25.3 Test setup
7.8.25.4 Discussion
7.8.25.5 Test configuration
7.8.25.6 Test procedure steps
7.8.25.7 Observable results
7.8.25.8 Remarks
7.8.26 PMD_MDIT_2: Transmitter optical specifications – ER
7.8.26.1 Purpose
7.8.26.2 Test case references
7.8.26.3 Test setup
7.8.26.4 Discussion
7.8.26.5 Test configuration
7.8.26.6 Test procedure steps
7.8.26.7 Observable results
7.8.26.8 Remarks
7.8.27 PMD_MDIT_3: Transmitter optical specifications – Centre wavelength
7.8.27.1 Purpose
7.8.27.2 Test case references
7.8.27.3 Test setup
7.8.27.4 Discussion
7.8.27.5 Test configuration

7.8.27.6 Test procedure steps
7.8.27.7 Observable results
7.8.27.8 Remarks
7.8.28 PMD_MDIT_4: Transmitter optical specifications – Spectral width
7.8.28.1 Purpose
7.8.28.2 Test case references
7.8.28.3 Test setup
7.8.28.4 Discussion
7.8.28.5 Test configuration
7.8.28.6 Test procedure steps
7.8.28.7 Observable results
7.8.28.8 Remarks
7.8.29 PMD_MDIT_5: Transmitter optical specifications – Rise time
7.8.29.1 Purpose
7.8.29.2 Test case references
7.8.29.3 Test setup
7.8.29.4 Discussion
7.8.29.5 Test configuration
7.8.29.6 Test procedure steps
7.8.29.7 Observable results
7.8.29.8 Remarks
7.8.30 PMD_MDIT_6: Transmitter optical specifications – Fall time
7.8.30.1 Purpose
7.8.30.2 Test case references
7.8.30.3 Test setup
7.8.30.4 Discussion
7.8.30.5 Test configuration
7.8.30.6 Test procedure steps
7.8.30.7 Observable results
7.8.30.8 Remarks
7.8.31 PMD_MDIT_7: Transmitter optical specifications – Signal overshoot
7.8.31.1 Purpose
7.8.31.2 Test case references
7.8.31.3 Test setup
7.8.31.4 Discussion
7.8.31.5 Test configuration
7.8.31.6 Test procedure steps
7.8.31.7 Observable results
7.8.31.8 Remarks
7.8.32 PMD_MDIT_8: Transmitter optical specifications – Positive output droop
7.8.32.1 Purpose
7.8.32.2 Test case references
7.8.32.3 Test setup
7.8.32.4 Discussion
7.8.32.5 Test configuration
7.8.32.6 Test procedure steps
7.8.32.7 Observable results
7.8.32.8 Remarks
7.8.33 PMD_MDIT_9: Transmitter optical specifications – Negative output droop
7.8.33.1 Purpose
7.8.33.2 Test case references
7.8.33.3 Test setup
7.8.33.4 Discussion
7.8.33.5 Test configuration
7.8.33.6 Test procedure steps
7.8.33.7 Observable results
7.8.33.8 Remarks
7.8.34 PMD_MDIT_10: Transmitter optical specifications – Signal distortion
7.8.34.1 Purpose
7.8.34.2 Test case references
7.8.34.3 Test setup
7.8.34.4 Discussion
7.8.34.5 Test configuration
7.8.34.6 Test procedure steps

7.8.34.7 **Observable results**
7.8.34.8 **Remarks**
7.8.35 **PMD_MDIT_11: Transmitter optical specifications – Relative intensity noise**
7.8.35.1 **Purpose**
7.8.35.2 **Test case references**
7.8.35.3 **Test setup**
7.8.35.4 **Discussion**
7.8.35.5 **Test configuration**
7.8.35.6 **Test procedure steps**
7.8.35.7 **Observable results**
7.8.35.8 **Remarks**
7.8.36 **PMD_MDIT_12: Transmitter optical specifications – Transmitter off transition time**
7.8.36.1 **Purpose**
7.8.36.2 **Test case references**
7.8.36.3 **Test setup**
7.8.36.4 **Discussion**
7.8.36.5 **Test configuration**
7.8.36.6 **Test procedure steps**
7.8.36.7 **Observable results**
7.8.36.8 **Remarks**
7.8.37 **PMD_MDIT_13: Transmitter optical specifications – Transmitter on transition time**
7.8.37.1 **Purpose**
7.8.37.2 **Test case references**
7.8.37.3 **Test setup**
7.8.37.4 **Discussion**
7.8.37.5 **Test configuration**
7.8.37.6 **Test procedure steps**
7.8.37.7 **Observable results**
7.8.37.8 **Remarks**
7.8.38 **PMD_MDIT_14: Transmitter optical specifications – Modal power distribution**
7.8.38.1 **Purpose**
7.8.38.2 **Test case references**
7.8.38.3 **Test setup**
7.8.38.4 **Discussion**
7.8.38.5 **Test configuration**
7.8.38.6 **Test procedure steps**
7.8.38.7 **Observable results**
7.8.38.8 **Remarks**
7.8.39 **PMD_MDIT_15: Transmitter optical specifications – Timing jitter**
7.8.39.1 **Purpose**
7.8.39.2 **Test case references**
7.8.39.3 **Test setup**
7.8.39.4 **Discussion**
7.8.39.5 **Test configuration**
7.8.39.6 **Test procedure steps**
7.8.39.7 **Observable results**
7.8.39.8 **Remarks**
7.8.40 **PMD_MDIT_16: Receiver optical specifications – AOP for a minimum BER**
7.8.40.1 **Purpose**
7.8.40.2 **Test case references**
7.8.40.3 **Test setup**
7.8.40.4 **Discussion**
7.8.40.5 **Test configuration**
7.8.40.6 **Test procedure steps**
7.8.40.7 **Observable results**
7.8.40.8 **Remarks**
7.8.41 **PMD_MDIT_17: Receiver optical specifications – Damage threshold power**
7.8.41.1 **Purpose**
7.8.41.2 **Test case references**
7.8.41.3 **Test setup**
7.8.41.4 **Discussion**
7.8.41.5 **Test configuration**
7.8.41.6 **Test procedure steps**
7.8.41.7 **Observable results**

7.8.41.8 Remarks
 7.8.42 DLYT_1: Transmission plus reception delay
 7.8.42.1 Purpose
 7.8.42.2 Test case references
 7.8.42.3 Test setup
 7.8.42.4 Discussion
 7.8.42.5 Test configuration
 7.8.42.6 Test procedure steps
 7.8.42.7 Observable results
 7.8.42.8 Remarks
 7.9 Block 3 test cases: Optional functionality
 7.9.1 General
 7.9.2 EEET_1: Enter to LPI mode transmit operation
 7.9.2.1 Purpose
 7.9.2.2 Test case references
 7.9.2.3 Test setup
 7.9.2.4 Discussion
 7.9.2.5 Test configuration
 7.9.2.6 Test procedure steps
 7.9.2.7 Observable results
 7.9.2.8 Remarks
 7.9.3 EEET_2: EEE capability exchange
 7.9.3.1 Purpose
 7.9.3.2 Test case references
 7.9.3.3 Test setup
 7.9.3.4 Discussion
 7.9.3.5 Test configuration
 7.9.3.6 Test procedure steps
 7.9.3.7 Observable results
 7.9.3.8 Remarks
 7.9.4 EEET_3: Loop test for LPI mode
 7.9.4.1 Purpose
 7.9.4.2 Test case references
 7.9.4.3 Test setup
 7.9.4.4 Discussion
 7.9.4.5 Test configuration
 7.9.4.6 Test procedure steps
 7.9.4.7 Observable results
 7.9.4.8 Remarks
 7.9.5 EEET_4: Resume from LPI mode transmit operation
 7.9.5.1 Purpose
 7.9.5.2 Test case references
 7.9.5.3 Test setup
 7.9.5.4 Discussion
 7.9.5.5 Test configuration
 7.9.5.6 Test procedure steps
 7.9.5.7 Observable results
 7.9.5.8 Remarks
 7.9.6 OAMT_1: State diagrams – OAM transmit control
 7.9.6.1 Purpose
 7.9.6.2 Test case references
 7.9.6.3 Test setup
 7.9.6.4 Discussion
 7.9.6.5 Test configuration
 7.9.6.6 Test procedure steps
 7.9.6.7 Observable results
 7.9.6.8 Remarks
 7.9.7 OAMT_2: State diagrams – OAM receive control
 7.9.7.1 Purpose
 7.9.7.2 Test case references
 7.9.7.3 Test setup
 7.9.7.4 Discussion
 7.9.7.5 Test configuration
 7.9.7.6 Test procedure steps

7.9.7.7	Observable results
7.9.7.8	Remarks
7.9.8	OAMT_3: Loop test for OAMPDU transmission and reception
7.9.8.1	Purpose
7.9.8.2	Test case references
7.9.8.3	Test setup
7.9.8.4	Discussion
7.9.8.5	Test configuration
7.9.8.6	Test procedure steps
7.9.8.7	Observable results
7.9.8.8	Remarks
7.9.9	WUST_1: WUSME synchronised link sleep state diagram – Synchronised link sleep ACK
7.9.9.1	Purpose
7.9.9.2	Test case references
7.9.9.3	Test setup
7.9.9.4	Discussion
7.9.9.5	Test configuration
7.9.9.6	Test procedure steps
7.9.9.7	Observable results
7.9.9.8	Remarks
7.9.10	WUST_2: WUSME synchronised link sleep state diagram – SLEEP_ACK packet reception
7.9.10.1	Purpose
7.9.10.2	Test case references
7.9.10.3	Test setup
7.9.10.4	Discussion
7.9.10.5	Test configuration
7.9.10.6	Test procedure steps
7.9.10.7	Observable results
7.9.10.8	Remarks
7.9.11	WUST_3: WUSME synchronised link sleep state diagram – SLEEP packet reception
7.9.11.1	Purpose
7.9.11.2	Test case references
7.9.11.3	Test setup
7.9.11.4	Discussion
7.9.11.5	Test configuration
7.9.11.6	Test procedure steps
7.9.11.7	Observable results
7.9.11.8	Remarks
7.9.12	WUST_4: WUSME synchronised link sleep state diagram – Sleep rejection
7.9.12.1	Purpose
7.9.12.2	Test case references
7.9.12.3	Test setup
7.9.12.4	Discussion
7.9.12.5	Test configuration
7.9.12.6	Test procedure steps
7.9.12.7	Observable results
7.9.12.8	Remarks
7.9.13	WUST_5: WUSME wake-up state diagram
7.9.13.1	Purpose
7.9.13.2	Test case references
7.9.13.3	Test setup
7.9.13.4	Discussion
7.9.13.5	Test configuration
7.9.13.6	Test procedure steps
7.9.13.7	Observable results
7.9.13.8	Remarks