ISO 22738:2020 (E)

Intelligent transport systems — Localized communications — Optical camera communication

Contents

Foreword

Introduction

1 Scope

2 Normative references

3 Terms and definitions

4 Symbols and abbreviated terms

5 IEEE 802.15.7

- 5.1 General requirements
- 5.2 OCC PHY and MAC architecture
- 5.3 PHY mode
- 5.4 Modulation schemes
- 5.5 MAC frame format
- 5.6 Dimming
- 5.7 Mitigation of flickering

6 ITS station

- 6.1 ITS station and communication architecture
- 6.2 ITS-S service access points
- 6.2.1 General
- 6.2.2 Communications SAPs
- 6.2.3 Management SAPs
- 6.2.4 Security SAPs
- 6.3 Hybrid communications support

7 Communication interface protocol stack

- 7.1 Communication interface parameters
- 7.2 Physical layer
- 7.3 Data link layer
- 7.3.1 General
- 7.3.2 Communication adaptation sub-layer

8 Communication interface management

- 8.1 General management
- 8.2 Management adaptation entity
- 8.2.1 OCC parameters and I-Parameters
- 8.2.2 OCC management commands and MI-SAP commands and requests

9 Procedures

- 9.1 Transmit procedure
- 9.2 Receive procedures
- 9.3 Management procedures

10 Conformance

11 Test methods

Annex A (normative) Communication interface parameters

A.1 General
A.2 I-Parameters specific to ITS-OCC
A.3 Default of I-Parameters

Annex B (normative) MI-COMMANDs

B.1 General
B.2 Required functionality

Annex C (normative) MI-REQUESTs

C.1 General
C.2 Required functionality

Annex D (normative) ASN.1 definitions

D.1 Overview
D.2 Module ITSocc
D.3 Definitions to be added in ISO 21218
D.4 Definitions to be added to the C-ITS Registry

Annex E (informative) Frequency band and frequency allocation

E.1 Frequency band
E.2 Frequency allocation

Annex F (informative) Dimming method

F.1 Overview
F.2 Dimming method
F.2.1 Dimming by controlling pulse width
F.2.2 Dimming by controlling pulse amplitude
F.2.3 Dimming by controlling brightness in out-of-band frequency

Page count: 25