ISO 14819-1:2021-03 (E)

Intelligent transport systems - Traffic and travel information messages via traffic message coding - Part 1: Coding protocol for Radio Data System-Traffic Message Channel (RDS-TMC) using ALERT-C

Contents

Page

Foreword vi

Introduction vii

1 Scope 1

2 Normative references 1

3 Terms, definitions and abbreviated terms 1
3.1 Terms and definitions 1
3.2 Abbreviated terms 5

4 Application 6
4.1 General 6
4.2 Definition of the TMC "travel service" 6
4.3 TMC virtual terminal 7
4.4 Event-orientated end-user information messages 7
4.5 Strategic and tactical information 7
4.6 Geographic relevance 8
4.7 Transmitted message priority 8
4.8 Event List 9
4.9 Future extensions 9

5 Presentation 9
5.1 General 9
5.2 TMC virtual language 9
5.3 Message content 10
5.3.1 General 10
5.3.2 Event description (11 bits) 10
5.3.3 Primary location (16 bits) 10
5.3.4 Direction and extent (4 bits) 11
5.3.5 Duration (3 bits) 11
5.3.6 Diversion advice (1 bit) 13
5.4 Implicit information 14
5.4.1 Road class and road number 14
5.4.2 Road segment 14
5.4.3 Area, region and country 14
5.4.4 Pre-assigned diversion advice 14
5.4.5 Urgency within the terminal 14
5.4.6 Directionality 15
5.4.7 Duration type 15
5.4.8 Nature 15
5.4.9 Update class 15
5.4.10 Quantifier type 15
5.5 Optional message content 15
5.5.1 General 15
5.5.2 Combination of additional information 16
5.5.3 Control codes (label 1) 16
5.5.4 Length of route affected (label 2) 17

5.5.5 Speed limit (label 3) 17
5.5.6 Additional quantifiers (labels 4 and 5) 17
5.5.7 Supplementary information (label 6) 18
5.5.8 Start and stop times (labels 7 and 8) 18
5.5.9 Multi-event messages (label 9) 18
5.5.10 Detailed diversion instructions (label 10) 19
5.5.11 Destinations (label 11) 19
5.5.12 Precise location reference (label 12) 19
5.5.13 Cross linkage to source of problem (label 13) 20
5.5.14 Separator (label 14) 20
5.5.15 Other information as defined by sub-labels (label 15) 21
5.5.16 Reference to telephone services (label 15, sub-label 1-2) 21

6 Message management 24
6.1 General 24
6.2 System messages 25
6.2.1 General 25
6.2.2 Location table 25
6.2.3 Terminal requirements 25
6.2.4 Change of database numbers 26
6.3 Message repetition 26
6.4 Message updating 26
6.5 Message deletion 27
6.5.1 General 27
6.5.2 Message persistence 27
6.5.3 Detailed stop-time 28
6.5.4 Non-silent and silent cancellation messages 28
6.5.5 Null message 28
6.6 Message presentation 29
6.7 Out of area referencing 29
6.7.1 Structure of the INTER-ROAD concept 29
6.7.2 INTER-ROAD messages 30
6.7.3 Updating and cancellation of INTER-ROAD messages 30

7 Transmission using RDS type 8A and type 3A groups 31
7.1 General 31
7.2 Format of type 8A groups 31
7.3 Group repetition 31
7.4 Single-group user messages 32
7.5 System messages 33
7.5.1 General 33
7.5.2 System information 33

8 Method of encrypting an RDS-TMC service 36
8.1 General 36
8.2 Summary of TMC data elements in type 3A groups 37
8.3 Summary of TMC data elements in type 8A groups 37
8.4 Principles of the Encryption and Conditional Access methodology 37
8.5 Encryption by the service provider 38
8.6 Use of type 8A groups for RDS-TMC encryption 38
8.7 Encryption Administration group 39
8.7.1 General 39
8.7.2 Service identifier (SID) 39
8.7.3 Encryption identifier (ENCID) 39
8.7.4 Location table number before encryption (LTNBE) 40
8.7.5 Test Bits 40
8.8 Encrypting location codes 40
8.8.1 General 40
8.8.2 Test mode 41
8.8.3 Repetition rate 41
8.9 Access to decrypted services by a terminal 42

8.10 `Activation' of a terminal 42
8.10.1 General 42
8.10.2 Serial number of terminal 42
8.10.3 Access profile (ACP) 43
8.10.4 PIN code composition 43
8.10.5 Implementation rules for PIN codes 43
8.11 Identifying an encrypted RDS-TMC service 43
8.12 Decrypting location codes 44
8.13 Alternative encryption strategy 45

9 Following an RDS-TMC service 45
9.1 General 45
9.2 System information repetition rates 46
9.3 Tuning information 46
9.3.1 General 46
9.3.2 Format of the Tuning Information 46
9.3.3 Conditions for using tuning information 48
9.3.4 Repetition rate 49
9.4 Multi-group messages 49
9.4.1 General 49
9.4.2 First group 50
9.4.3 Subsequent groups 51
9.5 Summary of X-bit usage in RDS-TMC type 8A groups 52

Bibliography 54