

DIN EN ISO 14819-1:2021-06 (E)

Intelligent transport systems - Traffic and travel information messages via traffic message coding - Part 1: Coding protocol for Radio Data System - Traffic Message Channel (RDS-TMC) using ALERT-C (ISO 14819-1:2021); English version EN ISO 14819-1:2021

Contents		Page
Foreword		vi
Introduction		vii
1 Scope		1
2 Normative references		1
3 Terms, definitions and abbreviated terms		1
3.1 Terms and definitions.....		1
3.2 Abbreviated terms.....		5
4 Application		6
4.1 General.....		6
4.2 Definition of the TMC "travel service".....		6
4.3 TMC virtual terminal.....		7
4.4 Event-orientated end-user information messages.....		7
4.5 Strategic and tactical information.....		7
4.6 Geographic relevance.....		8
4.7 Transmitted message priority.....		8
4.8 Event List.....		9
4.9 Future extensions.....		9
5 Presentation		9
5.1 General.....		9
5.2 TMC virtual language.....		9
5.3 Message content.....		10
5.3.1 General.....		10
5.3.2 Event description (11 bits).....		10
5.3.3 Primary location (16 bits).....		10
5.3.4 Direction and extent (4 bits).....		11
5.3.5 Duration (3 bits).....		11
5.3.6 Diversion advice (1 bit).....		13
5.4 Implicit information.....		14
5.4.1 Road class and road number.....		14
5.4.2 Road segment.....		14
5.4.3 Area, region and country.....		14
5.4.4 Pre-assigned diversion advice.....		14
5.4.5 Urgency within the terminal.....		14
5.4.6 Directionality.....		15
5.4.7 Duration type.....		15
5.4.8 Nature.....		15
5.4.9 Update class.....		15
5.4.10 Quantifier type.....		15
5.5 Optional message content.....		15
5.5.1 General.....		15
5.5.2 Combination of additional information.....		16
5.5.3 Control codes (label 1).....		16
5.5.4 Length of route affected (label 2).....		17
5.5.5 Speed limit (label 3).....		17
5.5.6 Additional quantifiers (labels 4 and 5).....		17
5.5.7 Supplementary information (label 6).....		18
5.5.8 Start and stop times (labels 7 and 8).....		18
5.5.9 Multi-event messages (label 9).....		18
5.5.10 Detailed diversion instructions (label 10).....		19
5.5.11 Destinations (label 11).....		19
5.5.12 Precise location reference (label 12).....		19
5.5.13 Cross linkage to source of problem (label 13).....		20

5.5.14	Separator (label 14)	20
5.5.15	Other information as defined by sub-labels (label 15)	21
5.5.16	Reference to telephone services (label 15, sub-label 1-2)	21
6	Message management	24
6.1	General	24
6.2	System messages	25
6.2.1	General	25
6.2.2	Location table	25
6.2.3	Terminal requirements	25
6.2.4	Change of database numbers	26
6.3	Message repetition	26
6.4	Message updating	26
6.5	Message deletion	27
6.5.1	General	27
6.5.2	Message persistence	27
6.5.3	Detailed stop-time	28
6.5.4	Non-silent and silent cancellation messages	28
6.5.5	Null message	28
6.6	Message presentation	29
6.7	Out of area referencing	29
6.7.1	Structure of the INTER-ROAD concept	29
6.7.2	INTER-ROAD messages	30
6.7.3	Updating and cancellation of INTER-ROAD messages	30
7	Transmission using RDS type 8A and type 3A groups	31
7.1	General	31
7.2	Format of type 8A groups	31
7.3	Group repetition	31
7.4	Single-group user messages	32
7.5	System messages	33
7.5.1	General	33
7.5.2	System information	33
8	Method of encrypting an RDS-TMC service	36
8.1	General	36
8.2	Summary of TMC data elements in type 3A groups	37
8.3	Summary of TMC data elements in type 8A groups	37
8.4	Principles of the Encryption and Conditional Access methodology	37
8.5	Encryption by the service provider	38
8.6	Use of type 8A groups for RDS-TMC encryption	38
8.7	Encryption Administration group	39
8.7.1	General	39
8.7.2	Service identifier (SID)	39
8.7.3	Encryption identifier (ENCID)	39
8.7.4	Location table number before encryption (LTNBE)	40
8.7.5	Test Bits	40
8.8	Encrypting location codes	40
8.8.1	General	40
8.8.2	Test mode	41
8.8.3	Repetition rate	41
8.9	Access to decrypted services by a terminal	42
8.10	'Activation' of a terminal	42
8.10.1	General	42
8.10.2	Serial number of terminal	42
8.10.3	Access profile (ACP)	43
8.10.4	PIN code composition	43
8.10.5	Implementation rules for PIN codes	43
8.11	Identifying an encrypted RDS-TMC service	43
8.12	Decrypting location codes	44

8.13	Alternative encryption strategy	45
9	Following an RDS-TMC service	45
9.1	General.....	45
9.2	System information repetition rates.....	46
9.3	Tuning information.....	46
9.3.1	General.....	46
9.3.2	Format of the Tuning Information.....	46
9.3.3	Conditions for using tuning information.....	48
9.3.4	Repetition rate.....	49
9.4	Multi-group messages.....	49
9.4.1	General.....	49
9.4.2	First group.....	50
9.4.3	Subsequent groups.....	51
9.5	Summary of X-bit usage in RDS-TMC type 8A groups	52
	Bibliography	54