

ISO 21806-13:2021-05 (E)

Road vehicles - Media Oriented Systems Transport (MOST) - Part 13: 50-Mbit/s balanced media physical layer conformance test plan

Contents		Page
	Foreword.....	v
	Introduction.....	vi
1	Scope	1
2	Normative references	1
3	Terms and definitions	1
4	Symbols and abbreviated terms	2
	4.1 Symbols.....	2
	4.2 Abbreviated terms.....	2
5	Conventions	3
6	Operating conditions and measurement tools, requested accuracy	3
	6.1 Operating conditions.....	3
	6.2 Apparatus — Measurement tools, requested accuracy.....	3
7	Electrical characteristics	4
8	Balanced media characteristics	4
	8.1 Threshold for detection of alignment and transferred jitter.....	4
	8.2 RMS signal amplitude.....	4
	8.3 PSD of SP2 output signal.....	5
	8.4 Attenuation of electrical interconnect.....	7
	8.4.1 General.....	7
	8.4.2 Test procedure general.....	8
	8.4.3 Example set-up test procedure.....	8
	8.4.4 Test procedure for data acquisition.....	8
	8.4.5 Impact of attenuation on the data signal.....	9
	8.5 Characteristic impedance of balanced media.....	10
	8.6 RL of PCB interfaces.....	13
	8.7 Receive tolerance.....	15
	8.7.1 General.....	15
	8.7.2 Pattern generator.....	15
	8.7.3 Arbitrary signal generator.....	16
	8.7.4 Cable assembly or its analogue representation.....	16
	8.7.5 Stimulus creation for SP3.....	16
9	Measurement of phase variation	18
	9.1 General.....	18
	9.2 Measuring alignment jitter.....	20
	9.3 Measuring transferred jitter.....	23
10	Test set-ups	26
	10.1 General.....	26
	10.2 Set-ups for SP2 link quality.....	26
	10.3 Set-ups for SP3 link quality.....	28
	10.4 Set-ups for SP3 receive tolerance.....	30
11	Power-on and power-off	31
	11.1 General.....	31
	11.2 Measuring EBC parameters.....	32
	11.2.1 Measuring EBC parameters – Test set-up.....	32
	11.2.2 Measuring EBC parameters – Signal charts.....	33
	11.2.3 Measuring EBC parameters – Test sequences.....	33

11.3	Measuring BEC parameters	35
11.3.1	Measuring BEC parameters – Test set-up	35
11.3.2	Measuring BEC parameters – Signal chart	37
11.3.3	Measuring BEC parameters – Test sequences	37
12	Detecting bit rate (frequency reference)	40
13	System performance	41
13.1	General	41
13.2	SP3 receiver tolerance	41
13.3	TimingMaster delay tolerance	41
14	Conformance test of 50-Mbit/s balanced media physical layer	44
14.1	Location of interfaces	44
14.2	Control signals	44
14.3	Limited access to specification points	45
14.4	Parameter overview	45
15	Limited physical layer conformance	45
15.1	Overview	45
15.2	Test set-up	46
15.3	Generating test signals for the IUT input section SP3	47
15.4	Analysis of test results	47
15.5	Test flow overview	47
15.6	Measurement of SP3 input signal of the IUT	48
15.7	Measurement of SP2 output signal of the IUT	49
15.8	Measurement of RL	49
15.9	Functional test of wake-up and shutdown	49
16	Direct physical measuring accuracy	50
Annex A (informative) Limited physical layer conformance for development tools		51
Annex B (normative) SP3 stress conditions		52
Annex C (informative) Test fixture		53
Annex D (informative) Overview on test modes		56
Bibliography		57