

# ISO 15118-20:2022-04 (E)

## Road vehicles - Vehicle to grid communication interface - Part 20: 2nd generation network layer and application layer requirements

---

<b>Contents</b>		<b>Page</b>
Foreword .....		v
Introduction .....		vi
1 Scope .....		1
2 Normative references .....		1
3 Terms and definitions .....		4
4 Abbreviated terms .....		12
5 Conventions .....		15
5.1 Definition of OSI based services .....		15
5.2 Requirement structure .....		15
5.3 Usage of references .....		16
5.4 Notation used for XML schema diagrams .....		16
6 Document overview .....		16
7 Basic requirements for V2G communication .....		17
7.1 General information .....		17
7.2 Service primitive concept of OSI layered architecture .....		18
<b>Overview 18</b>		
Syntax of service primitives .....		18
7.3 Security concept .....		19
General .....		19
Certificate and key management .....		21
Number of root certificates and root validity .....		35
Support and application of TLS .....		37
Firewall 38		
Protection of the cryptographic keys .....		38
Random number generation .....		40
7.4 V2G communication states and data link handling .....		42
7.5 Data link layer .....		46
Data link layer security for WLAN .....		46
7.6 Network link layer .....		51
General .....		51
Applicable RFCs, limitations and protocol parameter settings .....		51

IP addressing .....	53
7.7 Transport layer .....	54
Transmission control protocol (TCP) .....	54
User datagram protocol (UDP) .....	55
Transport layer security (TLS) .....	56
7.8 V2G transfer protocol .....	82
General information .....	82
Supported ports .....	83
Protocol data unit .....	84
7.9 Presentation layer .....	87
XML and efficient XML interchange (EXI) .....	87
Message security .....	90
7.10 Application layer .....	115
SECC discovery protocol .....	115
8 Application layer messages .....	128
8.1 General information and definitions .....	128
8.2 Protocol handshake definition .....	129
Handshake sequence .....	129
Message definition supportedAppProtocolReq and supportedAppProtocolRes .....	131
Semantics description supportedAppProtocol messages .....	132
Message examples .....	133
8.3 V2G message definition .....	134
Overview 134	
General .....	135
Header definition .....	135
Request and response definitions .....	138
Complex data types .....	240
8.4 Service selection .....	361
General .....	361
General description of configuration parameters .....	362
Selection of service and service parameters .....	363
8.5 V2G communication timing .....	373
Overview 373	
Common .....	373
DC service .....	374

Message sequence and communication session .....	374
Session setup and ready to charge .....	381
V2G message synchronization for AC and DC with IEC 61851-1 signalling .....	387
V2G message synchronization with IEC 61980-2 signalling for WPT .....	394
8.6 Message sequencing and error handling .....	394
Overview	394
Basic definitions for error handling .....	395
ResponseCode handling .....	395
Request-response message sequence requirements .....	406
Multiplexed communication .....	434
Message sequence diagrams .....	437
(normative) Schema definition .....	442
(normative) Certificate profiles .....	444
(normative) Specification of identifiers .....	498
(informative) ACDP .....	504
(informative) Basic PPD for interoperability .....	506
(informative) Message sequencing for renegotiation .....	509
(informative) Association of VAS client to V2G session .....	511
(informative) Application of certificates .....	512
(informative) Precision of measurements and tolerances .....	547
(informative) Absolute pricing examples .....	549