

# ISO 16844-3:2022-05 (E)

## Road vehicles - Tachograph systems - Part 3: Motion sensor communication interface

---

| <b>Contents</b>    |  | <b>Page</b> |
|--------------------|--|-------------|
| Foreword .....     |  | iv          |
| Introduction ..... |  | v           |
| <b>1</b>           | <b>Scope .....</b>   | <b>1</b>    |
| <b>2</b>           | <b>Normative references .....</b>  | <b>1</b>    |
| <b>3</b>           | <b>Terms and definitions .....</b>   | <b>1</b>    |
| <b>4</b>           | <b>Symbols and abbreviated terms .....</b>   | <b>2</b>    |
| <b>5</b>           | <b>Connector .....</b>   | <b>4</b>    |
| 5.1                | Dimensions and pin allocation .....  | 4           |
| 5.2                | Electrical specification .....   | 4           |
| 5.2.1              | Electrical requirements .....  | 4           |
| 5.2.2              | Block diagram data signal, in/out .....  | 5           |
| 5.2.3              | Voltage monitoring and watchdog signal .....   | 6           |
| 5.2.4              | Block diagram of the speed signal, real-time .....   | 7           |
| <b>6</b>           | <b>Cable .....</b>   | <b>8</b>    |
| <b>7</b>           | <b>Interface protocol .....</b>  | <b>9</b>    |
| 7.1                | Transmission .....   | 9           |
| 7.1.1              | Bit rate and frame structure .....   | 9           |
| 7.1.2              | Frame specification .....  | 9           |
| 7.1.3              | State diagram -- Communication and execution of instructions .....                                 | 11          |
| 7.2                | Motion sensor state at the end of production .....   | 12          |
| 7.3                | Instructions .....   | 12          |
| 7.4                | Initialisation of communication between motion sensor and recording equipment .....                | 13          |
| 7.4.1              | General .....  | 13          |
| 7.4.2              | Necessary sequence of instruction for pairing .....  | 13          |
| 7.4.3              | Pairing initialisation of recording equipment and motion sensor .....                              | 14          |
| 7.4.4              | Transmission of encrypted serial number of motion sensor .....                                     | 14          |
| 7.4.5              | Transmission of session key from recording equipment to motion sensor .....                        | 15          |
| 7.4.6              | Transmission of pairing information from recording equipment to motion sensor .....                | 15          |
| 7.4.7              | Request from recording equipment for pairing information and authentication to motion sensor ..... | 16          |
| 7.5                | Communication of motion sensor and recording equipment in regular use .....                        | 16          |
| 7.5.1              | Sequence of instruction for communication in regular use .....                                     | 16          |
| 7.5.2              | Latch of counter value and encrypt data .....  | 17          |
| 7.5.3              | Transmission of encrypted data .....   | 18          |
| 7.6                | Read information .....   | 19          |
| 7.6.1              | Necessary sequence of instruction for reading information .....                                    | 19          |
| 7.6.2              | Request .....  | 19          |
| 7.6.3              | General message structures .....   | 20          |
| 7.6.4              | Data block chaining .....  | 21          |
| 7.6.5              | Structures of selected data .....  | 21          |
| 7.6.6              | Pairing data .....   | 24          |
| <b>8</b>           | <b>Optional functionality .....</b>  | <b>25</b>   |

|            |  |           |
|------------|--|-----------|
| <b>8.1</b> | <b>Additional direction information in the MF byte .....</b> | <b>25</b> |
|            | <b>Bibliography .....</b>                                    | <b>26</b> |