ISO 11992-2:2023-03 (E)

Road vehicles - Interchange of digital information on electrical connections between towing and towed vehicles - Part 2: Application layer for brakes and running gear

Contents

Page

Foreword vii

Introduction viii

1 Scope 1

2 Normative references 1

3 Termsanddefinitions 1

4 Symbols and abbreviated terms 4
4.1 Symbols 4
4.2 Abbreviated terms 4

5 Conventions 5

6 APP-Parameterspecification 5
6.1 General definitions 5
6.2 APP - Identification parameter specification 6
6.2.1 APP - Axle/wheel identification 6
6.2.2 APP - Identification data index 8
6.2.3 APP - Identification data indexed content 9
6.3 APP - Braking systems parameter specification 10
6.3.1 APP - Park brake demand relative pressure 10
6.3.2 APP - Service brake demand pressure 10
6.3.3 APP - Vehicle service brake status 11
6.3.4 APP - Braking system wheel-based vehicle speed 11
6.3.5 APP - Vehicle retarder control status 11
6.3.6 APP - Retarder demand relative torque 12
6.3.7 APP - Retarder wheel torque reference 13
6.3.8 APP - Retarder relative peak torque 14
6.3.9 APP - Retarder actual maximum positive torque 14
6.3.10 APP - Retarder actual maximum negative torque 14
6.3.11 APP - Axle load sum 15
6.3.12 APP - Pneumatic supply pressure 15
6.3.13 APP - Brake lining 15
6.3.14 APP - Brake temperature 16
6.3.15 APP - Tyre pressure 16
6.3.16 APP - Automatic towed vehicle braking status 16
6.3.17 APP - Vehicle ABS status 17
6.3.18 APP - Vehicle electrical supply status 17
6.3.19 APP - Vehicle pneumatic supply status 18
6.3.20 APP - Spring brake installation status 18
6.3.21 APP - Electrical load proportional function installation status 18
6.3.22 APP - Load proportional function installation status 19
6.3.23 APP - ABS off-road request 19
6.3.24 APP - ASR brake control status 19
6.3.25 APP - ASR engine control status 20
6.3.26 APP - Pneumatic control line status 20
6.3.27 APP - Two electrical circuits brake demand status 20
6.3.28 APP - Tyre pressure status 21

6.3.29 APP - Brake lining status 21
6.3.30 APP - Brake temperature status 22
6.3.31 APP - Brake light switch 22
6.3.32 APP - Vehicle type 22
6.3.33 APP - Red warning signal request 23
6.3.34 APP - Amber warning signal request 23
6.3.35 APP - Electrical supply of non-braking systems status 23
6.3.36 APP - Loading ramp approach assistance status 24
6.3.37 APP - VDC active 24
6.3.38 APP - Road curvature 25
6.3.39 APP - Wheel speed difference main axle 25
6.3.40 APP - Supply line braking 25
6.3.41 APP - Spring brake status 26
6.3.42 APP - Relative brake demand for front or left vehicle side 26
6.3.43 APP - Relative brake demand for rear or right vehicle side 27
6.3.44 APP - Support of side- or axle-wise brake force distribution 27
6.3.45 APP - Lateral acceleration 27
6.3.46 APP - Stop lamps request 28
6.3.47 APP - Braking via electric control line support 28
6.3.48 APP - Geometric data index 28
6.3.49 APP - Geometric data indexed content 29
6.3.50 APP - Brake cylinder pressure first axle, left wheel 32
6.3.51 APP - Brake cylinder pressure first axle, right wheel 33
6.3.52 APP - Brake cylinder pressure second axle, left wheel 33
6.3.53 APP - Brake cylinder pressure second axle, right wheel 33
6.3.54 APP - Brake cylinder pressure third axle, left wheel 34
6.3.55 APP - Brake cylinder pressure third axle, right wheel 34
6.3.56 APP - Wheel speed first axle, left wheel 35
6.3.57 APP - Wheel speed first axle, right wheel 35
6.3.58 APP - ROP system status 35
6.3.59 APP - YC system status 36
6.3.60 APP - Towed vehicle ROP system request 36
6.3.61 APP - Towed vehicle YC system request 36
6.3.62 APP - Vehicle combination ABS status 37
6.3.63 APP - Towed vehicle detection status 37
6.3.64 APP - Reverse gear status 38
6.3.65 APP - External brake request status 38
6.3.66 APP - Emergency braking status 38
6.4 APP - Running gear equipment parameter specification 39
6.4.1 APP - Driven axle load 39
6.4.2 APP - Nominal vehicle body level, front axle 39
6.4.3 APP - Nominal vehicle body level, rear axle 40
6.4.4 APP - Relative vehicle body level, front axle 40
6.4.5 APP - Relative vehicle body level, rear axle 40
6.4.6 APP - Level control request 41
6.4.7 APP - Level control status 41
6.4.8 APP - Level change request, front axle 41
6.4.9 APP - Level change request, rear axle 42
6.4.10 APP - Level change status, front axle 42
6.4.11 APP - Level change status, rear axle 42
6.4.12 APP - Lift axle 1 position request 43
6.4.13 APP - Lift axle 2 position request 43
6.4.14 APP - Lift axle 3 position request 44
6.4.15 APP - Lift axle 4 position request 44
6.4.16 APP - Lift axle 5 position request 44
6.4.17 APP - Lift axle 1 position 45
6.4.18 APP - Lift axle 2 position 45
6.4.19 APP - Lift axle 3 position 45
6.4.20 APP - Lift axle 4 position 46
6.4.21 APP - Lift axle 5 position 46
6.4.22 APP - Steering axle locking request 46

6.4.23 APP - Steering axle locking status 47
6.4.24 APP - Traction help (load transfer) request 47
6.4.25 APP - Traction help (load transfer) status 48
6.4.26 APP - Ride height request 48
6.4.27 APP - Ride height level 48
6.4.28 APP - Normal level 49
6.4.29 APP - Ramp level request 49
6.4.30 APP - Ramp level 49
6.4.31 APP - Ramp level position 50
6.4.32 APP - Ramp level storage request 50
6.4.33 APP - Ramp level storage status 50
6.4.34 APP - Stop level change request 51
6.4.35 APP - Stop level change request acknowledge 51
6.4.36 APP - Parking and towed vehicle air pressure 51
6.4.37 APP - Auxiliary equipment supply pressure 52
6.4.38 APP - Tyre pressure threshold detection 52
6.4.39 APP - Air leakage detection 53
6.4.40 APP - Tyre temperature 53
6.4.41 APP - Tyre module power supply status 54
6.5 APP - Axle load parameter specification 54
6.5.1 APP - Axle load 54
6.5.2 APP - Axle load calibration data storage request 54
6.5.3 APP - Axle load calibration data storage status 55
6.5.4 APP - Axle load measured by external scale 55
6.5.5 APP - Axle load measured by towed vehicle 56
6.5.6 APP - Axle load calibration data load level 56
6.5.7 APP - Axle load calibration type 57
6.5.8 APP - Maximum driven axle load 57
6.6 Ride height parameter specification 58
6.6.1 APP - Extended ride height and ramp level storage 58
6.6.2 APP - Ride height and ramp level set request 58
6.6.3 APP - Ride height storage request 58
6.6.4 APP - Ride height storage 59
6.6.5 APP - Neutral gear request 59
6.6.6 APP - Rear obstacle distance 59
6.6.7 APP - Immobilizer status 60
6.6.8 APP - Fifth wheel load 60
6.6.9 APP - Ambient air temperature 61
6.6.10 APP - Parking brake status 61
6.6.11 APP - Neutral gear status 61
6.7 APP - Software update parameter specification 61
6.7.1 APP - Vehicle software update request 61
6.7.2 APP - Vehicle software update request acknowledgement 62

7 APP-PGspecification 62
7.1 APP - Overview of PGs 62
7.2 APP - Message transmission in case of multiple towed vehicles 64
7.3 APP - Towing vehicle 64
7.3.1 APP - General specification 64
7.3.2 APP - General PGs, transmitted from the towing to the towed vehicle 65
7.3.3 APP - Electronic brake system PGs, transmitted from the towing to the towed vehicle 65
7.3.4 APP - Running gear equipment PGs, transmitted from the towing to the towed vehicle 67
7.4 APP - Towed vehicle 70
7.4.1 APP - General PGs, transmitted from the towed to the towing vehicle 70
7.4.2 APP - Electronic brake system PGs, transmitted from the towed to the towing vehicle 70
7.4.3 APP - Running gear equipment PGs, transmitted from towed to towing vehicle 75

8 APP - Address assignment 78
8.1 APP - General requirements 78
8.2 APP - Road train configuration 79

8.3 APP - Address assignment method of a towing and towed vehicle 79
8.4 APP - Vehicle node capabilities 80

9 SI-ServiceinterfacedefinitionbetweenapplicationandOSIlayers 82
9.1 SI - A_Data.req, A_Data.ind, and A_Data.con service interface 82
9.2 SI - A_Data.req, A_Data.ind, and A_Data.con service interface parameter mapping 82
9.3 SIP - Service interface data type definitions 83

10 AL - Application layer 83
10.1 AL - Message PDU format 83
10.2 AL - A_PDU specification 83

11 PL - Presentation layer 83

Annex A (normative) Geometric dimensions 84

Annex B (normative) Software update request and acknowledge interaction between towing and towed vehicles 90

Annex C (informative)Messageflow 99

Bibliography 103