ISO 19642-11:2023-05 (E)

Road vehicles - Automotive cables - Part 11 : Dimensions and requirements for coaxial RF cables with a specified analogue bandwidth up to 6 GHz (20 GHz)

Contents

Page

Foreword vi

Introduction vii

1 Scope 1

2 Normative references 1

3 Terms and definitions 1

4 Specifications 2
4.1 General test conditions 2
4.2 Voltage rating 2
4.3 Temperature classes 2
4.4 Cable construction 2
4.5 Safety concerns 2
4.5.1 Core 2
4.5.2 Dielectric core 3
4.5.3 Screen 3
4.5.4 Sheath 3
4.6 Cable designation 3
4.7 Testing of representative cable constructions 3
4.8 Reference and requirements for the tests according ISO 19642-2 4
4.9 General remark on requirements 4

5 Requirements for the conductor and dielectric 4
5.1 General 4
5.2 Dimensional tests 4
5.2.1 Dielectric core outside diameter 4
5.2.2 Insulation thickness 4
5.2.3 Conductor diameter 4
5.2.4 Cross sectional area 4
5.2.5 In-process dielectric outside diameter 4
5.3 Electrical tests 5
5.3.1 Conductor resistance 5
5.3.2 Determination of temperature coefficients 5
5.3.3 Withstand voltage 5
5.3.4 Withstand voltage after environmental testing 5
5.3.5 Insulation faults 5
5.3.6 Insulation volume resistivity 5
5.4 Mechanical tests 5
5.4.1 Strip force (A) of dielectric 5
5.4.2 Abrasion test 5
5.4.3 Breaking force of the finished cable 5
5.4.4 Cyclic bending test 6
5.4.5 Flexibility test 6
5.5 Environmental tests 6
5.5.1 Test specimen preparation and winding tests 6
5.5.2 Long term heat ageing, 3 000 h, at temperature class rating 6
5.5.3 Short term heat ageing, 240 h at temperature class rating + 25 °C 6
5.5.4 Thermal overload, 6 h at temperature class rating + 50 °C 6

5.5.5 Pressure test at high temperature 6
5.5.6 Shrinkage by heat 6
5.5.7 Low temperature winding 6
5.5.8 Cold impact 6
5.5.9 Temperature and humidity cycling 6
5.5.10 Resistance to hot water 6
5.5.11 Resistance to liquid chemicals 6

5.5.12 Durability of cable marking 6
5.5.13 Stress cracking resistance 7
5.5.14 Resistance to ozone 7
5.5.15 Resistance to flame propagation 7

6 Requirements for the screened and sheathed coaxial RF cable 7
6.1 General 7
6.2 Dimensional tests 7
6.2.1 Cable outside and inner layer diameters 7
6.2.2 Ovality of sheath 7
6.2.3 Thickness of sheath 7
6.2.4 In-process cable outside diameter 8
6.2.5 Lay length 8
6.3 Electrical tests 8
6.3.1 Electrical continuity 8
6.3.2 Withstand voltage at final inspection 8
6.3.3 Screening effectiveness 8
6.3.4 Sheath fault on screened cables 9
6.3.5 General information on electrical test setups of unscreened cables 9
6.3.6 General information on low frequency electrical tests 9
6.3.7 Resistance unbalance 10
6.3.8 Capacitance 10
6.3.9 Inductance 10
6.3.10 General information on radio frequency (RF) electrical tests 10
6.3.11 Velocity of propagation 10
6.3.12 Characteristic impedance in frequency domain (CIF) 10
6.3.13 Characteristic impedance in time domain (CIT) 11
6.3.14 Insertion loss, IL 11
6.3.15 Return loss, RL 12
6.3.16 Unbalance attenuations 12
6.3.17 Near end crosstalk, NEXT 12
6.3.18 Far end crosstalk, FEXT 12
6.3.19 PS alien near end crosstalk, PS ANEXT - exogenous crosstalk 12
6.3.20 PS attenuation to alien far-end crosstalk ratio, PS AACR-F - exogenous crosstalk 12
6.4 Mechanical tests 12
6.4.1 Strip force (C) of sheath 12
6.4.2 Cyclic bending 12
6.4.3 Flexibility 12
6.4.4 Cyclic bending test for RF cables 12
6.4.5 Dynamic bending tests for RF cables 13
6.4.6 Test for assessment of minimum bending radius 13
6.4.7 Strip force (B) of screen 14
6.4.8 Abrasion test on sheath 14
6.5 Environmental tests 14
6.5.1 Test specimen preparation and winding tests 14
6.5.2 Long term heat ageing, 3 000 h at temperature class rating 14
6.5.3 Short term heat ageing, 240 h at temperature class rating + 25 °C 15
6.5.4 Thermal overload, 6 h at temperature class rating + 50 °C 15
6.5.5 Pressure test at high temperature 15
6.5.6 Shrinkage of sheath by heat 15
6.5.7 Low temperature winding 15
6.5.8 Cold impact 15
6.5.9 Temperature and humidity cycling 16
6.5.10 Resistance to liquid chemicals 16

6.5.11 Durability of sheath marking 16
6.5.12 Resistance to ozone 16
6.5.13 Artificial weathering 16
6.5.14 Resistance to flame propagation 16

7 Test overview tables 17

8 Preferred cable types 21
8.1 Parameter tables 21
8.2 Insertion loss IL (tables and diagrams), bending test sequences 26
8.2.1 CX174a 26
8.2.2 CX174b 28
8.2.3 CX174c 29
8.2.4 CX174d 30
8.2.5 CX174e 32
8.2.6 CX58a 34
8.2.7 CX58b 35
8.2.8 CX58c 36
8.2.9 CX31a 38
8.2.10 CX44a, CX44b 39
8.2.11 CX44c 40
8.2.12 CX501a 42
8.2.13 CX501b 43
8.2.14 CX501c 44
8.2.15 CX502a 46
8.2.16 CX502b 47
8.2.17 CX502c 48
8.2.18 CX502d 50
8.2.19 CX751a 51
8.2.20 CX751b 52
8.2.21 CX751c 54

Bibliography 56