ISO 19642-12:2023-05 (E)

Road vehicles - Automotive cables - Part 12: Dimensions and requirements for unscreened twisted pair RF cables with a specified analogue bandwidth up to 1 GHz

Contents

Page

Foreword vi

Introduction vii

1 Scope 1

2 Normative references 1

3 Terms and definitions 1

4 Specifications 1
4.1 General test conditions 1
4.2 Safety concerns 2
4.3 Voltage rating 2
4.4 Temperature classes 2
4.5 Cable construction 2
4.5.1 Single Cores 2
4.5.2 Twisted pair 3
4.5.3 Separator 3
4.5.4 Sheath 3
4.6 Cable designators 3
4.7 Representative cable elements testing 4
4.8 Reference and requirements for the tests 4
4.9 General remark on requirements 4

5 Requirements for the cable's dielectric cores 4
5.1 General 4
5.2 Dimensional tests 4
5.2.1 Cable outside diameter 4
5.2.2 Insulation thickness 5
5.2.3 Conductor diameter 5
5.2.4 Cross sectional area (CSA) 5
5.2.5 In-process cable outside diameter 5
5.3 Electrical tests 5
5.3.1 Conductor resistance 5
5.3.2 Determination of temperature coefficients 5
5.3.3 Withstand voltage 5
5.3.4 Withstand voltage after environmental testing 5
5.3.5 Insulation faults 5
5.3.6 Insulation volume resistivity 6
5.4 Mechanical tests 6
5.4.1 Strip force 6
5.4.2 Abrasion 6
5.4.3 Breaking force of the finished cable 6
5.4.4 Cyclic bending 6
5.4.5 Flexibility 6
5.5 Environmental tests 6
5.5.1 Test specimen preparation and winding tests 6
5.5.2 Long term heat ageing, 3 000 h, at temperature class rating 6
5.5.3 Short term heat ageing, 240 h at temperature class rating +25 K 6
5.5.4 Thermal overload, 6 h at temperature class rating + 50 K 6

5.5.5 Pressure test at high temperature 6
5.5.6 Shrinkage by heat 6
5.5.7 Low temperature winding 7
5.5.8 Cold impact 7
5.5.9 Temperature and humidity cycling 7
5.5.10 Resistance to hot water 7
5.5.11 Resistance to liquid chemicals 7

5.5.12 Durability of cable marking 7
5.5.13 Stress cracking resistance 7
5.5.14 Resistance to ozone 7
5.5.15 Resistance to flame propagation 7

6 Requirements for the finished UTP or JUTP cables 7
6.1 General 7
6.2 Dimensional tests 7
6.2.1 Cable outside diameter for JUTP cables 7
6.2.2 Ovality of sheath for JUTP cables 8
6.2.3 Thickness of sheath for JUTP cables 8
6.2.4 In-process cable outside diameter for JUTP cables 8
6.2.5 Lay length 8
6.3 Electrical tests 8
6.3.1 Electrical continuity 8
6.3.2 Withstand voltage at final inspection 8
6.3.3 Screening effectiveness 8
6.3.4 Sheath fault on screened cables 8
6.3.5 General information on electrical test setups of unscreened balanced cables 8
6.3.6 General information on low frequency electrical tests 8
6.3.7 Resistance unbalance 8
6.3.8 Capacitance 9
6.3.9 Inductance 9
6.3.10 General information on radio frequency (RF) electrical tests 9
6.3.11 Velocity of propagation 9
6.3.12 Characteristic impedance in frequency domain (CIF) 10
6.3.13 Characteristic impedance in time domain (CIT) 10
6.3.14 Insertion loss, IL 10
6.3.15 Return loss, RL 10
6.3.16 Unbalance attenuations 10
6.4 Mechanical tests 10
6.4.1 Strip force of sheath 10
6.4.2 Cyclic bending 11
6.4.3 Flexibility 11
6.4.4 Cyclic bending test for RF cables 11
6.4.5 Dynamic bending tests for RF cables 11
6.4.6 Test for assessment of minimum bending radius 11
6.4.7 Strip force of screen 11
6.4.8 Abrasion test of sheath 11
6.5 Environmental tests 11
6.5.1 Test specimen preparation and winding tests 11
6.5.2 Long term heat ageing, 3 000 h at temperature class rating 11
6.5.3 Short term heat ageing, 240 h at temperature class rating + 25 °C 12
6.5.4 Thermal overload, 6 h at temperature class rating + 50 °C 12
6.5.5 Pressure test at high temperature 12
6.5.6 Shrinkage by heat of sheath 12
6.5.7 Low temperature winding 12
6.5.8 Cold impact 12
6.5.9 Temperature and humidity cycling 12
6.5.10 Resistance to liquid chemicals 12
6.5.11 Durability of sheath marking 12
6.5.12 Resistance to ozone 12
6.5.13 Artificial weathering 13
6.5.14 Resistance to flame propagation 13

7 Test overview tables 13
7.1 Test table for single cores 13
7.2 Test tables for finished cables 14

8 Cable types 17

8.1 Cable parameters 17
8.2 Application requirements 19
8.2.1 CAN 19
8.2.2 CAN FD 19
8.2.3 FlexRay 19
8.2.4 100BASE-T1 Ethernet 21
8.2.5 1000BASE-T1 Ethernet 25

Annex A (normative) Colour combinations 29

Bibliography 30