

ISO 23374-1:2023-07 (E)

Intelligent transport systems - Automated valet parking systems (AVPS) - Part 1: System framework, requirements for automated driving and for communications interface

Contents		Page
Foreword		vi
Introduction		vii
1	Scope	1
2	Normative references	1
3	Terms and definitions	2
4	Symbols and abbreviated terms	6
4.1	Symbols	6
4.2	Abbreviated terms	7
4.2.1	Terms defined in ISO/SAE PAS 22736	7
4.2.2	Terms relating to names of system and sub-systems	7
4.2.3	Other terms	7
5	System framework	8
5.1	System description	8
5.1.1	Basic functionalities	8
5.1.2	Basic flow	8
5.2	System configuration	10
5.2.1	Sub-systems	10
5.2.2	System architecture	10
5.2.3	Interface	10
5.3	Functional allocation	11
5.4	Classification	12
5.4.1	Vehicle operation types	12
5.4.2	Traffic environment categories	13
5.5	Human interaction	13
5.5.1	General	13
5.5.2	Service provider	14
5.5.3	System operator	14
5.5.4	Facility manager	14
6	Requirements for automated vehicle operation functions	14
6.1	General	14
6.1.1	Principles for performing automated vehicle operation	14
6.1.2	Relationship of the operation functions	15
6.1.3	Operational design domain	15
6.2	Requirements for DDT	16
6.2.1	General	16
6.2.2	Basic performance requirements	16
6.2.3	Additional requirements for operation under a mixed traffic environment	17
6.3	Requirements for emergency stopping	18
6.3.1	General	18
6.3.2	DDT fallback[1]	19
6.3.3	Response to operation stop commands	19
6.3.4	Detection of human activities	19

6.4	Requirements for destination assignment	19
6.4.1	General requirements	19
6.4.2	Type 1 systems	20
6.4.3	Type 2 and 3 systems	20
6.5	Requirements for route planning	20
6.6	Requirements for localization accuracy	20
6.6.1	Accuracy requirement relative to the digital map	20
6.6.2	Accuracy requirement of the end position relative to the destination	21
6.7	Requirements for human activity recognition	21
7	Requirements for management functions	21
7.1	Functions that influence the automated vehicle operation	21
7.1.1	General	21
7.1.2	Remote engagement	21
7.1.3	Operation stop	21
7.1.4	Remote assistance	22
7.1.5	Remote disengagement	22
7.1.6	Central control	22
7.2	Other management functions	22
7.2.1	Compatibility and occupancy check	22
7.2.2	SV identification	23
7.2.3	Response to incapacitation of the operation functions	23
7.2.4	Maintaining environmental conditions	23
8	Requirements for the environment within parking facilities	24
8.1	General	24
8.2	Common requirements	24
8.2.1	Operation zone	24
8.2.2	Drop-off and pick-up area	24
8.2.3	SV identification area	24
8.2.4	Wireless communication	24
8.2.5	Operation stop device	25
8.2.6	Lighting	25
8.3	Vehicle-operation-type-dependent requirements	26
8.3.1	Detection capabilities of the R sub-system	26
8.3.2	Localization markers	26
8.3.3	Digital maps	27
8.4	Traffic environment category dependent requirements	29
8.4.1	Mixed traffic	29
8.4.2	Exclusive traffic	29
9	Requirements for overall system operation	29
9.1	General	29
9.2	Requirements for the communication interface	30
9.2.1	General requirements	30
9.2.2	Security goals	31
9.2.3	Security requirements	31
9.3	System states and transition diagram	31
9.3.1	State transition diagram	31
9.3.2	Definition and requirements of system states	33
9.3.3	Transition conditions	36
9.4	Suspend condition codes	40
9.5	Object and event detection data reporting	41
9.6	Data recording	41
9.7	Information to the user	42
9.8	Development process and management	42
10	Test scenarios for automated vehicle operation	42
10.1	General	42
10.1.1	Purpose	42
10.1.2	Test sites	43

10.1.3	Environmental conditions	43
10.1.4	Example test setups	43
10.1.5	Values of each figure	44
10.1.6	Test targets	44
10.1.7	Observing designed values at a preparation run	45
10.1.8	Means to limit the designed values	45
10.1.9	Common pass criteria	46
10.1.10	List of test scenarios and scenes	46
10.2	Basic scenarios	47
10.2.1	Scenario A: Entering	47
10.2.2	Scenario B: Re-parking	48
10.2.3	Scenario C: Exiting	50
10.3	Basic scenes	51
10.3.1	Scene 01: Climbing a ramp at slow speed	51
10.3.2	Scene 02: Ramp down	52
10.3.3	Scene 03: Operation on spiral ramps (up/down)	53
10.3.4	Scene 04: Out of drop-off area	55
10.3.5	Scene 05: SV identification	55
10.3.6	Scene 06: Out of operation zone	56
10.4	Traffic rules and behaviours	57
10.4.1	Scene 11: Stopping location	57
10.4.2	Scene 12: Intersection passing	58
10.4.3	Scene 13: Blocked intersection	59
10.4.4	Scene 14: Give way in two-way traffic	60
10.4.5	Scene 15: Vehicle in front is reversing towards SV	61
10.5	Static object avoidance	62
10.5.1	Scene 21: Smallest object in the direction of travel (forward/reverse)	62
10.5.2	Scene 22: Overhanging object	64
10.5.3	Scene 23: Infant in parking spot (reverse/forward)	65
10.5.4	Scene 24: Infant lying near ramp (up/down)	66
10.5.5	Scene 25: Infant behind a curve	68
10.5.6	Scene 26: Infant in front of parked vehicle (forward/reverse)	69
10.5.7	Scene 27: Infant beside parked vehicle	70
10.5.8	Scene 28: Infant lying partly underneath parked vehicle	71
10.6	Dynamic object avoidance	72
10.6.1	Scene 31: Forward vehicle braking hard	72
10.6.2	Scene 32: Parked vehicle rushing out	73
10.6.3	Scene 33: Cross-cutting child	75
10.6.4	Scene 34: Irregular movement of an adult	77
10.6.5	Scene 35: Bicyclist approaching	79
10.7	Emergency stopping	80
10.7.1	Scene 41: Operation stop command	80
10.7.2	Scene 42: Communication failure	80
Annex A (normative) Communication sequences		81
Annex B (normative) Test targets		108
Annex C (informative) Description of localization markers		110
Annex D (informative) Guidance in placing coded markers in parking facilities		117
Annex E (informative) Example of line markings detectable by on-board sensors		123
Annex F (informative) Parking facility dimension		125
Annex G (informative) Examples for system implementation		128
Annex H (informative) Type 3 implementation example		129
Bibliography		153