

DIN 72036:2024-06 (E)

Road vehicles - Automation of the wiring-harness production

Contents		Page
Foreword		7
0	Introduction	8
1	Scope	12
2	Normative references	12
3	Terms and definitions	12
4	Symbols and abbreviations	23
5	Design rules for wiring harnesses suitable for automated production	23
5.1	General	23
5.1.1	Generic description of the design rules	23
5.1.2	Matrix for systematizing the design rules	26
5.2	Design rules for wiring harness concepts suitable for automated production	27
5.3	Design rules for wiring harness designs suitable for automated production	28
5.4	Design rules for manufacturing processes suitable for automated production	30
5.5	Design rules for components suitable for automated production	30
6	Data profiles for digital component and wiring harness description based on standard data formats	31
6.1	Motivation and objectives	31
6.2	Summary of component and wiring harness data requirements	32
6.3	Generic specification of the data profiles	35
6.4	VEC-based data profile in the context of digital component description	35
6.4.1	General	35
6.4.2	Constraints in the context of all component types	36
6.4.3	Constraints in the context of mounting parts	37
6.4.4	Constraints in the context of sealing elements	37
6.4.5	Constraints in the context of terminals	37
6.4.6	Constraints in the context of electrical cables	38
6.4.7	Constraints in the context of wire protection	39
6.4.8	Constraints in the context of connectors	39
6.4.9	Constraints in the context of grommets	40
6.4.10	Constraints in the context of wire connectors	40
6.5	VEC-based data profile in the wiring harness context	41
6.5.1	General	41
6.5.2	Constraints in the context of component master data	41
6.5.3	Constraints in the context of shaping	41
6.5.4	Constraints in the context of electrical cables	42
6.5.5	Constraints in the context of wiring harness	43
6.5.6	Constraints in the context of wire protection	44
6.5.7	Constraints in the context of wire connectors	44
6.5.8	Constraints in the context of connection structures	45
6.6	KBL-based data profile in the wiring harness context	45
6.6.1	General	45
6.6.2	Constraints in the context of component master data	45
6.6.3	Constraints in the context of shaping	49
6.6.4	Constraints in the context of electrical cables	50
6.6.5	Constraints in the context of wiring harness	51

6.6.6	Constraints in the context of wire protection	51
6.6.7	Constraints in the context of wire connectors	52
6.6.8	Constraints in the context of connection structures	52
Annex A (normative) Design rules		53
A.1	Design rules for wiring harness concepts suitable for automated production	53
A.1.1	General	53
A.1.2	Contact carrier	61
A.1.3	Mounting parts	63
A.1.4	Connection structure	64
A.2	Design rules for wiring harness designs suitable for automated production	67
A.2.1	General	67
A.2.2	Mounting parts	71
A.2.3	Terminals	79
A.2.4	Electrical cables	84
A.2.5	Wire protection components	95
A.2.6	Wire connectors	103
A.2.7	Connection structure	108
A.3	Design rules for manufacturing processes suitable for automated production	115
A.3.1	Pre-assembly	115
A.3.2	Assembly process	118
A.4	Design rules for components suitable for automated production	119
A.4.1	Mounting parts	119
A.4.2	Sealing elements	125
A.4.3	Terminals	126
A.4.4	Electrical cables	131
A.4.5	Connectors	132
Bibliography		134

Figures

Figure 1 — Model of wiring harness development	9
Figure 2 — Model of wiring harness production	10
Figure 3 — Simplified model of the dependencies of the design rules	11
Figure 4 — Overlength of a terminal	17

Tables

Table 1 — Definition of design rules.....	24
Table 2 — Definition of data requirements.....	26
Table 3 — Matrix representation of the design rules of a development phase	27
Table 4 — Design rules for the development phase: WH concept.....	27
Table 5 — Design rules for the development phase: WH design for wiring harnesses.....	28
Table 6 — Design rules for the development phase: WH design for partial wiring harnesses.....	29
Table 7 — Design rules for the development phase: WH production	30
Table 8 — Design rules for the development phase: Component specifications.....	30
Table 9 — Summary of the data requirements of the design rules	32

Table 10 — Data profile definition.....	35
Table 11 — Constraints for all component types	36
Table 12 — Component types that require the RequirementsConformanceStatement.....	36
Table 13 — Constraints in the context of mounting parts.....	37
Table 14 — Constraints in the context of sealing elements	37
Table 15 — Constraints in the context of terminals	38
Table 16 — Constraints in the context of electrical cables.....	38
Table 17 — Constraints in the context of wire protection.....	39
Table 18 — Constraints in the context of connectors	40
Table 19 — Constraints in the context of grommets	40
Table 20 — Constraints in the context of wire connectors	41
Table 21 — Constraints in the context of shaping.....	42
Table 22 — Constraints in the context of electrical cables.....	43
Table 23 — Constraints in the context of wiring harness.....	44
Table 24 — Constraints in the context of wire protection.....	44
Table 25 — Constraints in the context of wire connectors	44
Table 26 — Constraints in the context of connection structures	45
Table 27 — Constraints in the context of component master data.....	46
Table 28 — Constraints in the context of shaping.....	49
Table 29 — Constraints in the context of electrical cables.....	50
Table 30 — Constraints in the context of wiring harness.....	51
Table 31 — Constraints in the context of wire protection.....	52
Table 32 — Constraints in the context of wire connectors	52
Table 33 — Constraints in the context of connection structures	52
Table A.1 — 135067 — WH concept — Define core requirement for automation-friendly preselection of process technology variety	53
Table A.2 — 345938 — WH concept — Define core requirement for automation-friendly preselection of part variety.....	54
Table A.3 — 259959 — WH concept — Define core requirement for automation-friendly preselection for connection	55
Table A.4 — 689762 — WH concept — Define core requirement for designs suitable for automated production	56
Table A.5 — 457158 — WH concept — Define core requirement for components suitable for automated production	57
Table A.6 — 890738 — WH concept — Define core requirement for partial wiring harnesses suitable for automated production.....	59
Table A.7 — 607707 — WH concept — Define core requirement for product improvements.....	60
Table A.8 — 407527 — WH concept — Determine position of terminals for UTP cables in contact carriers	61
Table A.9 — 954795 — WH concept — Use cable ducts suitable for automated production	63
Table A.10 — 615882 — WH concept — Define connection structures.....	64
Table A.11 — 866354 — WH concept — Avoid crossovers of electrical cables.....	66
Table A.12 — 172486 — WH design — Use wiring harness components suitable for automated production	68
Table A.13 — 895198 — WH design — Design non-electrical lines as closed additional partial wiring harnesses.....	69

Table A.14 — 489200 — WH design — Design electrical cables, other than single-core and UTP cables, as terminated additional partial wiring harnesses.....	70
Table A.15 — 770863 — WH design — Define accessibility for positioning clips	72
Table A.16 — 317887 — WH design —Use feed-through grommets suitable for automated production	74
Table A.17 — 714621 — WH design — Define part variety of clips in 150 % wiring harness	75
Table A.18 — 935584 — WH design — Define part variety of clips in partial wiring harnesses.....	76
Table A.19 — 260631 — WH design — Define process technology variety of clips.....	77
Table A.20 — 977843 — WH design — Define routing path of lines in foam grommets	78
Table A.21 — 524465 — WH design — Define the variety of terminals and single wire seals.....	79
Table A.22 — 310735 — WH design — Define number of cores on terminals and cable lugs.....	80
Table A.23 — 290800 — WH design — Define process technology variety for terminals and cable lugs	81
Table A.24 — 718108 — WH design — Define automation-friendly contacting of crimp cable lugs	82
Table A.25 — 593889 — WH design — Define heat shrink tubing suitable for automated production	83
Table A.26 — 524350 — WH design — Determine cable lengths of single-core cables.....	84
Table A.27 — 478795 — WH design — Define ISO conductor sizes of single-core cables	85
Table A.28 — 832197 — WH design — Define cable lengths of UTP cables	87
Table A.29 — 092394 — WH design — Define ISO conductor sizes for twisted cores	88
Table A.30 — 925040 — WH design — Define characteristics for optical differentiation of the cores of UTP cables.....	89
Table A.31 — 384332 — WH design — Use automation-friendly stranded conductors.....	90
Table A.32 — 948648 — WH design — Determine automation-friendly conductor material combination.....	91
Table A.33 — 706757 — WH design — Define machine-friendly specifications for pinning of UTP cables.....	92
Table A.34 — 571369 — WH design — Define variants of ISO conductor sizes and cable types of electrical cables.....	94
Table A.35 — 625267 — WH design — Determine variants of wire protection components.....	96
Table A.36 — 546271 — WH design — Use wire protection components suitable for automated production	97
Table A.37 — 440108 — WH design — Define process technology variety for wire protection systems.....	99
Table A.38 — 159418 — WH design — Determine accessibility for taping.....	101
Table A.39 — 181916 — WH design — Define wire connector design types	103
Table A.40 — 617422 — WH design — Define process technology variety for end splices	104
Table A.41 — 109085 — WH design — Define number of cores for end splices.....	106
Table A.42 — 830085 — WH design — Define sealing or electrical insulation of end splices.....	107
Table A.43 — 546195 — WH design — Define connection depth	108
Table A.44 — 619930 — WH design — Define variety of meshing.....	110
Table A.45 — 958211 — WH design — Define number of contact carriers in partial wiring harnesses.....	113
Table A.46 — 427421 — WH design — Define number of cores in partial wiring harnesses.....	114
Table A.47 — 504937 — WH production — Define joining process for terminals.....	115
Table A.48 — 183793 — WH production — Define deformation of terminals during crimping	116

Table A.49 — 952093 — WH production — Define pinning requirements	117
Table A.50 — 160473 — WH production — Define geometric routing paths for production	118
Table A.51 — 783439 — Component — Define cover caps for connector housing.....	119
Table A.52 — 969791 — Component — Determine outer geometry of foam grommets	121
Table A.53 — 356993 — Component — Determine cross-sectional geometry of foam grommets.....	122
Table A.54 — 136523 — Component — Determine wall thickness of foam grommets.....	123
Table A.55 — 872352 — Component — Determine geometry of single wire seals.....	125
Table A.56 — 476220 — Component — Perform measurement of the nominal terminal cross-section combination during crimping	126
Table A.57 — 139563 — Component — Define terminal supply for crimping tools	128
Table A.58 — 106918 — Component — Define supply of terminals.....	129
Table A.59 — 384361 — Component — Define suitability for straightening of single-core cables....	131
Table A.60 — 056177 — Component — Determine the variety of cavity sizes of contact carriers	132