

# ISO 24581:2024-09 (E)

## Road vehicles - General requirements and test methods of in-vehicle optical harnesses for up to 100 Gbit/s communication

---

<b>Contents</b>		<b>Page</b>
Foreword .....		vi
Introduction .....		vii
1	Scope .....	1
2	Normative references .....	1
3	Terms and definitions .....	2
4	Abbreviated terms .....	2
5	Optical channel .....	3
5.1	General .....	3
5.2	Optical harness .....	4
5.3	Optical harness application examples .....	5
6	Optical fibre and optical fibre cable .....	6
6.1	General .....	6
6.2	Optical fibre .....	6
6.2.1	GI-MMF .....	6
6.2.2	Buffered optical fibre structure .....	6
6.2.3	Requirements of optical fibre .....	7
6.3	Optical fibre cable .....	8
6.3.1	Cable structure .....	8
6.3.2	Requirements and test methods for optical fibre cable .....	8
6.3.3	Cable attenuation .....	9
6.3.4	High storage temperature exposure .....	10
6.3.5	Low storage temperature exposure .....	11
6.3.6	Operation temperature exposure .....	12
6.3.7	Minimum attenuation increase by the residual bending stress .....	14
6.3.8	Maximum bending attenuation .....	15
6.3.9	Tensile strength .....	17
6.3.10	Crush toughness .....	19
6.3.11	Impact resistance .....	20
6.3.12	Static torsion toughness .....	22
6.3.13	Resistance to flame propagation .....	23
7	Optical connector .....	25
7.1	General .....	25
7.2	Optical header connector .....	26
7.2.1	General .....	26
7.2.2	Dimension criteria .....	26
7.2.3	Mechanical coding .....	26
7.2.4	Requirements of optical header connector .....	26
7.2.5	High storage temperature exposure .....	27
7.2.6	Low storage temperature exposure .....	28
7.2.7	Operating temperature range (Informative) .....	29
7.3	Optical fibre cable plug .....	29
7.3.1	General .....	29
7.3.2	Dimension criteria .....	29

7.3.3	Mechanical coding .....	29
7.3.4	Requirements of optical cable plug .....	29
7.3.5	High storage temperature exposure .....	30
7.3.6	Low storage temperature exposure .....	31
7.3.7	Operating temperature range .....	32
7.4	Optical cable socket .....	32
7.4.1	General .....	32
7.4.2	Dimension criteria .....	32
7.4.3	Mechanical coding .....	32
7.4.4	Requirements of optical cable socket .....	33
7.4.5	High storage temperature exposure .....	33
7.4.6	Low storage temperature exposure .....	34
7.4.7	Operating temperature range .....	35
8	Optical harness performance .....	35
8.1	General .....	35
8.2	Measurement point .....	35
8.3	Substituted fibre optic transceiver .....	36
8.3.1	General .....	36
8.3.2	Substituted transmitter .....	36
8.3.3	Substituted receiver .....	37
8.4	Substitution method .....	38
8.4.1	General .....	38
8.4.2	Test procedure .....	38
8.5	Methodology .....	39
8.5.1	Measurement light source setup .....	39
8.5.2	Measurement equipment setup .....	39
8.6	Requirements of optical harness .....	40
8.6.1	Optical characteristics .....	40
8.6.2	Mechanical characteristics .....	41
8.6.3	Temperature environmental characteristics .....	41
8.7	Examination for optical in-line connection performance .....	41
8.7.1	Coupling attenuation at optical in-line connector .....	41
8.7.2	Optical return loss of optical in-line connector .....	43
8.7.3	High storage temperature exposure of optical in-line connector .....	43
8.7.4	Low storage temperature exposure of optical in-line connector .....	45
8.7.5	Operating temperature exposure of optical in-line connection .....	45
8.7.6	Vibration resistance of optical in-line connector .....	47
8.7.7	Minimum tensile strength of the coupling mechanism .....	48
8.7.8	Maximum insertion force .....	49
8.7.9	Maximum lock cancellation force for release .....	51
8.7.10	Durability of repeated mating and un-mating .....	52
8.7.11	Minimum cable retention .....	52
8.8	Examination for optical harness performance .....	54
8.8.1	Optical harness attenuation .....	54
8.8.2	High storage temperature exposure of optical harness .....	55
8.8.3	Low storage temperature exposure of optical harness .....	56
8.8.4	High operating temperature exposure of optical harness .....	57
8.8.5	Low operating temperature exposure of optical harness .....	58
8.9	Eye safety .....	59
8.9.1	General .....	59
8.9.2	Requirement .....	59
9	Combined environmental examination .....	60
9.1	General .....	60
9.2	Requirements of optical harness .....	61
9.2.1	Sequentially environmental examination .....	61
9.2.2	Specific environmental examination .....	61
9.3	Examination for sequentially environmental examination .....	61
9.3.1	General .....	61
9.3.2	Flow chart .....	62

9.3.3	Operation test after durability of mate and un-mate .....	62
9.3.4	Operation test after high temperature exposure .....	63
9.3.5	Operation test after high temperature exposure with vibration .....	63
9.3.6	Operation test after heat shock .....	63
9.3.7	Operation test after humidity/temperature cycle procedure .....	64
9.3.8	Operation test after specific vibration .....	64
9.3.9	Requirement of sequentially environmental examination .....	65
9.4	Examination for specific environmental examination .....	65
9.4.1	General .....	65
9.4.2	Operation test after specific physical shock .....	65
9.4.3	Operation test after chemical durability procedure .....	66
9.4.4	Operation test after noxious gas exposure .....	67
9.4.5	Operation test after specific dust condition exposure .....	67
9.4.6	Operation test after specific drop impact procedure .....	68
9.4.7	Requirements of specific environmental examination .....	68
Annex A (informative) System parameters of different transmission applications .....		70
Annex B (informative) Optical harness design guideline .....		72
Annex C (informative) Dimensions and reference planes of optical connectors .....		74
Annex D (informative) Modal noise penalty .....		80
Bibliography .....		84