ISO 17987-4:2025-06 (E)

Road vehicles - Local Interconnect Network (LIN) - Part 4: Electrical physical layer (EPL) specification 12 V/24 V

Contents

Page

Foreword iv

Introduction v

1 Scope 1

2 Normative references 1

3 Terms, definitions, symbols and abbreviated terms 1
3.1 Terms and definitions 1
3.2 Symbols 2
3.3 Abbreviated terms 5

4 Conventions 6

5 Electrical physical layer requirements 6
5.1 Bit rate deviation 6
5.1.1 General 6
5.1.2 12 V LIN systems: parameters 6
5.1.3 24 V LIN systems: parameters 7
5.2 Timing requirements 9
5.2.1 Bit timing 9
5.2.2 Synchronization procedure 9
5.2.3 Bit sample timing 10
5.3 Line driver/receiver 12
5.3.1 General configuration 12
5.3.2 Definition of supply voltages for the physical interface 12
5.3.3 Signal specification 13
5.3.4 12 V LIN systems: electrical parameters 14
5.3.5 24 V LIN systems: Electrical parameters 18
5.3.6 Line characteristics 21
5.3.7 12 V LIN systems: performance in non-operation supply voltage range 22
5.3.8 24 V LIN systems: performance in non-operation supply voltage range 22
5.3.9 Performance during fault modes 22
5.3.10 ESD/EMI compliance 22

6 Procedures C, D and E 23

Annex A (informative) LIN peripheral interface design considerations 24

Annex B (normative) LIN AA procedure C physical layer 29

Annex C (normative) LIN AA procedure D physical layer 32

Annex D (normative) LIN AA procedure E physical layer 39

Bibliography 43