

ISO/TS 8231:2025-09 (E)

Road vehicles - Visibility - Requirements and recommendations for automotive interior display systems

| Contents | | Page |
|--------------------|---|-------------|
| Foreword | | v |
| Introduction | | vi |
| 1 | Scope | 1 |
| 2 | Normative references | 1 |
| 3 | Terms and definitions | 2 |
| 3.1 | Vehicle related terms | 2 |
| 3.2 | Device-related terms | 3 |
| 3.3 | Location-related terms | 4 |
| 3.4 | Optical- and display-related terms | 5 |
| 3.5 | Material-related terms | 6 |
| 3.6 | Coating-related terms | 7 |
| 3.7 | Test-related terms | 8 |
| 4 | 1Considerations for the requirements of the display system | 8 |
| 4.1 | General | 8 |
| 4.2 | Readability requirements | 8 |
| 4.2.1 | General | 8 |
| 4.2.2 | Readability | 8 |
| 4.2.3 | Visual comfort | 8 |
| 4.2.4 | Screen luminance | 9 |
| 4.2.5 | Screen luminance auto adjustment and flickering | 9 |
| 4.2.6 | Display response time | 9 |
| 4.2.7 | Glasses and sunglasses | 9 |
| 4.2.8 | Viewing area | 9 |
| 4.2.9 | Viewing angle | 9 |
| 4.2.10 | Two-dimensional (2D) and three-dimensional (3D) displays | 9 |
| 4.3 | Display and screen requirements | 10 |
| 4.3.1 | Cover lens | 10 |
| 4.3.2 | Luminance | 10 |
| 4.3.3 | Contrast | 10 |
| 4.3.4 | Ghosting | 11 |
| 4.3.5 | Black mura | 11 |
| 4.3.6 | Glare | 12 |
| 4.3.7 | Sparkle | 12 |
| 4.3.8 | Reflection and reflectance | 12 |
| 4.3.9 | Colour and its attributes | 14 |
| 4.3.10 | Gamma | 14 |
| 4.3.11 | Haze | 14 |
| 4.4 | Environmental impact on interior displays | 15 |
| 4.4.1 | General | 15 |
| 4.4.2 | Illumination | 15 |
| 4.4.3 | Automatic and adaptive display brightness | 15 |
| 4.4.4 | Temperature range | 15 |
| 4.4.5 | Humidity | 16 |
| 4.5 | Misuse resistance considerations | 16 |
| 4.5.1 | General | 16 |
| 4.5.2 | Scratches and dents | 16 |

| | | |
|---|--|----|
| 4.5.3 | Severe push- and pull loads | 16 |
| 4.5.4 | Spilled liquids, lotions, and creams | 17 |
| 4.5.5 | Reset | 17 |
| 5 | Specific considerations for cover lenses | 17 |
| 5.1 | General | 17 |
| 5.2 | Coatings of cover lenses | 17 |
| 5.2.1 | Anti-glare (AG) | 18 |
| 5.2.2 | Anti-reflection (AR) | 18 |
| 5.2.3 | Easy-to-clean coating (ETCC) | 18 |
| 5.2.4 | Anti-fingerprint coating (AFC) | 18 |
| 5.3 | Breakage and fragility | 18 |
| 6 | Reliability and durability requirements | 18 |
| 6.1 | General | 18 |
| 6.2 | Vibrations and mechanical shock | 19 |
| 6.3 | Scratch resistance | 19 |
| 6.4 | Abrasion resistance | 19 |
| 6.5 | Severe push- and pull loads | 19 |
| 6.6 | Temperature and humidity testing | 19 |
| 6.6.1 | General | 19 |
| 6.6.2 | Temperature endurance testing | 20 |
| 6.6.3 | Temperature cycling testing | 20 |
| 6.6.4 | Humidity testing | 20 |
| 6.6.5 | Damp heat testing | 20 |
| 6.7 | UV Light and weathering testing | 20 |
| 6.8 | Chemical substance resistance | 20 |
| 6.8.1 | General | 20 |
| 6.8.2 | Cleaning solutions | 20 |
| 6.8.3 | Sanitizing and disinfectants | 20 |
| 6.9 | Breakability tests of displays | 21 |
| 7 | Behaviour in accidents | 21 |
| 7.1 | Head impact test (HIT) | 21 |
| Annex A (informative) Colour measurements | | 22 |
| Annex B (Informative) Test methods for coatings on cover lenses | | 31 |
| Bibliography | | 33 |