

DIN EN ISO 18243:2026-10 (E)

Electrically propelled mopeds and motorcycles - Test specifications and safety requirements for lithium-ion battery systems (ISO 18243:2025)

Contents

Page

Foreword	v
Introduction	vi
1 Scope	1
2 Normative references	1
3 Terms and definitions	1
4 Symbols and abbreviated terms	5
4.1 Symbols	5
4.2 Abbreviated terms	6
5 Technical requirements	6
5.1 General safety requirements	6
5.2 Testing of general safety requirements	7
5.2.1 Evidence of leakage	7
5.2.2 Evidence of rupture	7
5.2.3 Evidence of fire	7
5.2.4 Evidence of explosion	7
5.2.5 Isolation resistance	7
5.3 Mechanical requirements	7
5.4 Climatic requirements	7
5.4.1 Thermal shock	7
5.4.2 Dewing	8
5.4.3 Salt spray	8
5.5 Simulated accident requirements	8
5.5.1 Immersion into water	8
5.5.2 Exposure to fire	9
5.6 Electrical requirements	9
5.6.1 Isolation resistance	9
5.6.2 Short circuit protection	9
5.7 Functional requirements	10
5.7.1 General	10
5.7.2 Overcharge protection	10
5.7.3 Overdischarge protection	10
5.7.4 Overcurrent protection	10
5.7.5 Protection against internal overheating	10
5.7.6 Low-temperature protection	10
6 General test methods	11
6.1 General conditions	11
6.2 Measurement accuracy	11
6.3 DUT requirements and preparation of the DUT for testing	12
6.3.1 DUT requirements	12
6.3.2 Preparation of the battery subsystem and test bench	12
6.3.3 Preparation of the battery pack or system and test bench	12
6.4 Test sequence plan	12
6.5 Tests	12
6.6 Preconditioning cycles	13
6.6.1 Purpose	13
6.6.2 Test procedure	13
6.7 Standard cycle (SC)	14
6.7.1 Purpose	14
6.7.2 Test procedure	14

7	Safety test procedures	14
7.1	Mechanical tests	14
7.1.1	Vibration	14
7.1.2	Mechanical shock	15
7.1.3	Drop	15
7.2	Climatic tests	15
7.2.1	Thermal shock	15
7.2.2	Dewing	16
7.2.3	Salt spray	18
7.3	Simulated accident tests	18
7.3.1	Immersion into water	18
7.3.2	Exposure to fire	18
7.4	Electrical test — Short circuit protection	19
7.5	Functional tests	20
7.5.1	General procedures	20
7.5.2	Overcharge protection	20
7.5.3	Over discharge protection	21
7.5.4	Overcurrent protection	21
7.5.5	Protection against internal overheating	22
8	Performance test methods	23
8.1	Energy and capacity at RT	23
8.1.1	Purpose	23
8.1.2	Test procedure	23
8.1.3	Requirements	23
8.2	Energy and capacity at different temperature and discharge rates	24
8.2.1	Purpose	24
8.2.2	Test procedure	24
8.2.3	Requirements	26
8.3	Power and internal resistance	27
8.3.1	Purpose	27
8.3.2	Pulse power characterization profile	27
8.3.3	Test procedure	30
8.3.4	Requirements	32
8.4	No load SOC loss	32
8.4.1	Purpose	32
8.4.2	Test procedure	32
8.4.3	Test sequence	33
8.4.4	Requirements	34
8.5	SOC loss at storage	34
8.5.1	Purpose	34
8.5.2	Test procedure	34
8.5.3	Test sequence	35
8.5.4	Requirements	35
8.6	Cycle life	35
8.6.1	Purpose	35
8.6.2	Preparation	36
8.6.3	Test procedure	36
8.6.4	Conditions	37
8.6.5	Monitoring and data logging	37
8.6.6	SOC determination	37
8.6.7	End of test criteria	37
8.6.8	Capacity fade	38
8.6.9	Self-discharging rates	38
8.6.10	Requirements	38
8.7	Cycle life specific test (optional)	39

Annex A (informative) Battery pack and system	40
Annex B (normative) Description of the screen referenced in 7.3.2	44
Annex C (informative) Example of the cycle life specific test	45
Bibliography	46