

ISO 17356-3:2005-11 (E)

Road vehicles - Open interface for embedded automotive applications - Part 3: OSEK/VDX Operating System (OS)

Contents		Page
Foreword		v
Introduction		vi
1	Scope	1
2	Normative references	1
3	Architecture of the operating system "OS"	1
3.1	Processing levels	1
3.2	Conformance classes	3
3.3	Relationship between OS and OSEKtime OS	4
4	Task management	5
4.1	Task concept	5
4.2	Task state model	5
4.3	Activating a task	8
4.4	Task switching mechanism	8
4.5	Task priority	8
4.6	Scheduling policy	9
4.7	Termination of tasks	12
5	Application modes	12
5.1	General	12
5.2	Scope of application modes	12
5.3	Start-up performance	13
5.4	Support for application modes	13
6	Interrupt processing	13
6.1	General	13
7	Event mechanism	14
8	Resource management	16
8.1	General	16
8.2	Behaviour during access to occupied resources	16
8.3	Restrictions when using resources	17
8.4	Scheduler as a resource	17
8.5	General problems with synchronization mechanisms	17
8.6	Priority Ceiling Protocol	18
8.7	Priority Ceiling Protocol with extensions for interrupt levels	19
8.8	Internal resources	21
9	Alarms	22
9.1	General	22
9.2	Counters	22
9.3	Alarm management	22
9.4	Alarm-callback routines	23
10	Messages	24

11	Error handling, tracing and debugging	24
11.1	Hook routines	24
11.2	Error handling	25
11.3	System start-up	26
11.4	System shutdown	28
11.5	Debugging	28
12	Description of system services	29
12.1	Definition of system objects	29
12.2	Conventions	29
13	Specification of OS services	31
13.1	Basics	31
13.2	Common data types	32
13.3	Task management	33
13.4	Interrupt handling	38
13.5	Resource management	41
13.6	Event control	43
13.7	Alarms	46
13.8	OS execution control	50
13.9	Hook routines	51
14	Implementation- and application-specific topics	54
14.1	General	54
14.2	Implementation hints	54
14.3	Application design hints	56
14.4	Implementation-specific tools	60