

# ISO 15830-3:2005-12 (E)

## Road vehicles - Design and performance specifications for the WorldSID 50th percentile male side-impact dummy - Part 3: Electronic subsystems

---

<b>Contents</b>		<b>Page</b>
Foreword .....		vi
Introduction .....		vii
<b>1</b>	<b>Scope .....</b>	<b>1</b>
<b>2</b>	<b>Normative references .....</b>	<b>1</b>
<b>3</b>	<b>Terms and definitions .....</b>	<b>1</b>
<b>4</b>	<b>Electrical subsystems requirements .....</b>	<b>2</b>
<b>4.1</b>	<b>Permissible sensors .....</b>	<b>2</b>
<b>4.1.1</b>	<b>General .....</b>	<b>2</b>
<b>4.1.2</b>	<b>Locations and specifications .....</b>	<b>2</b>
<b>4.1.3</b>	<b>Sensor specifications and mass .....</b>	<b>3</b>
<b>4.2</b>	<b>Permissible internal data acquisition system (DAS) .....</b>	<b>7</b>
<b>4.2.1</b>	<b>General .....</b>	<b>7</b>
<b>4.2.2</b>	<b>DAS characteristics .....</b>	<b>7</b>
<b>4.2.3</b>	<b>DAS mass and mass distribution .....</b>	<b>8</b>
<b>5</b>	<b>Methods .....</b>	<b>8</b>
<b>5.1</b>	<b>Calculation of IR-TRACC distances from the IR-TRACC voltage outputs .....</b>	<b>8</b>
	<b>Annex A (normative) Load cell characteristics .....</b>	<b>10</b>
<b>A.1</b>	<b>Load cell capacities .....</b>	<b>10</b>
<b>A.2</b>	<b>Load cell sign conventions .....</b>	<b>10</b>
	<b>Annex B (informative) Conventions for exemplar permissible load cells and angular displacement sensors .....</b>	<b>15</b>
<b>B.1</b>	<b>Overview .....</b>	<b>15</b>
<b>B.2</b>	<b>Repeatability and reproducibility .....</b>	<b>15</b>
<b>B.3</b>	<b>Durability .....</b>	<b>15</b>
<b>B.4</b>	<b>Sensitivity .....</b>	<b>15</b>
<b>B.5</b>	<b>Handling .....</b>	<b>15</b>
<b>B.6</b>	<b>Calibration .....</b>	<b>17</b>
<b>B.7</b>	<b>Load cell connector pin codes .....</b>	<b>17</b>
<b>B.8</b>	<b>Universal neck load cell (W50-71000) .....</b>	<b>19</b>
<b>B.9</b>	<b>Sacro-iliac load cell (W50-71130) .....</b>	<b>19</b>
<b>B.10</b>	<b>Lumbar load cell (W50-71120) .....</b>	<b>20</b>
<b>B.11</b>	<b>Pubic symphysis load cell (W50-71051) .....</b>	<b>20</b>
<b>B.12</b>	<b>Femoral neck load cell (W50-71080) .....</b>	<b>20</b>
<b>B.13</b>	<b>Universal leg load cell (W50-71010) .....</b>	<b>20</b>
<b>B.14</b>	<b>Shoulder load cell (W50-71090) .....</b>	<b>20</b>
<b>B.15</b>	<b>Universal arm load cell (W50-71070) .....</b>	<b>20</b>
<b>B.16</b>	<b>Elbow load cell (W50-71060) .....</b>	<b>20</b>
<b>B.17</b>	<b>Knee contact load cell (W50-71020) .....</b>	<b>21</b>
	<b>Annex C (informative) Conventions for exemplar permissible accelerometers .....</b>	<b>22</b>

C.1	Overview .....	22
C.2	Linear accelerometer connector pin codes .....	22
C.3	Rotational accelerometer connector pin codes .....	22
Annex D (informative) Information regarding sensor output polarities .....		24
D.1	Overview .....	24
D.2	Sensor output polarity diagrams .....	24
Figures	Figure A.1 -- Universal neck load cell .....	11
	Figure A.2 -- Sacro-iliac load cell .....	11
	Figure A.3 -- Sacro-iliac load cell, right side, top, and left side views .....	11
	Figure A.4 -- Lumbar load cell .....	12
	Figure A.5 -- Pubic symphysis load cell .....	12
	Figure A.6 -- Femoral neck load cell .....	12
	Figure A.7 -- Universal leg load cell .....	13
	Figure A.8 -- Shoulder load cell .....	13
	Figure A.9 -- Universal arm load cell .....	13
	Figure A.10 -- Elbow load cell .....	14
	Figure A.11 -- Knee contact load cell .....	14
	Figure B.1 -- Robert A. Denton WorldSID instrumentation .....	16
	Figure B.2 -- Connector wiring, 31-pin, 6 channels .....	17
	Figure B.3 -- Connector wiring, 21-pin, 3 channels (shoulder) .....	17
	Figure B.4 -- Connector wiring, 15-pin, 2 channels (elbow load cell) .....	18
	Figure B.5 -- Connector wiring, 15-pin, 1 channel (side exit, pubic) .....	18
	Figure B.6 -- 1-channel connector to G5 DAS .....	18
	Figure B.7 -- 2-channel connector to G5 DAS .....	19
	Figure B.8 -- 3-channel connector to G5 DAS .....	19
	Figure C.1 -- Linear accelerometer wiring .....	23
	Figure D.1 -- Head accelerometers .....	25
	Figure D.2 -- Upper neck load cell .....	26
	Figure D.3 -- Lower neck load cell .....	27
	Figure D.4 -- Thorax accelerometers .....	28
	Figure D.5 -- Rib displacement .....	29
	Figure D.6 -- Shoulder load cell .....	30
	Figure D.7 -- Arm accelerometers .....	31

<b>Figure D.8 -- Arm sensors .....</b>	<b>32</b>
<b>Figure D.9 -- Pelvis accelerometers .....</b>	<b>33</b>
<b>Figure D.10 -- Lumbar spine load cell .....</b>	<b>34</b>
<b>Figure D.11 -- Sacro-iliac load cell .....</b>	<b>35</b>
<b>Figure D.12 -- Pubic load cell .....</b>	<b>36</b>
<b>Figure D.13 -- Femoral neck load cells .....</b>	<b>37</b>
<b>Figure D.14 -- Femur instrumentation .....</b>	<b>38</b>
<b>Figure D.15 -- Knee load cells .....</b>	<b>39</b>
<b>Figure D.16 -- Tibia instrumentation .....</b>	<b>40</b>
<b>Figure D.17 -- Tilt sensor channel orientations .....</b>	<b>41</b>
<b>Tables Table 1 -- Permissible WorldSID sensor locations and specifications .....</b>	<b>2</b>
<b>Table 2 -- DAS mass distribution .....</b>	<b>8</b>
<b>Table A.1 -- WorldSID load cell capacities .....</b>	<b>10</b>