ISO 13232-3:2005-12 (E)

Motorcycles - Test and analysis procedures for research evaluation of rider crash protective devices fitted to motorcycles - Part 3: Motorcyclist anthropometric impact dummy

Contents

Page

Foreword viii

Introduction ix

1 Scope 1

2 Normative references 1

3 Definitions 2

4 Mechanical requirements for the motorcyclist anthropometric impact dummy 2
4.1 Basis dummy 2
4.2 Motorcyclist dummy head and head skins 3
4.3 Motorcyclist dummy neck components 3
4.4 Motorcyclist dummy upper torso components 4
4.5 Motorcyclist dummy lower torso components 4
4.6 Arms and modified elbow bushing 5
4.7 Motorcyclist dummy hands 5
4.8 Motorcyclist dummy upper leg components 5
4.9 Motorcyclist dummy frangible knee assembly 6
4.10 Leg retaining cables 7
4.11 Motorcyclist dummy lower leg components 7
4.12 Complete motorcyclist dummy 7
4.13 Certification documentation 7

5 Sampling of frangible components 8
5.1 Initial conformity of production 8
5.2 Subsequent conformity of production 8
5.3 Condition of sampled frangible components 8

6 Test methods 8
6.1 Frangible bone static bending deflection test 8
6.2 Frangible bone static torsional deflection test 9
6.3 Frangible bone dynamic bending fracture test 9
6.4 Frangible bone dynamic torsional fracture test 9
6.5 Frangible femur bone static axial load fracture test 10
6.6 Frangible knee static strength and deflection test 10
6.7 Frangible abdomen test 10
6.8 Motorcyclist neck dynamic test for initial conformity of production 10
6.9 Motorcyclist neck static tests for subsequent conformity of production 20

7 Marking and documentation of frangible components 20
7.1 Marking 20
7.2 Documentation 20

Annex A (normative) Drawings for motorcyclist anthropometric impact dummy special components 21

Annex C (normative) Motorcyclist neck subsequent conformity of production test procedures 81

Figures Figure 1 -- Extension moment vs. head angle 12

Figure 2 -- Neck flexion bending moment vs. head angle 15

Figure 3 -- Neck flexion occipital condyle and head centre of gravity position 15

Figure 4 -- Flexion neck angle vs. head angle 16

Figure 5 -- Lateral head angle vs. time 18

Figure 6 -- Lateral head centre of gravity position 18

Figure 7 -- Neck torsion stiffness 19

Figure A.1 -- Motorcyclist head skins and extensions 22

Figure A.2 -- Neck shroud specifications 23

Figure A.3 -- Hybrid III modified lower neck mount 24

Figure A.4 -- Motorcyclist neck and interface requirements 25

Figure A.5 -- Lower lumbar spine transducer mount and ballast block for the six-axis load cell 26

Figure A.6 -- Lower lumbar spine transducer mount and ballast block for the three-axis load cell 27

Figure A.7 -- Lumbar spine abdomen reaction plate for the six-axis load cell 28

Figure A.8 -- Lumbar spine abdomen reaction plate for the three-axis load cell 29

Figure A.9 -- Replacement frangible solid abdominal insert 30

Figure A.10 -- Elbow joint scribe marks for 10° arm pivot 31

Figure A.11 -- Frangible femur bone to knee adaptor 32

Figure A.12 -- Frangible femur bone interface and size requirements 33

Figure A.13 -- Upper femur load cell simulator 34

Figure A.14 -- Frangible knee and knee clevis assembly 35

Figure A.15 -- Frangible tibia bone to ankle joint adaptor 36

Figure A.16 -- Frangible tibia interface and size requirements 37

Figure A.17 -- Modified lower skin 38

Figure A.18 -- Frangible leg bone extensions for the bone bending tests 39

Figure A.19 -- Specimen supports for the bone dynamic bending fracture test 40

Figure A.20 -- Impactor head for the bone dynamic bending fracture test 41

Figure A.21 -- Impactor box for the bone dynamic bending fracture test 42

Figure A.22 -- Impactor accelerometer support for the bone dynamic bending fracture tests 43

Figure A.23 -- Impactor end plate and bearing mount for the bone dynamic bending fracture test ... 44

Figure A.24 -- Impactor rail support for the bone dynamic bending fracture test 45

Figure A.25 -- Frangible femur bone static axial load fracture test apparatus 46

Figure A.26 -- Frangible knee test apparatus 47

Figure A.27 -- Frangible abdomen test apparatus 48

Figure A.28 -- Neck torsion test schematic 49

Figure B.1 -- Sample extension acceleration pulse 52

Figure B.2 -- Sample flexion acceleration pulse 53

Figure B.3 -- Sample lateral acceleration pulse 53

Figure B.4 -- Human neck elongation observed in Navy volunteer testing 57

Figure B.5 -- Human response corridor and modified lumbar spine response of static moment vs. thoracic angular displacement 59

Figure B.6 -- Lower leg dynamic impact tests impact force vs. time: Hybrid III and cadaver legs 62

Figure B.7 -- Lower leg dynamic impact tests impact force vs. time: Hybrid III legs and frangible leg, as defined in 4.11.1 63

Figure B.8 -- Instrumented lower leg impact tests mid-tibia moment vs. time for drop height = 1,016 m: Hybrid III leg and frangible leg, as defined in 4.11.1 63

Figure B.9 -- Instrumented lower leg impact tests mid-tibia moment vs. time for drop height = 1,778 m: Hybrid III leg and frangible leg, as defined in 4.11.1 64

Figure B.10 -- Lower leg impact tests mid-tibia bending moment My vs. impact velocity: Hybrid III leg and frangible leg, as defined in 4.11.1 64

Figure B.11 -- View of ATB simulated offset frontal impact, medium conventional motorcycle, with and without frangible leg bones, as defined in 4.8.1 and 4.11.1 65

Figure B.12 -- Head trajectory comparison of frangible and non-frangible legs 65

Figure B.13 -- Shoulder trajectory comparison of frangible and non-frangible legs 66

Figure B.14 -- Hip trajectory comparison of frangible and non-frangible legs 66

Figure B.15 -- Knee trajectory comparison of frangible and non-frangible legs 67

Figure B.16 -- Ankle trajectory comparison of frangible and non-frangible legs 67

Figure B.17 -- Pelvis trajectory comparison of frangible and non-frangible bones, full-scale test, offset frontal impact, large conventional motorcycle 67

Figure B.17 -- Pelvis trajectory comparison of frangible and non-frangible bones, full-scale test, offset frontal impact, large conventional motorcycle 68

Figure B.18 -- Sensed upper and lower tibia bending moments vs. time in Hybrid III tibia, for three point impact test sufficient to fracture human tibia 68

Figure B.19 -- Impactor time histories for nine cadaver tibia specimens from Fuller and Snyder, 1989 69

Figure B.20 -- Comparison of composite tibia fracture force response with envelopes of cadaver tibia fracture force response 69

Figure B.21 -- Lower leg dynamic impact tests impact force vs. time: frangible and cadaver legs 70

Figure C.1 -- Neck load cell simulator 85

Figure C.2 -- Neck calibration test fixture 86

Figure C.3 -- Neck calibration torque extension arm 87

Figure C.4 -- Neck calibration assembly 88

Tables Table 1 -- Neck subsequent conformity of production specifications 4

Table 2 -- Specified values for certification of replacement abdominal insert 5

Table 3 -- Specified values for certification of frangible femur components 6

Table 4 -- Specified values for certification of frangible knee assembly components 6

Table 5 -- Specified values for certification of frangible tibia components 7

Table 6 -- Frangible component subsequent conformity of production characteristics 8

Table 7 -- Frangible bone static bending deflection test specifications 9

Table 8 -- Neck extension sled pulse criteria 11

Table 9 -- Neck extension bending corridor 11

Table 10 -- Neck flexion sled pulse criteria 12

Table 11 -- Neck flexion bending corridor 13

Table 12 -- Neck flexion head centre of gravity corridor 13

Table 13 -- Neck flexion occipital condyle corridor 14

Table 14 -- Neck flexion change in neck angle vs. change in head angle corridor 14

Table 15 -- Lateral sled pulse criteria 16

Table 16 -- Lateral head angle vs. time corridor 17

Table 17 -- Lateral head centre of gravity corridor 17

Table 18 -- Neck torsion stiffness corridor 19

Table B.1 -- Neck biofidelity criteria 52

Table B.2 -- Subsequent conformity of production test results 54

Table B.3 -- Neck FST loads comparison 55

Table B.4 -- Neck moments produced by pendulum drop tests 55

Table B.5 -- History of subsequent conformity of production test results 56

Table B.6 -- Sampled static bending stiffness of composite femurs 72

Table B.7 -- Sampled static torsional stiffness of composite femurs 73

Table B.8 -- Sampled dynamic bending strength of composite femurs 73

Table B.9 -- Sampled dynamic torsional strength of composite femurs 74

Table B.10 -- Sampled static bending stiffness of composite tibias 74

Table B.11 -- Sampled static torsional stiffness of composite tibias 75

Table B.12 -- Sampled dynamic bending strength of composite tibias 75

Table B.13 -- Sampled dynamic torsional strength of composite tibias 76

Table B.14 -- Sampled deflection of abdominal inserts 76

Table B.15 -- Sampled static torsion strength and deflection of knees 77

Table B.16 -- Sampled static valgus strength and deflection of knees 77

Table B.17 -- Sampled static axial strength of composite femurs 78

Table C.1 -- Procedures for flexion bending and head forward displacement static tests 81

Table C.2 -- Procedure for extension-bending static test 82

Table C.3 -- Procedures for lateral-bending static test 83

Table C.4 -- Procedures for torsion static test 84