

# ISO 13232-4:2005-12 (E)

## Motorcycles - Test and analysis procedures for research evaluation of rider crash protective devices fitted to motorcycles - Part 4: Variables to be measured, instrumentation and measurement procedures

---

<b>Contents</b>		<b>Page</b>
Foreword .....		vi
Introduction .....		vii
<b>1</b>	<b>Scope .....</b>	<b>1</b>
<b>2</b>	<b>Normative references .....</b>	<b>1</b>
<b>3</b>	<b>Definitions, symbols, and abbreviations .....</b>	<b>2</b>
<b>4</b>	<b>Requirements .....</b>	<b>3</b>
4.1	Electronically recorded variables .....	3
4.2	Mechanically recorded variables .....	5
4.3	Photographic targets to be digitized .....	5
4.4	Sensor specifications .....	7
4.5	Internal data acquisition and recording system specifications .....	15
4.6	High speed photography .....	18
4.7	Still photography .....	19
<b>5</b>	<b>Measurement methods .....</b>	<b>21</b>
5.1	Pre-test measurements related to data reduction .....	21
5.2	Data reduction .....	21
5.3	Impact conditions .....	28
5.4	Frangible bone continuity sensors .....	32
<b>6</b>	<b>Documentation .....</b>	<b>32</b>
<b>Annex A (normative) Digitizing the helmet centroid point .....</b>		<b>35</b>
<b>Annex B (normative) High speed photography field of view requirements .....</b>		<b>36</b>
<b>Annex C (normative) Computer code for calculation of head linear and angular accelerations .....</b>		<b>38</b>
Figures	<b>Figure 1a -- Nine accelerometer block with accelerometer mounting locations and orientations .....</b>	<b>8</b>
	<b>Figure 1b -- Nine accelerometer block with accelerometer mounting locations and orientations .....</b>	<b>9</b>
	<b>Figure 2 -- Nine accelerometer block mounting base .....</b>	<b>10</b>
	<b>Figure 3 -- Chest potentiometer installation .....</b>	<b>13</b>
	<b>Figure 4 -- Frangible bone strain gauge locations .....</b>	<b>14</b>
	<b>Figure 5 -- Frangible bone break continuity sensor end-to-end wire pattern .....</b>	<b>16</b>
	<b>Figure 6 -- Fz strain gauge calibration .....</b>	<b>23</b>
	<b>Figure 7 -- Mx and My strain gauge calibration .....</b>	<b>23</b>

Figure 8 -- Mz strain gauge calibration .....	24
Figure 9a -- OV contact point determination for OV front, front corner, rear, or rear corner contact with MC front or rear contact .....	30
Figure 9b -- OV contact point determination for OV side contact .....	31
Figure 9c -- OV contact point determination, OV front or rear contact with MC side contact (positive ycp shown) .....	33
Figure 10 -- Frangible bone continuity sensor circuit .....	34
Figure D.1 -- Rotational chest pot and string pot time history responses to impact when mounted in the Hybrid III chest .....	67
Figure D.2 -- Force/deflection properties of example cables .....	68
Figure D.3 -- Simulated effect of one cable catching, on dummy head trajectory .....	69
Figure D.4 -- Simulated effect of one cable catching, on dummy upper torso trajectory .....	69
Figure D.5 -- Simulated effect of one cable catching, on dummy lower torso trajectory .....	70
Figure D.6 -- Simulated effect of one cable catching, on dummy head velocity .....	70
Figure D.7 -- Simulated effect of one cable catching, on dummy head acceleration .....	71
Figure D.8 -- Simulated effect of 12 cables catching, on dummy head trajectory .....	71
Figure D.9 -- Simulated effect of 12 cables catching, on dummy upper torso trajectory .....	72
Figure D.10 -- Simulated effect of 12 cables catching, on dummy lower torso trajectory .....	72
Figure D.11 -- Simulated effect of 12 cables catching, on dummy head velocity .....	73
Figure D.12 -- Simulated effect of 12 cables catching, on dummy head acceleration .....	73
Figure D.13 -- Full-scale impact test time history of the motorcycle at the approximate centre of gravity .....	75
Figure D.14 -- Sample sled test time history of the motorcycle along the longitudinal centre of gravity, rearward of lateral centre line .....	75
Figure D.15a -- Helmet centroid normalized forward velocity versus displacement .....	78
Figure D.15b -- Helmet centroid normalized forward velocity versus displacement .....	79
Figure D.15c -- Helmet centroid normalized forward velocity versus displacement .....	80
Figure D.15d -- Helmet centroid normalized forward velocity versus displacement .....	81
Tables Table 1 -- Opposing vehicle targets .....	6
Table 2 -- Frangible leg bone strain gauge specifications .....	11
Table 3 -- A to D specifications for digital systems .....	17
Table 4 -- Full-scale recording ranges .....	18
Table 5 -- Required cameras and specifications .....	20

<b>Table 6 -- Still photograph minimum focal lengths and field of view widths .....</b>	<b>21</b>
<b>Table 7 -- Motorcyclist anthropometric impact dummy frequency response classes .....</b>	<b>22</b>
<b>Table 8 -- Calibration data for femur strain gauges .....</b>	<b>25</b>
<b>Table 9 -- Calibration data for upper tibia strain gauges .....</b>	<b>25</b>
<b>Table 10 -- Calibration data for lower tibia strain gauges .....</b>	<b>26</b>
<b>Table B.1 -- Photographic specifications for seven impact configurations .....</b>	<b>37</b>
<b>Table D.1 -- Normalized forward velocity of helmet centroid crossing the AA' plane .....</b>	<b>76</b>
<b>Table D.2 -- Normalized resultant velocity of helmet centroid crossing the AA' plane .....</b>	<b>77</b>