

DIN EN 16623:2015-04 (E)

Paints and varnishes - Reactive coatings for fire protection of metallic substrates - Definitions, requirements, characteristics and marking

Contents		Page
Foreword		4
Introduction		5
1	Scope	6
2	Normative references	6
3	Terms and definitions	7
4	Symbols and abbreviations	8
5	Requirements	9
5.1	Reaction to fire	9
5.2	Resistance to fire	9
5.3	Durability	9
5.3.1	General	9
5.3.2	Verification of durability	10
5.3.3	Use of topcoats	10
5.4	Primer Compatibility	11
5.4.1	General	11
5.4.2	Generic types	11
5.4.3	Verification of primer compatibility	12
5.5	Emission of dangerous substances	12
6	Evaluation of conformity	13
6.1	General	13
6.2	Sampling	13
6.3	Initial type testing	13
6.4	Characterization of the reactive coating	13
6.4.1	Analytical characterization	13
6.4.2	Physical characterization	13
6.5	Factory production control	13
7	Sustainability	14
8	Marking	14
9	Additional voluntary requirements	14
Annex A (normative)	Method for determination of reaction to fire	15
A.1	Guidance for testing in accordance with EN 13823	15
A.1.1	Dimensions of the test rig	15
A.1.2	Test specimens	15
A.2	Guidance for testing in accordance with EN ISO 11925-2 (small burner test)	15
A.3	Guidance for testing in accordance with EN ISO 1716 and EN ISO 1182 (if relevant for reactive fire protection systems)	16
Annex B (normative)	Exposure conditions for determination of durability classification	17

B.1	General	17
B.2	Exposure conditions for Type X: Reactive coating system intended for all conditions internal or external	17
B.3	Exposure conditions for Type Y: Reactive coating system intended for semi external conditions	18
B.4	Exposure conditions for Type W: Reactive coating system intended for temporary external exposure prior to final exposure conditions	18
B.5	Exposure conditions for Type Z1: Reactive coating system intended for internal conditions with high humidity	18
B.6	Exposure conditions for Type Z2: Reactive coating system intended for internal conditions with controlled environment	18
Annex C (normative) Insulating Efficiency -- Test Procedure		20
C.1	General	20
C.2	Test specimens	20
C.3	Test Procedure	20
C.4	Test Report	21
Annex D (normative) Determination of identification characteristics		25
D.1	General	25
D.2	Reporting of Specific Methodology for determination of identification characteristics	25
Annex E (normative) Factory production control		26
E.1	General	26
E.2	Quality control testing	26
E.3	Initial factory inspection	27
Annex F (normative) Alternative raw materials, formulation and process changes		28
F.1	General	28
F.2	Formulation tolerances	28
F.3	Formulation change	28
F.4	Raw material approval of an alternative	28
F.5	Process and equipment change	31
F.6	Managing multiple production sites	31
Annex G (normative) Audit testing		32
G.1	General	32
G.2	Selection of product and preparation of test specimens	32
G.3	Choice of test specimens	32
G.4	Illustrative testing pattern	33
G.5	Audit test procedure	33
G.6	Audit test results	33
G.7	Non-compliance	34
Annex H (normative) Levels of fire testing		35
H.1	General	35
H.2	Level 1 fire testing	35
H.3	Level 2 fire testing	35
H.4	Level 3 fire testing	36
H.5	Level 4 independent fire testing	37
H.6	Level 5 independent fire testing	37
Annex I (informative) Guidance for manufacture, storage, application, inspection and repair		38
I.1	Manufacture	38
I.1.1	Manufacturing equipment	38

I.1.2	Temperature during manufacture	38
I.1.3	Manufacturing blending time	38
I.1.4	Raw material quality and traceability	38
I.2	Storage of raw materials	38
I.3	Storage of finished product	38
I.4	Application	39
I.4.1	General	39
I.4.2	Application schedule	39
I.4.3	Compatibility	39
I.4.4	Application requirements and environmental conditions	39
I.4.5	Application controls	40
I.5	Inspection	40
I.5.1	General	40
I.5.2	Inspection criteria	40
I.6	Maintenance and repair	41
	Bibliography	42