ISO 22970:2019 (E)

Paints and varnishes — Test method for evaluation of adhesion of elastic adhesives on coatings by peel test, peel strength test and tensile lap-shear strength test with additional stress by condensation test or cataplasm storage

Contents

Foreword

1 Scope

2 Normative references

3 Terms and definitions

4 Principle

4.1 Adhesive strength test method A — Peel adhesion
4.2 Adhesive strength test method B — Peel strength
4.3 Adhesive strength test method C — Tensile lap-shear strength
4.4 Conduction of the test

5 Apparatus and test media

5.1 Adhesive strength test method A — Peel adhesion
5.2 Adhesive strength test method B — Peel strength
5.3 Adhesive strength test method C — Tensile lap-shear strength
5.4 Exposure method 1 — Condensation atmosphere with constant humidity
5.5 Exposure method 2 — Cataplasm storage

6 Sequence of adhesive strength tests A, B and C

7 Preparation of specimens

7.1 Preparation of test panels
7.2 Adhesive strength test method A — Peel adhesion
7.2.1 Bead shape
7.2.2 Application of the adhesive bead
7.2.2.1 Application to the coating, curing without pressing
7.2.2.2 Application to the coating including pressing
7.2.2.3 Application to the vapour barrier including pressing
7.3 Adhesive strength test method B — Peel strength
7.4 Adhesive strength test method C — Tensile lap-shear strength

8 Curing and exposure of specimens with applied adhesive

8.1 Curing
8.2 Reference value determination
8.3 Exposure methods
8.3.1 Exposure method 1 — Condensation atmosphere with constant humidity
8.3.2 Exposure method 2 — Cataplasm storage

9 Test procedure

9.1 Adhesive strength test method A — Peel adhesion
9.2 Adhesive strength test method B — Peel strength
9.3 Adhesive strength test method C — Tensile lap-shear strength

10 Expression of results

10.1 Adhesive strength test method A — Peel adhesion
10.2 Adhesive strength test method B — Peel strength
10.3 Adhesive strength test method C — Tensile lap-shear strength

11 Designation

12 Precision

13 Test report