

# ISO 16014-5:2019 (E)

## Plastics — Determination of average molecular weight and molecular weight distribution of polymers using size-exclusion chromatography — Part 5: Light-scattering method

---

### Contents

	Foreword
1	Scope
2	Normative references
3	Terms and definitions
4	Symbols
5	Principle
5.1	SEC
5.2	Light-scattering SEC
6	Reagents
7	Apparatus
8	Procedure
8.1	Preparation of calibration solutions
8.2	Preparation of a solution for determining the L-point
8.3	Preparation of sample solutions
8.4	Preparation of solutions for column performance evaluation
8.5	Setting up the apparatus
8.6	Operating parameters
8.6.1	Flow rate
8.6.2	Injection masses and injection volumes
8.6.3	Column temperature
8.6.4	Detector sensitivity
8.7	Number of determinations
9	Calibration
9.1	Calibration of concentration-sensitive detector and light-scattering detector
9.1.1	General
9.1.2	Calibration method A
9.1.3	Calibration method B
9.1.4	Calibration method C
9.2	Determination of delay volume
9.3	Normalization of detector sensitivity
9.4	Determination of refractive index increment
10	Data acquisition and processing
10.1	Data acquisition
10.2	Evaluation of data and correction of chromatograms
10.3	Data processing
10.3.1	Baseline determination
10.3.2	Determination of calculation range
10.3.3	Calculation of signal intensity
10.3.4	Calculation of molecular weight
10.3.5	Second virial coefficient, A <sub>2</sub>
11	Expression of results

11.1	Calibration curve
11.1.1	General
11.1.2	Method A
11.1.3	Method B
11.2	Calculation of average molecular weight
11.3	Differential molecular weight distribution curve
11.4	Cumulative molecular weight distribution curve
12	Precision
13	Test report
13.1	General
13.2	Apparatus and measurement parameters
13.3	Calibration of the system
13.4	Calibration curve
13.5	Results
Annex A	(informative) Interlaboratory test
A.1	General
A.2	Experimental conditions
A.3	Results of interlaboratory test
Annex B	(informative) Information on light scattering
B.1	Principle of light scattering[1]
B.2	Rayleigh ratio of solvents
B.3	Refractive index increment, $dn/dc$
B.4	Relation between radius of gyration $R_g$ and molecular weight $M$
B.5	Refractive index of solvents
B.6	Effect of the second virial coefficient $A_2$ on molecular weight
Annex C	(informative) Calibration curve in low molecular weight range

Page count: 24