

# ISO 4624:2023-06 (E)

## Paints and varnishes - Pull-off test for adhesion

---

<b>Contents</b>	<b>Page</b>
Foreword.....	iv
Introduction.....	v
<b>1 Scope</b> .....	<b>1</b>
<b>2 Normative references</b> .....	<b>1</b>
<b>3 Terms and definitions</b> .....	<b>1</b>
<b>4 Principle</b> .....	<b>2</b>
<b>5 Apparatus</b> .....	<b>2</b>
<b>6 Adhesives</b> .....	<b>5</b>
<b>7 Sampling</b> .....	<b>6</b>
<b>8 Test panels</b> .....	<b>6</b>
8.1 Substrate.....	6
8.2 Preparation and coating.....	6
8.3 Drying and conditioning.....	6
8.4 Thickness of coating.....	6
<b>9 Procedure</b> .....	<b>6</b>
9.1 Number of determinations.....	6
9.2 Ambient conditions.....	6
9.3 Adhesive.....	6
9.4 Test assemblies.....	7
9.4.1 Method A: General method (using two dollies) for testing both rigid and deformable substrates.....	7
9.4.2 Method B: Method for testing from one side only, using a single dolly (suitable for rigid substrates only).....	7
9.4.3 Method C: Method using dollies, one as a painted substrate.....	8
9.5 Measurement.....	9
9.5.1 Breaking strength.....	9
9.5.2 Nature of the fracture.....	9
<b>10 Calculation and expression of results</b> .....	<b>9</b>
10.1 Breaking strength.....	9
10.2 Nature of failure.....	10
10.3 Example.....	10
<b>11 Precision</b> .....	<b>10</b>
<b>12 Test report</b> .....	<b>10</b>
<b>Bibliography</b> .....	<b>12</b>