

DIN EN 13496:2025-06 (E)

Thermal insulation products for building applications - Determination of the mechanical properties of glass fibre meshes as reinforcement for external thermal insulation composite kits with renders (ETIC kits)

| Contents | | Page |
|-----------------|--|-------------|
| | European foreword | 3 |
| 1 | Scope | 4 |
| 2 | Normative references | 4 |
| 3 | Terms and definitions | 4 |
| 4 | Principle | 4 |
| 5 | Apparatus | 5 |
| 6 | Test specimens | 5 |
| 6.1 | Number of test specimens | 5 |
| 6.2 | Dimensions of the test specimens | 5 |
| 6.3 | Preparation of the test specimens | 5 |
| 6.3.1 | Sampling | 5 |
| 6.3.2 | Determination of the number of threads per 50 mm | 5 |
| 6.3.3 | Determination of the mesh size and mesh opening in warp and weft direction | 6 |
| 6.3.4 | Determination of the mass per unit area | 7 |
| 6.3.5 | Preparation of test specimens | 7 |
| 6.3.6 | Determination of the number of threads of test specimen in test direction | 7 |
| 6.4 | Conditioning of the test specimens | 7 |
| 6.4.1 | Conditionings | 7 |
| 6.4.2 | Alkaline solution | 8 |
| 6.4.3 | Placement of test specimens in the alkaline solution | 8 |
| 6.4.4 | Washing and drying procedure after conditioning in alkaline solution | 8 |
| 7 | Procedure | 8 |
| 7.1 | Test conditions | 8 |
| 7.2 | Attachment of the test specimens in the tensile testing machine | 8 |
| 7.3 | Test procedure | 9 |
| 8 | Calculation and expression of results | 9 |
| 9 | Accuracy of measurement | 9 |
| 10 | Test report | 10 |