

DIN EN 12697-24:2007-10 (E)

Bituminous mixtures - Test methods for hot mix asphalt - Part 24: Resistance to fatigue (includes Amendment A1:2007)

Contents		Page
Foreword		5
1	Scope	8
2	Normative references	8
3	Terms, definitions, symbols and abbreviations	8
3.1	General	8
3.2	Two-point bending test on trapezoidal specimens	9
3.3	Two-point bending test on prismatic shaped specimens	10
3.4	Three-point bending test on prismatic shaped specimens	13
3.5	Four-point bending test on prismatic shaped specimens	14
3.6	Indirect tensile test on cylindrical shaped specimens	19
3.6.1	Symbols	19
4	Failure	20
5	Calculations	20
6	Summary of the procedures	20
6.1	Two-point bending test on trapezoidal specimens	20
6.2	Two-point bending test on prismatic shaped specimens	20
6.3	Three-point bending test on prismatic shaped specimens	20
6.4	Four-point bending test on prismatic shaped specimens	20
6.5	Indirect tensile test on cylindrical shaped specimens	21
7	Test report	21
Annex A (normative)	Two-point bending test on trapezoidal shaped specimens	22
A.1	Principle	22
A.1.1	General	22
A.1.2	Element test	22
A.1.3	Fatigue line	23
A.2	Equipment	23
A.2.1	Test machine	23
A.2.2	Thermostatic chamber	23
A.2.3	Measuring equipment	24
A.3	Specimen preparation	24
A.3.1	Sawing and storing	24
A.3.2	Characteristics of the specimens	25
A.3.3	Embedding Check	25
A.3.4	Stabilisation of the specimens	27
A.3.5	Gluing the ends	27
A.4	Procedure	28
A.4.1	Preparing the test equipment	28
A.4.2	Carrying out the fatigue test	28
A.4.3	Choice of the strain	29
A.4.4	Number of element tests	29
A.5	Calculation and expression of results	29
A.6	Test report	31

A.7	Precision	31
Annex B (normative) Two-point bending test on prismatic shaped specimens		32
B.1	Principle	32
B.2	Equipment	32
B.2.1	Test machine	32
B.2.2	Thermostatic chamber	32
B.2.3	Measuring equipment	32
B.3	Specimen preparation	33
B.3.1	Sawing and storing	33
B.3.2	Characteristics of the specimens	33
B.3.3	Stabilisation of the specimens	33
B.3.4	Gluing the ends	33
B.4	Procedure	33
B.4.1	Preparing the test equipment	33
B.4.2	Carrying out the fatigue test	34
B.4.3	Choice of the tension	34
B.5	Calculation and expression of results	34
B.6	Test report	36
B.7	Precision	37
Annex C (normative) Three-point bending test on prismatic shaped specimens		38
C.1	Principle	38
C.1.1	General	38
C.1.2	Element test	38
C.1.3	Fatigue line	38
C.2	Equipment	38
C.2.1	Test machine	38
C.2.2	Load cell	38
C.2.3	Extensometer and displacement sensor	38
C.2.4	Clamping device	39
C.2.5	Data acquisition equipment	39
C.2.6	Thermostatic chamber	39
C.2.7	Other general equipment	39
C.2.8	Check on the operation of the complete equipment and the mounting of the specimen	39
C.3	Specimen preparation	39
C.3.1	Manufacturing and sawing	39
C.3.2	Bulk density	39
C.3.3	Storing	40
C.3.4	Clamping devices preparation	40
C.4	Procedure	40
C.4.1	Preparing the test equipment	40
C.4.2	Carrying out the fatigue test	40
C.4.3	Load function, extensometer signal function, and displacement function recording	40
C.4.4	End of test	41
C.5	Calculation and expression of results	41
C.5.1	Calculation of the stress function and the strain function at a cycle	41
C.5.2	Calculation of the dynamic modulus, phase difference angle, and density of dissipated energy at one cycle	42
C.5.3	Determination of the fatigue law and energy law	43
C.6	Test report	44
C.7	Precision	44
Annex D (normative) Four-point bending test on prismatic shaped specimens		45
D.1	Principle	45
D.1.1	General	45
D.1.2	Element test	45
D.1.3	Fatigue line	46
D.2	Equipment	47

D.2.1	Test machine	47
D.2.2	Clamping device	47
D.2.3	Thermostatic chamber	47
D.2.4	Electronic data registration equipment	47
D.2.5	Check on the operation of the complete equipment and the mounting of the specimen	48
D.3	Specimen preparation	48
D.3.1	Dimensions	48
D.3.2	Sawing	49
D.3.3	Drying	49
D.3.4	Storage	49
D.3.5	Condition	49
D.3.6	Mounting	49
D.4	Procedure	50
D.4.1	Preparing the test equipment	50
D.4.2	Carrying out the fatigue test	50
D.4.3	Choice of test conditions	51
D.4.4	Data processing	51
D.5	Calculation and expression of results	51
D.6	Test report	52
D.7	Precision	52
Annex E (normative) Indirect tensile test on cylindrical shaped specimens		53
E.1	Principle	53
E.2	Equipment	53
E.2.1	Test machine	53
E.2.2	Loading	53
E.2.3	Displacement	53
E.2.4	Thermostatic chamber	53
E.2.5	Recording and measuring system	53
E.2.6	Loading frame	54
E.2.7	Positioning rig	55
E.2.8	Glue	55
E.3	Specimen preparation	56
E.3.1	Test specimen	56
E.3.2	Specimen dimensions	56
E.3.3	Position of the deformation and loading strips	56
E.3.4	Conditioning	57
E.4	Procedure	57
E.5	Calculation and reporting of results	57
E.6	Test report	60
E.7	Precision	60
Bibliography		61