

DIN EN 1090-3:2008-09 (E)

Execution of steel structures and aluminium structures - Part 3: Technical requirements for aluminium structures

| Contents | | Page |
|--------------------|--|-------------|
| Foreword | | 7 |
| Introduction | | 8 |
| 1 | Scope | 9 |
| 2 | Normative references | 10 |
| 3 | Terms and definitions | 13 |
| 4 | Specifications and documentation | 15 |
| 4.1 | Execution specification | 15 |
| 4.1.1 | General | 15 |
| 4.1.2 | Execution classes | 15 |
| 4.1.3 | Tolerance types | 15 |
| 4.1.4 | Tolerance class for shell structures | 15 |
| 4.1.5 | Testing and acceptance criteria for welding | 15 |
| 4.2 | Constructor's documentation | 16 |
| 4.2.1 | Quality documentation | 16 |
| 4.2.2 | Quality plan | 16 |
| 4.2.3 | Safety during erection | 16 |
| 4.2.4 | Execution documentation | 16 |
| 5 | Constituent products | 17 |
| 5.1 | General | 17 |
| 5.2 | Identification, inspection documents and traceability | 17 |
| 5.3 | Parent material | 17 |
| 5.4 | Aluminium products | 19 |
| 5.5 | Welding consumables | 20 |
| 5.6 | Mechanical fasteners | 20 |
| 5.6.1 | Bolts, nuts and plain washers | 20 |
| 5.6.2 | Studs | 22 |
| 5.6.3 | Rivets | 22 |
| 5.6.4 | Self-drilling and self-tapping screws | 22 |
| 5.6.5 | Bearings | 22 |
| 5.7 | Adhesive bonding | 22 |
| 6 | Preparation | 22 |
| 6.1 | General | 22 |
| 6.2 | Identification | 23 |
| 6.3 | Handling, storage and transportation | 23 |
| 6.4 | Cutting | 23 |
| 6.5 | Forming | 23 |
| 6.6 | Holing for fasteners | 24 |
| 6.7 | Cut outs | 25 |
| 6.8 | Full contact bearing surfaces | 25 |
| 6.9 | Assemblies | 25 |
| 6.10 | Heat treatment | 25 |
| 6.11 | Straightening | 25 |
| 7 | Welding | 26 |

| | | |
|--------|--|----|
| 7.1 | General | 26 |
| 7.2 | Welding plan | 26 |
| 7.2.1 | Requirement for a welding plan | 26 |
| 7.2.2 | Content of a welding plan | 26 |
| 7.3 | Welding process | 27 |
| 7.4 | Qualification of welding procedures and welding personnel | 27 |
| 7.4.1 | Qualification of welding procedures | 27 |
| 7.4.2 | Validity of the welding procedure qualification | 27 |
| 7.4.3 | Qualification of welders and welding operators | 28 |
| 7.4.4 | Welding coordination personnel | 29 |
| 7.5 | Preparation and execution of welding | 29 |
| 7.5.1 | General | 29 |
| 7.5.2 | Joint preparation | 30 |
| 7.5.3 | Weather protection | 30 |
| 7.5.4 | Assembly for welding | 30 |
| 7.5.5 | Temporary attachments | 30 |
| 7.5.6 | Tack welds | 30 |
| 7.5.7 | Preheating and interpass temperature | 31 |
| 7.5.8 | Butt welds | 31 |
| 7.5.9 | Slot and plug welds | 31 |
| 7.5.10 | Other welds | 31 |
| 7.6 | Acceptance criteria | 31 |
| 7.7 | Post-weld heat treatment | 31 |
| 8 | Mechanical fastening and adhesive bonding | 32 |
| 8.1 | Joint assembly for mechanical fastening | 32 |
| 8.1.1 | Preparation of contact surfaces | 32 |
| 8.1.2 | Fit-up | 32 |
| 8.1.3 | Preparations of contact surfaces in slip-resistant connections | 33 |
| 8.2 | Bolted connections | 33 |
| 8.2.1 | General | 33 |
| 8.2.2 | Bolts | 34 |
| 8.2.3 | Fitted bolts | 34 |
| 8.2.4 | Countersunk bolts | 34 |
| 8.2.5 | Nuts | 34 |
| 8.2.6 | Washers | 35 |
| 8.3 | Tightening of bolted connections | 35 |
| 8.3.1 | Non-preloaded connections | 35 |
| 8.3.2 | Preloaded connections | 35 |
| 8.4 | Riveting | 37 |
| 8.4.1 | General | 37 |
| 8.4.2 | Installation of rivets | 37 |
| 8.5 | Fastening of cold formed members and sheeting | 37 |
| 8.6 | Adhesive bonded connections | 37 |
| 9 | Erection | 37 |
| 9.1 | General | 37 |
| 9.2 | Site conditions | 37 |
| 9.3 | Erection method statement | 37 |
| 9.4 | Supports | 38 |
| 9.5 | Execution on site | 38 |
| 9.5.1 | Site survey | 38 |
| 9.5.2 | Marking | 38 |
| 9.5.3 | Handling and storage at site | 38 |
| 9.5.4 | Erection methods | 38 |
| 9.5.5 | Alignment and grouting | 39 |
| 9.6 | Protection of surfaces, cleaning after erection | 39 |
| 10 | Surface treatment | 39 |
| 10.1 | General | 39 |
| 10.2 | Protection of the structure and components | 39 |
| 10.3 | Protection of contact surfaces and fasteners | 40 |

| | | |
|---|--|----|
| 10.3.1 | General | 40 |
| 10.3.2 | Contact surfaces aluminium-to-aluminium and aluminium-to-plastics | 40 |
| 10.3.3 | Contact surfaces of aluminium and steel or wood | 40 |
| 10.3.4 | Contact surfaces of aluminium and concrete, brickwork and plaster, etc | 40 |
| 10.3.5 | Fasteners | 41 |
| 10.3.6 | Bonded joints | 41 |
| 10.4 | Fire protection | 41 |
| 11 | Geometrical tolerances | 41 |
| 11.1 | Types of tolerances | 41 |
| 11.2 | Essential tolerances | |
| 42 | 11.2.1 General | 42 |
| 11.2.2 | Manufacturing tolerances | 42 |
| 11.2.3 | Erection tolerances | 42 |
| 11.3 | Functional tolerances | 43 |
| 11.3.1 | General | 43 |
| 11.3.2 | Manufacturing tolerances | 43 |
| 12 | Inspection, testing and corrections | 44 |
| 12.1 | General | 44 |
| 12.2 | Constituent products and components | 44 |
| 12.2.1 | Constituent products | 44 |
| 12.2.2 | Components | 44 |
| 12.3 | Preparation | 45 |
| 12.3.1 | Forming | 45 |
| 12.3.2 | Geometrical dimensions of components | 45 |
| 12.4 | Welding | 45 |
| 12.4.1 | Inspection stages | 45 |
| 12.4.2 | Methods of inspection and personnel qualification | 45 |
| 12.4.3 | Extent of inspection | 46 |
| 12.4.4 | Acceptance criteria for welds | 48 |
| 12.4.5 | Repair welds | 50 |
| 12.4.6 | Inspection of temporary attachment locations after removal | 50 |
| 12.5 | Mechanical fasteners | 51 |
| 12.5.1 | Inspection of connections with non-preloaded bolts | 51 |
| 12.5.2 | Inspection of connections with preloaded bolts | 51 |
| 12.5.3 | Inspection of riveted connections | 51 |
| 12.6 | Adhesive bonding | 52 |
| 12.7 | Nonconforming products | 52 |
| 12.7.1 | Nonconforming constituent products | 52 |
| 12.7.2 | Nonconforming components and structures | 52 |
| Annex A (normative) Required additional information, options to be specified and requirements for execution classes | | 53 |
| A.1 | List of required information | 53 |
| A.2 | List of options to be specified | 55 |
| A.3 | Requirements related to execution classes | 56 |
| Annex B (informative) Checklist for the content of a quality plan | | 58 |
| B.1 | Introduction | 58 |
| B.2 | Content | 58 |
| B.2.1 | Management | 58 |
| B.2.2 | Specification review | 58 |
| B.2.3 | Documentation | 58 |
| B.2.4 | Inspection and testing procedures | 59 |
| Annex C (normative) Cruciform weld test | | 60 |

| | | |
|--|--|-----------|
| C.1 | Introduction | 60 |
| C.2 | Test piece | 61 |
| C.3 | Examination and testing | 62 |
| Annex D (normative) Procedure for determination of slip factor | | 64 |
| D.1 | The purpose of testing | 64 |
| D.2 | Significant variables | 64 |
| D.3 | Test specimens | 64 |
| D.4 | Slip test procedure and evaluation of results | 65 |
| D.5 | Extended creep test procedure and evaluation | 66 |
| D.6 | Test results | 67 |
| Annex E (informative) Fastening of cold formed members and sheeting | | 69 |
| E.1 | General | 69 |
| E.2 | Use of self-tapping and self-drilling screws | 69 |
| E.3 | Use of blind rivets | 70 |
| E.4 | Fastening sidelaps | 71 |
| Annex F (informative) Surface treatment | | 72 |
| F.1 | Anodic oxidation | 72 |
| F.2 | Coatings | 72 |
| F.2.1 | General | 72 |
| F.2.2 | Pre-treatment | 73 |
| F.2.3 | Base coat | 73 |
| F.2.4 | Final coat | 73 |
| F.2.5 | Coatings with bitumen or bituminous combinations | 73 |
| F.2.6 | Repair coatings | 73 |
| F.3 | Passivation | 73 |
| Annex G (normative) Geometrical tolerances - Essential tolerances | | 75 |
| G.1 | Manufacturing tolerances | 75 |
| G.1.1 | General | 75 |
| G.1.2 | Welded I-sections | 75 |
| G.1.3 | Welded box sections | 77 |
| G.1.4 | Webs | 77 |
| G.1.5 | Components | 79 |
| G.1.6 | Base plates and end plate connections | 79 |
| G.1.7 | Column splices | 80 |
| G.1.8 | Lattice components | 81 |
| G.2 | Erection tolerances | 82 |
| G.2.1 | Columns | 82 |
| G.2.2 | Beams | 83 |
| G.2.3 | Full contact bearing | 84 |
| Annex H (normative) Geometrical tolerances - Functional tolerances | | 85 |
| H.1 | General | 85 |
| H.2 | Manufacturing tolerances | 85 |
| H.2.1 | Box sections | 85 |
| H.2.2 | Components | 86 |
| H.2.3 | Stiffeners | 87 |
| H.2.4 | Fastener holes, notches and edges | 89 |
| H.2.5 | Lattice components | 90 |
| H.3 | Erection tolerances | 90 |
| H.3.1 | Columns | 90 |
| H.3.2 | Beams, rafters and trusses | 92 |
| H.4 | Bridges | 93 |

| | |
|---|------------|
| Annex I (normative) Geometrical tolerances - Shell structures | 96 |
| I.1 General | 96 |
| I.2 Out-of roundness tolerances | 96 |
| I.3 Non-intended eccentricity due to execution | 97 |
| I.4 Dent tolerances | 98 |
| I.5 Interface flatness tolerances | 100 |
| Annex J (informative) Designation of requirements to welds on drawings | 101 |
| J.1 General | 101 |
| J.2 Global specification | 101 |
| J.3 Specific designations for welds, part of welds, details | 102 |
| Annex K (informative) Recommendations for description of site conditions and erection in the execution specification | 103 |
| K.1 Site conditions | 103 |
| K.2 Erection method statement | 103 |
| Annex L (informative) Guide for preparation of the execution specification for quality requirements of welds | 105 |
| L.1 General | 105 |
| L.2 Utilization grades and utilization ranges | 105 |
| L.2.1 General | 105 |
| L.2.2 Utilization grade for components and structures in service category SC1 | 106 |
| L.2.3 Utilization grade for components and structures in service category SC2 | 106 |
| L.3 Extent of additional NDT | 106 |
| L.3.1 Extent of NDT (%) for components/structures in service category SC1 | 106 |
| L.3.2 Extent of additional NDT (%) for components/structures in service category SC2 | 106 |
| L.4 Acceptance criteria for welds | 107 |
| L.4.1 Acceptance criteria for welds in service category SC1 | 107 |
| 107 L.4.2 Acceptance criteria for welds in service category SC2 | 108 |
| Annex M (informative) Guide for specification of quality requirements for components and structures in SC2 | 109 |
| Annex N (informative) Chart for development and use of a welding procedure specification (WPS) | 112 |
| Bibliography | 113 |