

# DIN EN 15620:2010-05 (E)

## Steel static storage systems - Adjustable pallet racking - Tolerances, deformations and clearances

---

<b>Contents</b>		<b>Page</b>
Foreword .....		5
Introduction .....		6
<b>1</b>	<b>Scope .....</b>	<b>7</b>
<b>2</b>	<b>Normative references .....</b>	<b>7</b>
<b>3</b>	<b>Terms and definitions .....</b>	<b>8</b>
<b>4</b>	<b>Racking classes .....</b>	<b>13</b>
4.1	General .....	13
4.2	Class 100, Stacker crane .....	13
4.3	Class 200, Stacker crane .....	14
4.4	Class 300, Very narrow aisle .....	14
4.4.1	General .....	14
4.4.2	Class 300A, Very narrow aisle .....	15
4.4.3	Class 300B, Very narrow aisle .....	15
4.5	Class 400, Wide aisle and narrow aisle .....	15
4.5.1	Class 400, Wide aisle .....	15
4.5.2	Class 400, Narrow aisle .....	15
<b>5</b>	<b>Wide aisle and narrow aisle - Class 400 .....</b>	<b>17</b>
5.1	Floor tolerances .....	17
5.1.1	Definition of E .....	17
5.1.2	Limiting values for E .....	18
5.2	Installation tolerances .....	19
5.3	Deformation limits .....	22
5.3.1	Floor deformations .....	22
5.3.2	Beam deformation limits in the Y direction .....	22
5.3.3	Frame deformations in the X and Z directions .....	22
5.4	Clearances for unit loads and truck handling equipment .....	22
5.4.1	Clearances relating to the placement of unit loads .....	22
5.4.2	Horizontal lateral and vertical clearances in a bay .....	23
5.4.3	Horizontal clearance in the depth .....	25
5.4.4	Aisle width dimensions .....	27
5.4.5	Clearances for gangways .....	28
<b>6</b>	<b>Very narrow aisle - Class 300 .....</b>	<b>29</b>
6.1	Floor tolerances .....	29
6.1.1	Definition of E, Z and ZSLOPE .....	29
6.1.2	Definition dZ and dX .....	29
6.1.3	Definition d Z and d X .....	30
6.1.4	Limiting values of properties .....	31
6.2	Installation tolerances .....	32
6.2.1	General .....	32
6.2.2	Tolerance field of frames in X direction .....	36
6.3	Deformation limits .....	36
6.3.1	Floor deformations .....	36
6.3.2	Beam deformation limits in the Y direction .....	36
6.3.3	Frame deformations .....	37

6.3.4	Guide rail deformation .....	37
6.4	Clearances for unit loads and truck handling equipment .....	37
6.4.1	Clearances relating to the placement of unit loads .....	37
6.4.2	Horizontal and vertical clearances in a bay .....	38
6.4.3	Horizontal clearance in the depth .....	39
6.5	Aisle width dimensions .....	42
6.5.1	Minimum aisle clearance for truck and load .....	42
6.5.2	Lowest unit load .....	42
6.6	Pick up and deposit stations .....	42
7	Stacker crane classes 100 and 200 .....	42
7.1	Floor tolerances .....	42
7.1.1	Interdependence of rack and crane on local floor level variation .....	42
7.1.2	Floor Levelness for stacker crane floors .....	42
7.2	Installation tolerances .....	43
7.2.1	General .....	43
7.2.2	Tolerance field of frames in X direction .....	48
7.2.3	Rail fabrication and assembly tolerances .....	48
7.3	Deformation limits .....	49
7.3.1	Slab deformation due to settling and slab deflection .....	49
7.3.2	Beam deformation limitations in the Y direction .....	49
7.3.3	Top guide rail deformations .....	50
7.3.4	Frame deformations in the X and Z directions .....	51
7.3.5	Frame deformations in the X and Z directions for clad rack buildings and wind loads .....	52
7.3.6	Elastic shortening of uprights .....	54
7.4	Clearances for unit loads and crane handling equipment .....	54
7.5	Safety backstop deformations .....	54
7.5.1	Deformations .....	54
7.5.2	Clearances .....	54
8	Warehouse tolerances and deformations .....	54
Annex A (informative) Adjustable pallet racking components .....		55
Annex B (informative) General safety philosophy .....		57
B.1	General .....	57
B.2	Wide and narrow aisle width manoeuvring clearance .....	58
B.3	Intrusive stacking .....	58
B.4	Environments with additional risk .....	59
B.5	Truck requirements .....	59
B.6	Floor tolerances and deformations .....	60
B.6.1	General .....	60
B.6.2	Sloping floors .....	61
B.6.3	MHE lean .....	61
Annex C (informative) Racking measurement surveys .....		63
C.1	General .....	63
C.2	Agreed grid lines and datum's .....	63
C.3	Principal grid lines and datum's .....	63
C.4	Measurement survey reports .....	63
C.4.1	General .....	63
C.4.2	Measuring conditions .....	63
Annex D (informative) Effects of beam hogging and sagging deformations on clearances .....		64
D.1	Effects of beam hogging and sagging deformations on clearances X3, X4 and Y1, Y2 and Y3 for non cantilevered beams .....	64
D.2	Effects of beam hogging and sagging deformations on X3 X4 and Y1, Y2 and Y3 for cantilevered beams (P and D stations) .....	68

<b>Annex E (informative) Additional information for determining dimensions and clearances in the depth of the rack (Z direction)</b>	<b>69</b>
<b>E.1 Placement tolerances in the depth of the rack</b>	<b>69</b>
<b>E.2 Larger values of Z2a and Z2b</b>	<b>70</b>
<b>Annex F (informative) Additional information for very narrow aisle trucks in adjustable pallet racking</b>	<b>72</b>
<b>F.1 General</b>	<b>72</b>
<b>F.2 Considerations for the Z direction</b>	<b>72</b>
<b>F.3 Considerations in the Y direction</b>	<b>73</b>
<b>F.4 Height selection device</b>	<b>73</b>
<b>F.5 Pick up and deposit (P and D) stations</b>	<b>73</b>
<b>Annex G (informative) Consideration of tolerances and deformations in determining clearances</b>	<b>74</b>
<b>G.1 General</b>	<b>74</b>
<b>G.2 Storage systems other than single deep adjustable pallet racking</b>	<b>74</b>
<b>Annex H (informative) Top guide rail tolerance recommendations</b>	<b>75</b>
<b>Bibliography</b>	<b>76</b>