

# DIN EN 15512:2010-09 (E)

## Steel static storage systems - Adjustable pallet racking systems - Principles for structural design

---

<b>Contents</b>		<b>Page</b>
Foreword .....		6
Introduction .....		7
<b>1</b>	<b>Scope .....</b>	<b>9</b>
<b>2</b>	<b>Normative references .....</b>	<b>9</b>
<b>3</b>	<b>Terms and definitions .....</b>	<b>10</b>
<b>4</b>	<b>Symbols .....</b>	<b>11</b>
<b>5</b>	<b>Basis of design .....</b>	<b>15</b>
5.1	Requirements .....	15
5.1.1	Basic requirements .....	15
5.1.2	Un-braced racking systems .....	15
5.1.3	Braced racking systems .....	17
5.1.4	Design working life .....	19
5.1.5	Floor tolerances and deformations .....	19
5.2	Methods of design .....	19
5.2.1	General .....	19
5.2.2	Ultimate limit state .....	19
5.2.3	Serviceability limit state .....	20
5.3	Imperfections .....	20
5.3.1	General .....	20
5.3.2	Sway frame imperfections in un-braced systems .....	20
5.3.3	Bracing system imperfections .....	21
5.3.4	Imperfections in racks partially braced in the down-aisle direction .....	23
5.3.5	Member imperfections .....	23
<b>6</b>	<b>Actions and combinations of actions .....</b>	<b>23</b>
6.1	General .....	23
6.2	Permanent actions .....	24
6.2.1	General .....	24
6.2.2	Weights of materials and construction .....	24
6.3	Variable actions .....	24
6.3.1	General .....	24
6.3.2	Unit loads to be stored .....	24
6.3.3	Vertical placement loads .....	25
6.3.4	Horizontal placement loads .....	26
6.3.5	Effects of rack-guided equipment .....	27
6.3.6	Floor and walkway loads (see also EN 1991-1-1) .....	29
6.3.7	Actions arising from installation .....	30
6.4	Actions due to impact (accidental loads) .....	30
6.4.1	General .....	30
6.4.2	Accidental vertical actions .....	30
6.4.3	Accidental horizontal load .....	31
6.5	Wind loads .....	31
6.6	Snow loads .....	31
6.7	Seismic actions .....	32

7	Partial factors and combination rules .....	32
7.1	General .....	32
7.2	Combinations of actions for the ultimate limit state .....	32
7.3	Combination of actions for serviceability limit states .....	32
7.4	Load factors .....	33
7.5	Material factors .....	34
7.6	Stability against overturning .....	34
7.7	Racks braced against the building structure .....	35
8	Steel .....	35
8.1	General .....	35
8.1.1	Preliminary considerations .....	35
8.1.2	Material properties .....	35
8.1.3	Design values of material coefficients (general mechanical properties) .....	35
8.1.4	Steels with no guaranteed mechanical properties .....	36
8.1.5	Untested steels .....	36
8.2	Average yield strength of sections .....	36
8.3	Special selection of production material .....	36
8.4	Fracture toughness .....	37
8.5	Dimensional tolerances .....	37
8.5.1	General .....	37
8.5.2	Thickness of material .....	37
8.5.3	Tolerances on thickness .....	37
8.5.4	Width and depth of a cold-formed section .....	37
8.5.5	Member straightness .....	38
8.5.6	Twist .....	38
8.5.7	Tolerances with regard to design and assembly .....	38
8.6	Bracing eccentricities .....	39
8.7	Eccentricities between beams and uprights .....	40
8.8	Requirements for beam connector locks .....	41
8.9	Durability .....	41
9	Structural analysis .....	41
9.1	Structural modelling for analysis and basic assumption .....	41
9.2	Calculation of section properties .....	41
9.2.1	General .....	41
9.2.2	Effect of corner radii .....	42
9.2.3	Effect of perforations .....	42
9.2.4	Effect of cross-section distortion .....	43
9.2.5	Effect of local buckling .....	44
9.3	Beams .....	45
9.3.1	General .....	45
9.3.2	Moment of resistance of members not subject to lateral-torsional buckling .....	46
9.4	Design of beams .....	46
9.4.1	General .....	46
9.4.2	Loads on beams .....	47
9.4.3	Design bending moments for beams .....	47
9.4.4	Design shear force for beams .....	49
9.4.5	Deflection of beams .....	49
9.4.6	Beams as tie beams in braced pallet racks .....	50
9.4.7	Design resistance with respect to web crippling .....	51
9.4.8	Design resistance with respect to shear forces .....	51
9.4.9	Combined shear force, axial force and bending moment .....	51
9.4.10	Combined bending moment and web crippling .....	51
9.5	Design of beam end connectors .....	51
9.5.1	General .....	51
9.5.2	Design bending moments in beam end connectors .....	51
9.5.3	Design shear force for beam end connectors .....	52
9.5.4	Design shear force and bending moment for beam end connectors .....	52
9.6	Beams subject to bending and torsion .....	52
9.6.1	General .....	52
9.6.2	Lateral torsional buckling of beams .....	53

9.7	Compression, tension and bending in members .....	54
9.7.1	Non-perforated compression members .....	54
9.7.2	Perforated compression members .....	54
9.7.3	Cross sectional verification .....	55
9.7.4	Design strength with respect to flexural buckling .....	55
9.7.5	Torsional and flexural-torsional buckling .....	62
9.7.6	Combined bending and axial loading .....	64
9.8	Design of splices .....	68
9.9	Design of base plates .....	69
9.9.1	General .....	69
9.9.2	Effective area $A_{bas}$ for base plates .....	69
9.10	Floor materials .....	70
9.10.1	Concrete floors .....	70
9.10.2	Bituminous floors .....	70
9.10.3	Other floor materials .....	71
9.10.4	Design of anchorages .....	71
9.11	Design of run spacers .....	72
10	Global analysis of beam pallet racks .....	72
10.1	General considerations .....	72
10.1.1	General .....	72
10.1.2	Two dimensional analysis .....	73
10.1.3	Advanced three-dimensional analysis .....	73
10.2	Design procedure .....	73
10.2.1	Actions .....	73
10.2.2	Procedure .....	73
10.2.3	Analysis of braced and un-braced racks in the down-aisle direction .....	76
10.2.4	Moment-rotation characteristics of beam end connectors .....	78
10.2.5	Moment-rotation characteristics of the connection to the floor .....	78
10.3	Analysis of braced and un-braced racks in the cross-aisle direction .....	79
10.3.1	General .....	79
10.3.2	Out of plane stability .....	79
10.3.3	Frame classification .....	79
10.4	Methods of global analysis .....	81
10.5	Simplified methods of analysis for stability in the cross-aisle direction .....	83
10.6	Design of uprights .....	83
10.6.1	General .....	83
10.6.2	Design axial forces and bending moments .....	83
11	Serviceability limit states .....	83
11.1	General .....	83
11.2	Serviceability limit states for racking .....	83
12	Marking and labelling .....	84
12.1	Identification of performance of rack installations .....	84
13	Test methods and evaluation of results .....	84
13.1	General .....	84
13.2	Requirements for tests .....	85
13.2.1	Equipment .....	85
13.2.2	Support conditions .....	85
13.2.3	Application of the load .....	86
13.2.4	Increments of the test load .....	86
13.2.5	Assembly of test specimens .....	86
13.2.6	Test reports .....	86
13.3	Interpretation of test results .....	87
13.3.1	Definition of failure load .....	87
13.3.2	Corrections to test results .....	87
13.3.3	Derivation of characteristic values .....	87
13.3.4	Characteristic values for a family of tests .....	88
13.3.5	Corrections to failure loads or moments .....	89

<b>Annex A (normative) Testing</b>	<b>90</b>
A.1	Materials tests 90
A.1.1	Tensile test 90
A.1.2	Bend tests 90
A.2	Tests on components and connections 91
A.2.1	Stub column compression test 91
A.2.2	Compression tests on uprights - Checks for the effects of distortional buckling 93
A.2.3	Compression tests on uprights - Determination of buckling curves 94
A.2.4	Bending tests on beam end connectors 98
A.2.5	Looseness tests on beam end connectors 104
A.2.6	Shear tests on beam end connectors and connector locks 106
A.2.7	Tests on floor connections 108
A.2.8	Tests for the shear stiffness of upright frames 111
A.2.9	Bending tests on upright sections 113
A.2.10	Bending tests on beams 115
A.2.11	Tests on upright splices 116
<b>Annex B (informative) Amplified sway method for down-aisle stability analysis</b>	<b>119</b>
B.1	General 119
B.2	Linear elastic analysis 120
B.3	Elastic critical value 120
B.4	Amplification factor 120
<b>Annex C (informative) Approximate equations for the design of a regular storage rack in the down-aisle direction</b>	<b>121</b>
C.1	Approximate equation for regular construction 121
C.2	Additional bending moments due to pattern loading 123
C.3	Design Moments 123
C.4	Design loads in outer columns 124
<b>Annex D (informative) Background to the acceptance of materials of low <math>f_u/f_y</math> ratio (cold reduced steel)</b>	<b>125</b>
<b>Annex E (informative) Position inaccuracies</b>	<b>126</b>
<b>Annex F (informative) Equivalent beam loads</b>	<b>127</b>
<b>Annex G (informative) Simplified method for cross-aisle stability analysis in circumstances where there is uniform distribution of compartment loads over the height of the upright frame</b>	<b>129</b>
G.1	General 129
G.2	Global buckling of upright frames 129
G.3	Shear stiffness of upright frame 130
G.4	Amplification factor 130
<b>Annex H (informative) Factory production control (FPC)</b>	<b>133</b>
H.1	General 133
H.2	Frequency of tests 133
H.3	Bending tests on beam end connectors 133
H.4	Bend tests 134
<b>Annex I (informative) A-deviations</b>	<b>135</b>
I.1	Dutch national legislative deviations 135
I.2	German national legislative deviations 135
<b>Bibliography</b>	<b>137</b>