DIN EN ISO 19132:2009-01 (E)

Geographic information_- Location-based services_- Reference model (ISO_19132:2007); English version EN_ISO_19132:2008

Contents

Page

Foreword ... 6

Introduction ... 7

1 Scope ... 9

2 Conformance ... 10

3 Normative references ... 10

4 Terms and definitions ... 10

5 Symbols and abbreviated terms ... 19
5.1 Acronyms ... 19
5.2 UML Notation ... 21
5.3 Taxonomy of data and services — Mapping to RDF ... 21

6 ODP Viewpoints used ... 23
6.1 Enterprise specification ... 23
6.2 Information specification ... 23
6.3 Computational specification ... 23

7 Participation Model ... 23
7.1 Model overview – Package: ISO 19132 (this International Standard) ... 23
7.2 Package – LBS Participants ... 25
7.2.1 Scenarios and semantics ... 25
7.2.2 Type – LBS_Participant ... 27
7.2.3 Type – LBS_User ... 28
7.2.4 Type – LBS_ApplicationProvider ... 31
7.2.5 Type – LBS_DataProvider ... 32
7.2.6 Type – LBS_FeatureDataProvider ... 32
7.2.7 Type – LBS_ContentProvider ... 32
7.2.8 Type – LBS_SpatialContentProvider ... 32
7.2.9 Type – LBS_ServiceProvider ... 32
7.2.10 Type – LBS_ServiceBroker ... 33
7.2.11 Type – LBS_MobileDevice ... 33
7.2.12 Type – LBS_DataBroker – Class semantics ... 34

8 Service model ... 34
8.1 Package – LBS_Services ... 34
8.1.1 Package structure ... 34
8.1.2 Service taxonomy ... 35
8.2 Package – Basic Services ... 35
8.2.1 Package structure ... 35
8.2.2 Type – LBS_Tracking ... 36
8.2.3 Type – LBS_Routing ... 37
8.2.4 Type – LBS_Navigation ... 38
8.3 Package – Geomatics services ... 39
8.3.1 Package structure ... 39
8.3.2 Type – LBS_Location Transformation ... 40
8.3.3 Type – LBS_AddressParsing ... 42
8.3.4 Type – LBS_Geoparsing ... 42
8.3.5 Type – LBS_Gazetteer ... 43
8.3.6 Type – LBS_MapService ... 44
8.4 Package – Information Services ... 45
8.4.1 Package structure ... 45
8.4.2 Type – LBS_DataService ... 45

Page

8.4.3 Type – LBS_NetworkDataService – semantics **47**
8.4.4 Type – LBS_EventSubscription **48**
8.4.5 Type – LBS_MovingObjectManagement **49**
8.5 Package – System management **49**
8.5.1 Managing users and groups **49**
8.5.2 Type – LBS_UserProfileService **49**
8.5.3 Type – LBS_LocationTriggerControl **50**
8.6 Package – Digital rights management **50**
8.6.1 Digital rights management **50**
8.6.2 Type – LBS_Resource **51**
8.6.3 Type – LBS_License **51**
8.6.4 Type – LBS_Right **51**
8.6.5 Type – LBS_RightsCondition **52**

9 Message Data Model **52**
9.1 Semantics **52**
9.2 Package – Message Data Types **52**
9.2.1 Package structure **52**
9.2.2 Type – LanguageSpecificCharacterString **53**
9.2.3 Type – LBS_AccessInfo **54**
9.2.4 Type – LBS_Accuracy – Class semantics **55**
9.2.5 Type – LBS_Address **55**
9.2.6 Type – LBS_CostFunction **55**
9.2.7 Type – LBS_Data **56**
9.2.8 Type – LBS_DataSource **56**
9.2.9 Type – LBS_DisplayParameters **57**
9.2.10 Type – LBS_EventInfo **58**
9.2.11 Type – LBS_Instruction **58**
9.2.12 Type – LBS_Location **59**
9.2.13 Type – LBS_Maneuver **59**
9.2.14 Type – LBS_MapFormat **60**
9.2.15 Type – LBS_Notification **60**
9.2.16 Type – LBS_Position **61**
9.2.17 Type – LBS_Preference **61**
9.2.18 Type – LBS_Route **62**
9.2.19 Type – LBS_RouteConstraint **63**
9.2.20 Type – LBS_RouteCriteria **63**
9.2.21 Type – LBS_SecurityCertificate **64**
9.2.22 Type – LBS_SymbolSet **65**
9.2.23 Type – LBS_TrackingLocation **65**
9.2.24 Type – LBS_Trigger **66**
9.2.25 Type – LBS_UserID **66**
9.2.26 Union – LBS_FeatureData **67**
9.2.27 Union – LBS_GeometryChoice **67**
9.2.28 Union – LBS_NamedLocation **68**
9.2.29 Union – LBS_TrackTrigger **69**

Annex A (normative) **Abstract test suite** **70**

Annex B (informative) **Architecture** **74**

Annex C (informative) **Scenarios** **77**

Annex D (informative) **Standards development in LBS** **83**

Annex E (informative) **Crosswalk between common terminology in ISO/TC 211 and ISO/TC 204** **85**

Annex F (informative) **Use cases for location-based services** **95**

Bibliography **99**

Figures

Page

Figure 1 — Relation between LBS and GIS 7
Figure 2 — Simplified navigation service represented as an RDF graph 22
Figure 3 — Example of composition of services 22
Figure 4 — Overview of UML package structure 24
Figure 5 — Package dependencies to other ISO standards 25
Figure 6 — Roles of the Enterprise view 26
Figure 7 — Enterprise view communication channels as associations 27
Figure 8 — License associations for LBS_Participant 27
Figure 9 — LBS_User associations 28
Figure 10 — LBS_ApplicationProvider associations 32
Figure 11 — Service provider associations 33
Figure 12 — Service broker associations 33
Figure 13 — Mobile device associations 34
Figure 14 — Subpackages of LBS_Services 35
Figure 15 — Basic services 36
Figure 16 — Context Diagram: LBS_Tracking 37
Figure 17 — Context Diagram: LBS_Routing 38
Figure 18 — Context Diagram: LBS_Navigation 39
Figure 19 — Geomatics services 40
Figure 20 — Context Diagram: LBS_LocationTransformation 41
Figure 21 — Context Diagram: LBS_AddressParsing 42
Figure 22 — Context Diagram: LBS_Geoparsing 42
Figure 23 — Context Diagram: LBS_Gazetteer 43
Figure 24 — Context Diagram: LBS_MapService 45
Figure 25 — Information services 46
Figure 26 — Context Diagram: LBS_DataService 46
Figure 27 — Context Diagram: LBS_NetworkDataService 47
Figure 28 — Context Diagram: LBS_EventSubscription 48
Figure 29 — Context Diagram: LBS_MovingObjectManagement 49
Figure 30 — Context Diagram: LBS_UserProfileService 49
Figure 31 — Context Diagram: LBS_LocationTriggerControl 50
Figure 32 — Digital rights management types 51
Figure 33 — Message data types 53
Figure 34 — Context diagram: LanguageSpecificCharacterString 54
Figure 35 — Context diagram: LBS_AccessInfo 54
Figure 36 — Context Diagram: LBS_Accuracy 55
Figure 37 — Context Diagram: LBS_Address 55
Figure 38 — Context Diagram: LBS_CostFunction 55

Page
Figure 39 — Context Diagram: LBS_Data 56
Figure 40 — Context Diagram: LBS_DataSource 56
Figure 41 — Context Diagram: LBS_DisplayParameters 57
Figure 42 — Context Diagram: LBS_EventInfo 57
Figure 43 — Context Diagram: LBS_Instruction 59
Figure 44 — Context Diagram: LBS_Location 59
Figure 45 — Context Diagram: LBS_Maneuver 60
Figure 46 — Context Diagram: LBS_MapFormat 60
Figure 47 — Context Diagram: LBS_Notification 61
Figure 48 — Context Diagram: LBS_Position 61
Figure 49 — Context Diagram: LBS_Preference 62
Figure 50 — Context Diagram: LBS_Route 62
Figure 51 — Context Diagram: LBS_RouteConstraint 63
Figure 52 — Context Diagram: LBS_RouteCriteria 64
Figure 53 — Context Diagram: LBS_SecurityCertificate 65
Figure 54 — Context Diagram: LBS_SymbolSet 65
Figure 55 — Context Diagram: LBS_TrackingLocation 66
Figure 56 — Context Diagram: LBS_Trigger 66
Figure 57 — Context Diagram: LBS_UserID 67
Figure 58 — Context Diagram: LBS_FeatureData 67
Figure 59 — Context Diagram: LBS_GeometryChoice 68
Figure 60 — Context Diagram: LBS_NamedLocation 69
Figure 61 — Context Diagram: LBS_TrackTrigger 69
Figure B.1 — Conceptual architecture equating mobile and non-mobile services 74
Figure B.2 — LBS interface schema and tentative standardization items 75

Tables

Table B.1 — Elementary components of LBS 75
Table D.1 — Standards Development Organizations in LBS 83
Table E.1 — Data model terminology 87
Table E.2 — Mathematical terminology 88
Table E.3 — Geodetic terminology 89
Table E.4 — Geometric terminology 91
Table E.5 — World model (feature) terminology 92
Table E.6 — Functional definitions 93