

DIN EN 196-9:2010-07 (E)

Methods of testing cement - Part 9: Heat of hydration - Semi-adiabatic method

| Contents | | Page |
|-----------------------|--|-------------|
| Foreword | | 3 |
| 1 | Scope | 4 |
| 2 | Normative references | 4 |
| 3 | Principle | 4 |
| 4 | Apparatus | 4 |
| 5 | Determination of the heat of hydration | 7 |
| 5.1 | Laboratory | 7 |
| 5.2 | Procedure | 8 |
| 5.2.1 | Mortar composition | 8 |
| 5.2.2 | Mixing | 8 |
| 5.2.3 | Positioning of the test sample | 8 |
| 5.3 | Measurement of heating | 8 |
| 6 | Calculation of the heat of hydration | 9 |
| 6.1 | Principles of calculations | 9 |
| 6.2 | Calculation of the heat accumulated in the calorimeter | 9 |
| 6.3 | Calculation of heat lost into ambient atmosphere | 10 |
| 6.4 | Calculation of heat of hydration | 11 |
| 7 | Expression of results | 11 |
| 7.1 | Reporting of results | 11 |
| 7.2 | Precision | 11 |
| 7.2.1 | Repeatability | 11 |
| 7.2.2 | Reproducibility | 11 |
| Annex A (normative) | Calibration of the calorimeter | 12 |
| A.1 | Principle | 12 |
| A.2 | Apparatus and power supply | 12 |
| A.3 | Calibration procedure | 13 |
| A.3.1 | Determination of the coefficient of total heat loss, | 13 |
| A.3.2 | Determination of the thermal capacity | 15 |
| Annex B (informative) | Worked example of determination of heat of hydration | 17 |
| B.1 | General test conditions | 17 |
| B.2 | Basic calculations | 17 |
| B.3 | Determination of test results | 17 |
| Bibliography | | 20 |