

DIN EN 1991-1-4/NA:2010-12 (E)

National Annex - Nationally determined parameters - Eurocode 1: Actions on structures - Part 1-4: General actions - Wind actions

| Contents | | Page |
|---|--|-------------|
| Foreword | | 4 |
| NA.1 Scope | | 5 |
| NA.2.1 General | | 5 |
| NA.2.2 National provisions | | 6 |
| 1 General | | 6 |
| 1.1 Scope | | 6 |
| 1.2 Normative references | | 6 |
| 1.5 Design assisted by testing and measurements | | 6 |
| 4 Wind velocity and velocity pressure | | 6 |
| 4.1 Basis for calculation | | 6 |
| 4.2 Basic values | | 7 |
| 4.3 Mean wind | | 7 |
| 4.4 Wind turbulence | | 8 |
| 4.5 Peak velocity pressure | | 8 |
| 5 Wind actions | | 9 |
| 5.3 Wind forces | | 9 |
| 6 Structural factor c_{scd} | | 9 |
| 6.1 General | | 9 |
| 6.3 Detailed procedure | | 9 |
| 7 Pressure and force coefficients | | 9 |
| 7.1 General | | 9 |
| 7.2 Pressure coefficients for buildings | | 10 |
| 7.4 Free-standing walls, parapets, fences and signboards | | 11 |
| 7.6 Structural elements with rectangular sections | | 11 |
| 7.7 Structural elements with sharp edged section | | 12 |
| 7.8 Structural elements with regular polygonal section | | 14 |
| 7.10 Spheres | | 14 |
| 7.11 Lattice structures and scaffoldings | | 14 |
| 7.13 Effective slenderness and end-effect factor | | 14 |
| 8 Wind actions on bridges | | 14 |
| 8.1 General | | 14 |
| 8.2 Choice of the response calculation procedure | | 15 |
| 8.3 Force coefficients | | 15 |
| 8.4 Bridge piers | | 15 |
| Annex A (informative) Terrain effects | | 15 |
| Annex B (informative) Procedure 1 for determining the structural factor c_{scd} | | 16 |
| Annex C (informative) Procedure 2 for determining the structural factor c_{scd} | | 16 |
| Annex D (informative) c_{scd} values for different types of structures | | 16 |

| | |
|---|----|
| Annex E (informative) Vortex shedding and aeroelastic instabilities | 16 |
| Annex F (informative) Dynamic characteristics of structures | 16 |
| NCI Annex NA.A (normative) Wind zone map | 17 |
| NA.A.1 General | 17 |
| NA.A.2 Influence of the altitude | 17 |
| NCI Annex NA.B (normative) Influence of terrain roughness, orography and temporary states on the wind actions | 18 |
| NA.B.1 Specification of the terrain categories | 18 |
| NA.B.2 Transitions between the terrain categories | 19 |
| NA.B.3 Gust velocity pressure for buildings and structural elements not susceptible to vibrations . | 20 |
| NA.B.3.1 Procedures for determining the gust velocity pressure | 20 |
| NA.B.3.2 Simplified gust velocity pressure assumptions for buildings with heights of up to 25 m above ground level | 20 |
| NA.B.3.3 Height-dependent gust velocity pressure for the normal case | 21 |
| NA.B.4 Influence of orography | 23 |
| NA.B.4.1 Determining the influence of orography | 23 |
| NA.B.4.2 Numerical calculation of the orography coefficients | 23 |
| NA.B.5 Reduction of the velocity pressure for temporary states | 23 |
| NCI Annex NA.C (normative) Determination of the structural factor and evaluation of the vibration susceptibility | 25 |
| NA.C.1 Determination of the structural factor | 25 |
| NA.C.1.1 General | 25 |
| NA.C.1.2 Wind turbulence | 26 |
| NA.C.1.3 Structural factor c_{scd} | 28 |
| NA.C.1.4 Number of loads for dynamic response | 28 |
| NA.C.1.5 Service displacement and accelerations for serviceability assessments of a vertical structure | 29 |
| NA.C.2 Criterion for the susceptibility to vibrations | 29 |
| NCI Annex NA.D (normative) Vortex shedding | 31 |
| NCI Annex NA.E (informative) Aeroelastic instabilities | 32 |
| NA.E.1 Galloping and interference galloping | 32 |
| NA.E.2 Divergence and flutter | 32 |
| NA.E.2.1 General | 32 |

NA.E.2.2 Divergence velocity 32

NDP Annex NA.F (normative) Dynamic characteristics of structures 35

NCI Annex NA.N (informative) Wind actions on bridges 36

NA.N.1 General 36

NA.N.2 Wind actions to be taken into account 36

NCI Annex NA.V (normative) Pressure coefficients for canopies 43

NCI Bibliography 45