DIN EN 1993-6:2010-12 (E)

Eurocode 3: Design of steel structures - Part 6: Crane supporting structures (includes Corrigendum AC:2009)

Contents

Page

Foreword 4

1 General 7
1.1 Scope 7
1.2 Normative references 7
1.3 Assumptions 8
1.4 Distinction between principles and application rules 8
1.5 Terms and definitions 8
1.6 Symbols 8

2 Basis of design 9
2.1 Requirements 9
2.1.1 Basic requirements 9
2.1.2 Reliability management 9
2.1.3 Design working life, durability and robustness 9
2.2 Principles of limit state design 9
2.3 Basic variables 9
2.3.1 Actions and environmental influences 9
2.3.2 Material and product properties 9
2.4 Verification by the partial factor method 9
2.5 Design assisted by testing 10
2.6 Clearances to overhead travelling cranes 10
2.7 Underslung cranes and hoist blocks 10
2.8 Crane tests 10

3 Materials 11
3.1 General 11
3.2 Structural steels 11
3.2.1 Material properties 11
3.2.2 Ductility requirements 11
3.2.3 Fracture toughness 11
3.2.4 Through thickness properties 11
3.2.5 Tolerances 11
3.2.6 Design values of material coefficients 11
3.3 Stainless steels 11
3.4 Fasteners and welds 11
3.5 Bearings 11
3.6 Other products for crane supporting structures 12
3.6.1 General 12
3.6.2 Rail steels 12
3.6.3 Special connecting devices for rails 12

4 Durability 12

5 Structural analysis 13
5.1 Structural modelling for analysis 13
5.1.1 Structural modelling and basic assumptions 13
5.1.2 Joint modelling 13
5.1.3 Ground structure interaction 13
5.2 Global analysis 13
5.2.1 Effects of deformed geometry of the structure 13

5.2.2 Structural stability of frames ... 13
5.3 Imperfections ... 13
5.3.1 Basis ... 13
5.3.2 Imperfections for global analysis of frames ... 13
5.3.3 Imperfections for analysis of bracing systems ... 13
5.3.4 Member imperfections ... 13
5.4 Methods of analysis ... 13
5.4.1 General ... 13
5.4.2 Elastic global analysis ... 13
5.4.3 Plastic global analysis ... 13
5.5 Classification of cross-sections ... 14
5.6 Runway beams ... 14
5.6.1 Effects of crane loads ... 14
5.6.2 Structural system ... 14
5.7 Local stresses in the web due to wheel loads on the top flange ... 15
5.7.1 Local vertical compressive stresses ... 15
5.7.2 Local shear stresses ... 17
5.7.3 Local bending stresses in the web due to eccentricity of wheel loads ... 17
5.8 Local bending stresses in the bottom flange due to wheel loads ... 18
5.9 Secondary moments in triangulated components ... 20

6 Ultimate limit states ... 22
6.1 General ... 22
6.2 Resistance of cross-section ... 22
6.3 Buckling resistance of members ... 22
6.3.1 General ... 22
6.3.2 Lateral-torsional buckling ... 23
6.4 Built up compression members ... 23
6.5 Resistance of the web to wheel loads ... 23
6.5.1 General ... 23
6.5.2 Length of stiff bearing ... 24
6.6 Buckling of plates ... 24
6.7 Resistance of bottom flanges to wheel loads ... 24

7 Serviceability limit states ... 27
7.1 General ... 27
7.2 Calculation models ... 27
7.3 Limits for deformations and displacements ... 27
7.4 Limitation of web breathing ... 29
7.5 Reversible behaviour ... 30
7.6 Vibration of the bottom flange ... 30

8 Fasteners, welds, surge connectors and rails ... 31
8.1 Connections using bolts, rivets or pins ... 31
8.2 Welded connections ... 31
8.3 Surge connectors ... 31
8.4 Crane rails ... 32
8.4.1 Rail material ... 32
8.4.2 Design working life ... 32
8.4.3 Rail selection ... 32
8.5 Rail fixings ... 33
8.5.1 General ... 33
8.5.2 Rigid fixings ... 33
8.5.3 Independent fixings ... 33
8.6 Rail joints ... 33

9 Fatigue assessment ... 34
9.1 Requirement for fatigue assessment ... 34
9.2 Partial factors for fatigue ... 34
9.3 Fatigue stress spectra ... 34
9.3.1 General ... 34
9.3.2 Simplified approach ... 34

9.3.3 Local stresses due to wheel loads on the top flange 35
9.3.4 Local stresses due to underslung trolleys 35
9.4 Fatigue assessment 35
9.4.1 General 35
9.4.2 Multiple crane actions 35
9.5 Fatigue strength 36

Annex A [informative] - Alternative assessment method for lateral-torsional buckling 37