DIN EN 1991-2:2010-12 (E)

Eurocode 1: Actions on structures - Part 2: Traffic loads on bridges (includes Corrigendum AC:2010)

Contents

Page

FOREWORD 7

BACKGROUND OF THE EUROCODE PROGRAMME 7

STATUS AND FIELD OF APPLICATION OF EUROCODES 8

NATIONAL STANDARDS IMPLEMENTING EUROCODES 9

LINKS BETWEEN EUROCODES AND HARMONISED TECHNICAL SPECIFICATIONS (ENS AND ETAS) FOR PRODUCTS 9

SECTION 1 GENERAL 15

1.1 SCOPE 15
1.2 NORMATIVE REFERENCES 16
1.3 DISTINCTION BETWEEN PRINCIPLES AND APPLICATION RULES 16
1.4 TERMS AND DEFINITIONS 17
1.4.1 Harmonised terms and common definitions 17
1.4.2 Terms and definitions specifically for road bridges 19
1.4.3 Terms and definitions specifically for railway bridges 20
1.5 SYMBOLS 21
1.5.1 Common symbols 21
1.5.2 Symbols specifically for sections 4 and 5 21
1.5.3 Symbols specifically for section 6 23

SECTION 2 CLASSIFICATION OF ACTIONS 27

2.1 GENERAL 27
2.2 VARIABLE ACTIONS 27
2.3 ACTIONS FOR ACCIDENTAL DESIGN SITUATIONS 28

SECTION 3 DESIGN SITUATIONS 30

SECTION 4 ROAD TRAFFIC ACTIONS AND OTHER ACTIONS SPECIFICALLY FOR ROAD BRIDGES 31

4.1 FIELD OF APPLICATION 31
4.2 REPRESENTATION OF ACTIONS 31
4.2.1 Models of road traffic loads 31
4.2.2 Loading classes 32
4.2.3 Divisions of the carriageway into notional lanes 32
4.2.4 Location and numbering of the lanes for design 33
4.2.5 Application of the load models on the individual lanes 34
4.3 VERTICAL LOADS - CHARACTERISTIC VALUES 35
4.3.1 General and associated design situations 35
4.3.2 Load Model 1 35
4.3.3 Load Model 2 38
4.3.4 Load Model 3 (special vehicles) 39
4.3.5 Load Model 4 (crowd loading) 39
4.3.6 Dispersal of concentrated loads 40
4.4 HORIZONTAL FORCES - CHARACTERISTIC VALUES 41

4.4.1 Braking and acceleration forces 41
4.4.2 Centrifugal and other transverse forces 42
4.5 GROUPS OF TRAFFIC LOADS ON ROAD BRIDGES 42
4.5.1 Characteristic values of the multi-component action 42
4.5.2 Other representative values of the multi-component action 44
4.5.3 Groups of loads in transient design situations 44
4.6 FATIGUE LOAD MODELS 45
4.6.1 General 45
4.6.2 Fatigue Load Model 1 (similar to LM1) 48
4.6.3 Fatigue Load Model 2 (set of "frequent" lorries) 48
4.6.4 Fatigue Load Model 3 (single vehicle model) 49
4.6.5 Fatigue Load Model 4 (set of "standard" lorries) 50
4.6.6 Fatigue Load Model 5 (based on recorded road traffic data) 53
4.7 ACTIONS FOR ACCIDENTAL DESIGN SITUATIONS 53
4.7.1 General 53
4.7.2 Collision forces from vehicles under the bridge 53
4.7.2.1 Collision forces on piers and other supporting members 53
4.7.2.2 Collision forces on decks 53
4.7.3 Actions from vehicles on the bridge 54
4.7.3.1 Vehicle on footways and cycle tracks on road bridges 54
4.7.3.2 Collision forces on kerbs 55
4.7.3.3 Collision forces on vehicle restraint systems 55
4.7.3.4 Collision forces on structural members 56
4.8 ACTIONS ON PEDESTRIAN PARAPETS 56
4.9 LOAD MODELS FOR ABUTMENTS AND WALLS ADJACENT TO BRIDGES 57
4.9.1 Vertical loads 57
4.9.2 Horizontal force 57

SECTION 5 ACTIONS ON FOOTWAYS, CYCLE TRACKS AND FOOTBRIDGES 59

5.1 FIELD OF APPLICATION 59
5.2 REPRESENTATION OF ACTIONS 59
5.2.1 Models of the loads 59
5.2.2 Loading classes 60
5.2.3 Application of the load models 60
5.3 STATIC MODELS FOR VERTICAL LOADS - CHARACTERISTIC VALUES 60
5.3.1 General 60
5.3.2 Load Models 61
5.3.2.1 Uniformly distributed load 61
5.3.2.2 Concentrated load 61
5.3.2.3 Service vehicle 62
5.4 STATIC MODEL FOR HORIZONTAL FORCES - CHARACTERISTIC VALUES 62
5.5 GROUPS OF TRAFFIC LOADS ON FOOTBRIDGES 62
5.6 ACTIONS FOR ACCIDENTAL DESIGN SITUATIONS FOR FOOTBRIDGES 63
5.6.1 General 63
5.6.2 Collision forces from road vehicles under the bridge 63
5.6.2.1 Collision forces on piers 63
5.6.2.2 Collision forces on decks 64
5.6.3 Accidental presence of vehicles on the bridge 64
5.7 DYNAMIC MODELS OF PEDESTRIAN LOADS 65
5.8 ACTIONS ON PARAPETS 65
5.9 LOAD MODEL FOR ABUTMENTS AND WALLS ADJACENT TO BRIDGES 65

SECTION 6 RAIL TRAFFIC ACTIONS AND OTHER ACTIONS SPECIFICALLY FOR RAILWAY BRIDGES 66

6.1 FIELD OF APPLICATION 66
6.2 REPRESENTATION OF ACTIONS - NATURE OF RAIL TRAFFIC LOADS 67
6.3 VERTICAL LOADS - CHARACTERISTIC VALUES (STATIC EFFECTS) AND ECCENTRICITY AND DISTRIBUTION OF LOADING 67
6.3.1 General 67
6.3.2 Load Model 71 67

6.3.3 Load Models SW/0 and SW/2 68
6.3.4 Load Model "unloaded train" 69
6.3.5 Eccentricity of vertical loads (Load Models 71 and SW/0) 69
6.3.6 Distribution of axle loads by the rails, sleepers and ballast 70
6.3.6.1 Longitudinal distribution of a point force or wheel load by the rail 70
6.3.6.2 Longitudinal distribution of load by sleepers and ballast 71
6.3.6.3 Transverse distribution of actions by the sleepers and ballast 71
6.3.6.4 Equivalent vertical loading for earthworks and earth pressure effects 73
6.3.7 Actions for non-public footpaths 74
6.4 DYNAMIC EFFECTS (INCLUDING RESONANCE) 74
6.4.1 Introduction 74
6.4.2 Factors influencing dynamic behaviour 74
6.4.3 General design rules 75
6.4.4 Requirement for a static or dynamic analysis 75
6.4.5 Dynamic factor (2, 3) 78
6.4.5.1 Field of application 78
6.4.5.2 Definition of the dynamic factor 78
6.4.5.3 Determinant length L 79
6.4.5.4 Reduced dynamic effects 82
6.4.6 Requirements for a dynamic analysis 83
6.4.6.1 Loading and load combinations 83
6.4.6.2 Speeds to be considered 87
6.4.6.3 Bridge parameters 88
6.4.6.4 Modelling the excitation and dynamic behaviour of the structure 89
6.4.6.5 Verifications of the limit states 91
6.4.6.6 Additional verification for fatigue where dynamic analysis is required.92 6.5 HORIZONTAL FORCES - CHARACTERISTIC VALUES 93
6.5.1 Centrifugal forces 93
6.5.2 Nosing force 97
6.5.3 Actions due to traction and braking 97
6.5.4 Combined response of structure and track to variable actions 98
6.5.4.1 General principles 98
6.5.4.2 Parameters affecting the combined response of the structure and track .99 6.5.4.3 Actions to be considered 101
6.5.4.4 Modelling and calculation of the combined track/structure system 102
6.5.4.5 Design criteria 104
6.5.4.6 Calculation methods 105
6.6 AERODYNAMIC ACTIONS FROM PASSING TRAINS 108
6.6.1 General 108
6.6.2 Simple vertical surfaces parallel to the track (e.g. noise barriers) 109
6.6.3 Simple horizontal surfaces above the track (e.g. overhead protective structures) 110
6.6.4 Simple horizontal surfaces adjacent to the track (e.g. platform canopies with no vertical wall) 111
6.6.5 Multiple-surface structures alongside the track with vertical and horizontal or inclined surfaces (e.g. bent noise barriers, platform canopies with vertical walls etc.) 112
6.6.6 Surfaces enclosing the structure gauge of the tracks over a limited length (up to 20 m) (horizontal surface above the tracks and at least one vertical wall, e.g. scaffolding, temporary constructions) 112
6.7 DERAILMENT AND OTHER ACTIONS FOR RAILWAY BRIDGES 113
6.7.1 Derailment actions from rail traffic on a railway bridge 113
6.7.2 Derailment under or adjacent to a structure and other actions for Accidental Design Situations 115
6.7.3 Other actions 115
6.8 APPLICATION OF TRAFFIC LOADS ON RAILWAY BRIDGES 115
6.8.1 General 115
6.8.2 Groups of Loads - Characteristic values of the multicomponent action 118
6.8.3 Groups of Loads - Other representative values of the multicomponent actions 120
6.8.3.1 Frequent values of the multicomponent actions 120
6.8.3.2 Quasi-permanent values of the multicomponent actions 121
6.8.4 Traffic loads in Transient Design Situations 121
6.9 TRAFFIC LOADS FOR FATIGUE 121

ANNEX A (INFORMATIVE) MODELS OF SPECIAL VEHICLES FOR ROAD BRIDGES 123

A.1 SCOPE AND FIELD OF APPLICATION 123
A.2 BASIC MODELS OF SPECIAL VEHICLES 123
A.3 APPLICATION OF SPECIAL VEHICLE LOAD MODELS ON THE CARRIAGEWAY 125

ANNEX B (INFORMATIVE) FATIGUE LIFE ASSESSMENT FOR ROAD BRIDGES ASSESSMENT METHOD BASED ON RECORDED TRAFFIC 128

ANNEX C (NORMATIVE) DYNAMIC FACTORS 1 + FOR REAL TRAINS 132

ANNEX D (NORMATIVE) BASIS FOR THE FATIGUE ASSESSMENT OF RAILWAY STRUCTURES ... 134

D.1 ASSUMPTIONS FOR FATIGUE ACTIONS 134
D.2 GENERAL DESIGN METHOD 135
D.3 TRAIN TYPES FOR FATIGUE 135

ANNEX E (INFORMATIVE) LIMITS OF VALIDITY OF LOAD MODEL HSLM AND THE SELECTION OF THE CRITICAL UNIVERSAL TRAIN FROM HSLM-A 141

E.1 LIMITS OF VALIDITY OF LOAD MODEL HSLM 141
E.2 SELECTION OF A UNIVERSAL TRAIN FROM HSLM-A 142

ANNEX F (INFORMATIVE) CRITERIA TO BE SATISFIED IF A DYNAMIC ANALYSIS IS NOT REQUIRED 150

ANNEX G (INFORMATIVE) METHOD FOR DETERMINING THE COMBINED RESPONSE OF A STRUCTURE AND TRACK TO VARIABLE ACTIONS 155

G.1 INTRODUCTION 155
G.2 LIMITS OF VALIDITY OF CALCULATION METHOD 155
G.3 STRUCTURES CONSISTING OF A SINGLE BRIDGE DECK 156
G.4 STRUCTURES CONSISTING OF A SUCCESSION OF DECKS 162

ANNEX H (INFORMATIVE) LOAD MODELS FOR RAIL TRAFFIC LOADS IN TRANSIENT DESIGN SITUATIONS 164