

# DIN EN 1991-2:2010-12 (E)

Eurocode 1: Actions on structures - Part 2: Traffic loads on bridges (includes Corrigendum AC:2010)

---

Contents	Page
FOREWORD .....	7
BACKGROUND OF THE EUROCODE PROGRAMME .....	7
STATUS AND FIELD OF APPLICATION OF EUROCODES .....	8
NATIONAL STANDARDS IMPLEMENTING EUROCODES .....	9
LINKS BETWEEN EUROCODES AND HARMONISED TECHNICAL SPECIFICATIONS (ENS AND ETAS) FOR PRODUCTS .....	9
SECTION 1 GENERAL .....	15
1.1 SCOPE .....	15
1.2 NORMATIVE REFERENCES .....	16
1.3 DISTINCTION BETWEEN PRINCIPLES AND APPLICATION RULES .....	16
1.4 TERMS AND DEFINITIONS .....	17
1.4.1 Harmonised terms and common definitions .....	17
1.4.2 Terms and definitions specifically for road bridges .....	19
1.4.3 Terms and definitions specifically for railway bridges .....	20
1.5 SYMBOLS .....	21
1.5.1 Common symbols .....	21
1.5.2 Symbols specifically for sections 4 and 5 .....	21
1.5.3 Symbols specifically for section 6 .....	23
SECTION 2 CLASSIFICATION OF ACTIONS .....	27
2.1 GENERAL .....	27
2.2 VARIABLE ACTIONS .....	27
2.3 ACTIONS FOR ACCIDENTAL DESIGN SITUATIONS .....	28
SECTION 3 DESIGN SITUATIONS .....	30
SECTION 4 ROAD TRAFFIC ACTIONS AND OTHER ACTIONS SPECIFICALLY FOR ROAD BRIDGES .....	31
4.1 FIELD OF APPLICATION .....	31
4.2 REPRESENTATION OF ACTIONS .....	31
4.2.1 Models of road traffic loads .....	31
4.2.2 Loading classes .....	32
4.2.3 Divisions of the carriageway into notional lanes .....	32
4.2.4 Location and numbering of the lanes for design .....	33
4.2.5 Application of the load models on the individual lanes .....	34
4.3 VERTICAL LOADS - CHARACTERISTIC VALUES .....	35
4.3.1 General and associated design situations .....	35
4.3.2 Load Model 1 .....	35
4.3.3 Load Model 2 .....	38
4.3.4 Load Model 3 (special vehicles) .....	39
4.3.5 Load Model 4 (crowd loading) .....	39
4.3.6 Dispersal of concentrated loads .....	40
4.4 HORIZONTAL FORCES - CHARACTERISTIC VALUES .....	41

<b>4.4.1</b>	<b>Braking and acceleration forces .....</b>	<b>41</b>
<b>4.4.2</b>	<b>Centrifugal and other transverse forces .....</b>	<b>42</b>
<b>4.5</b>	<b>GROUPS OF TRAFFIC LOADS ON ROAD BRIDGES .....</b>	<b>42</b>
<b>4.5.1</b>	<b>Characteristic values of the multi-component action .....</b>	<b>42</b>
<b>4.5.2</b>	<b>Other representative values of the multi-component action .....</b>	<b>44</b>
<b>4.5.3</b>	<b>Groups of loads in transient design situations .....</b>	<b>44</b>
<b>4.6</b>	<b>FATIGUE LOAD MODELS .....</b>	<b>45</b>
<b>4.6.1</b>	<b>General .....</b>	<b>45</b>
<b>4.6.2</b>	<b>Fatigue Load Model 1 (similar to LM1) .....</b>	<b>48</b>
<b>4.6.3</b>	<b>Fatigue Load Model 2 (set of "frequent" lorries) .....</b>	<b>48</b>
<b>4.6.4</b>	<b>Fatigue Load Model 3 (single vehicle model) .....</b>	<b>49</b>
<b>4.6.5</b>	<b>Fatigue Load Model 4 (set of "standard" lorries) .....</b>	<b>50</b>
<b>4.6.6</b>	<b>Fatigue Load Model 5 (based on recorded road traffic data) .....</b>	<b>53</b>
<b>4.7</b>	<b>ACTIONS FOR ACCIDENTAL DESIGN SITUATIONS .....</b>	<b>53</b>
<b>4.7.1</b>	<b>General .....</b>	<b>53</b>
<b>4.7.2</b>	<b>Collision forces from vehicles under the bridge .....</b>	<b>53</b>
<b>4.7.2.1</b>	<b>Collision forces on piers and other supporting members .....</b>	<b>53</b>
<b>4.7.2.2</b>	<b>Collision forces on decks .....</b>	<b>53</b>
<b>4.7.3</b>	<b>Actions from vehicles on the bridge .....</b>	<b>54</b>
<b>4.7.3.1</b>	<b>Vehicle on footways and cycle tracks on road bridges .....</b>	<b>54</b>
<b>4.7.3.2</b>	<b>Collision forces on kerbs .....</b>	<b>55</b>
<b>4.7.3.3</b>	<b>Collision forces on vehicle restraint systems .....</b>	<b>55</b>
<b>4.7.3.4</b>	<b>Collision forces on structural members .....</b>	<b>56</b>
<b>4.8</b>	<b>ACTIONS ON PEDESTRIAN PARAPETS .....</b>	<b>56</b>
<b>4.9</b>	<b>LOAD MODELS FOR ABUTMENTS AND WALLS ADJACENT TO BRIDGES .....</b>	<b>57</b>
<b>4.9.1</b>	<b>Vertical loads .....</b>	<b>57</b>
<b>4.9.2</b>	<b>Horizontal force .....</b>	<b>57</b>
<b>SECTION 5 ACTIONS ON FOOTWAYS, CYCLE TRACKS AND FOOTBRIDGES .....</b>		<b>59</b>
<b>5.1</b>	<b>FIELD OF APPLICATION .....</b>	<b>59</b>
<b>5.2</b>	<b>REPRESENTATION OF ACTIONS .....</b>	<b>59</b>
<b>5.2.1</b>	<b>Models of the loads .....</b>	<b>59</b>
<b>5.2.2</b>	<b>Loading classes .....</b>	<b>60</b>
<b>5.2.3</b>	<b>Application of the load models .....</b>	<b>60</b>
<b>5.3</b>	<b>STATIC MODELS FOR VERTICAL LOADS - CHARACTERISTIC VALUES .....</b>	<b>60</b>
<b>5.3.1</b>	<b>General .....</b>	<b>60</b>
<b>5.3.2</b>	<b>Load Models .....</b>	<b>61</b>
<b>5.3.2.1</b>	<b>Uniformly distributed load .....</b>	<b>61</b>
<b>5.3.2.2</b>	<b>Concentrated load .....</b>	<b>61</b>
<b>5.3.2.3</b>	<b>Service vehicle .....</b>	<b>62</b>
<b>5.4</b>	<b>STATIC MODEL FOR HORIZONTAL FORCES - CHARACTERISTIC VALUES .....</b>	<b>62</b>
<b>5.5</b>	<b>GROUPS OF TRAFFIC LOADS ON FOOTBRIDGES .....</b>	<b>62</b>
<b>5.6</b>	<b>ACTIONS FOR ACCIDENTAL DESIGN SITUATIONS FOR FOOTBRIDGES .....</b>	<b>63</b>
<b>5.6.1</b>	<b>General .....</b>	<b>63</b>
<b>5.6.2</b>	<b>Collision forces from road vehicles under the bridge .....</b>	<b>63</b>
<b>5.6.2.1</b>	<b>Collision forces on piers .....</b>	<b>63</b>
<b>5.6.2.2</b>	<b>Collision forces on decks .....</b>	<b>64</b>
<b>5.6.3</b>	<b>Accidental presence of vehicles on the bridge .....</b>	<b>64</b>
<b>5.7</b>	<b>DYNAMIC MODELS OF PEDESTRIAN LOADS .....</b>	<b>65</b>
<b>5.8</b>	<b>ACTIONS ON PARAPETS .....</b>	<b>65</b>
<b>5.9</b>	<b>LOAD MODEL FOR ABUTMENTS AND WALLS ADJACENT TO BRIDGES .....</b>	<b>65</b>
<b>SECTION 6 RAIL TRAFFIC ACTIONS AND OTHER ACTIONS SPECIFICALLY FOR RAILWAY BRIDGES .....</b>		<b>66</b>
<b>6.1</b>	<b>FIELD OF APPLICATION .....</b>	<b>66</b>
<b>6.2</b>	<b>REPRESENTATION OF ACTIONS - NATURE OF RAIL TRAFFIC LOADS .....</b>	<b>67</b>
<b>6.3</b>	<b>VERTICAL LOADS - CHARACTERISTIC VALUES (STATIC EFFECTS) AND ECCENTRICITY AND DISTRIBUTION OF LOADING .....</b>	<b>67</b>
<b>6.3.1</b>	<b>General .....</b>	<b>67</b>
<b>6.3.2</b>	<b>Load Model 71 .....</b>	<b>67</b>

6.3.3	Load Models SW/0 and SW/2 .....	68
6.3.4	Load Model "unloaded train" .....	69
6.3.5	Eccentricity of vertical loads (Load Models 71 and SW/0) .....	69
6.3.6	Distribution of axle loads by the rails, sleepers and ballast .....	70
6.3.6.1	Longitudinal distribution of a point force or wheel load by the rail .....	70
6.3.6.2	Longitudinal distribution of load by sleepers and ballast .....	71
6.3.6.3	Transverse distribution of actions by the sleepers and ballast .....	71
6.3.6.4	Equivalent vertical loading for earthworks and earth pressure effects .....	73
6.3.7	Actions for non-public footpaths .....	74
6.4	<b>DYNAMIC EFFECTS (INCLUDING RESONANCE)</b> .....	74
6.4.1	Introduction .....	74
6.4.2	Factors influencing dynamic behaviour .....	74
6.4.3	General design rules .....	75
6.4.4	Requirement for a static or dynamic analysis .....	75
6.4.5	Dynamic factor (2, 3) .....	78
6.4.5.1	Field of application .....	78
6.4.5.2	Definition of the dynamic factor .....	78
6.4.5.3	Determinant length L .....	79
6.4.5.4	Reduced dynamic effects .....	82
6.4.6	Requirements for a dynamic analysis .....	83
6.4.6.1	Loading and load combinations .....	83
6.4.6.2	Speeds to be considered .....	87
6.4.6.3	Bridge parameters .....	88
6.4.6.4	Modelling the excitation and dynamic behaviour of the structure .....	89
6.4.6.5	Verifications of the limit states .....	91
6.4.6.6	Additional verification for fatigue where dynamic analysis is required.92	6.5
	HORIZONTAL FORCES - CHARACTERISTIC VALUES .....	93
6.5.1	Centrifugal forces .....	93
6.5.2	Nosing force .....	97
6.5.3	Actions due to traction and braking .....	97
6.5.4	Combined response of structure and track to variable actions .....	98
6.5.4.1	General principles .....	98
6.5.4.2	Parameters affecting the combined response of the structure and track .99	6.5.4.3
	Actions to be considered .....	101
6.5.4.4	Modelling and calculation of the combined track/structure system .....	102
6.5.4.5	Design criteria .....	104
6.5.4.6	Calculation methods .....	105
6.6	<b>AERODYNAMIC ACTIONS FROM PASSING TRAINS</b> .....	108
6.6.1	General .....	108
6.6.2	Simple vertical surfaces parallel to the track (e.g. noise barriers) .....	109
6.6.3	Simple horizontal surfaces above the track (e.g. overhead protective structures) .....	110
6.6.4	Simple horizontal surfaces adjacent to the track (e.g. platform canopies with no vertical wall) .....	111
6.6.5	Multiple-surface structures alongside the track with vertical and horizontal or inclined surfaces (e.g. bent noise barriers, platform canopies with vertical walls etc.) .....	112
6.6.6	Surfaces enclosing the structure gauge of the tracks over a limited length (up to 20 m) (horizontal surface above the tracks and at least one vertical wall, e.g. scaffolding, temporary constructions) .....	112
6.7	<b>DERAILMENT AND OTHER ACTIONS FOR RAILWAY BRIDGES</b> .....	113
6.7.1	Derailment actions from rail traffic on a railway bridge .....	113
6.7.2	Derailment under or adjacent to a structure and other actions for Accidental Design Situations .....	115
6.7.3	Other actions .....	115
6.8	<b>APPLICATION OF TRAFFIC LOADS ON RAILWAY BRIDGES</b> .....	115
6.8.1	General .....	115
6.8.2	Groups of Loads - Characteristic values of the multicomponent action .....	118
6.8.3	Groups of Loads - Other representative values of the multicomponent actions .....	120
6.8.3.1	Frequent values of the multicomponent actions .....	120
6.8.3.2	Quasi-permanent values of the multicomponent actions .....	121
6.8.4	Traffic loads in Transient Design Situations .....	121
6.9	<b>TRAFFIC LOADS FOR FATIGUE</b> .....	121

<b>ANNEX A (INFORMATIVE) MODELS OF SPECIAL VEHICLES FOR ROAD BRIDGES .....</b>	<b>123</b>
A.1     SCOPE AND FIELD OF APPLICATION .....	123
A.2     BASIC MODELS OF SPECIAL VEHICLES .....	123
A.3     APPLICATION OF SPECIAL VEHICLE LOAD MODELS ON THE CARRIAGEWAY .....	125
<b>ANNEX B (INFORMATIVE) FATIGUE LIFE ASSESSMENT FOR ROAD BRIDGES ASSESSMENT METHOD BASED ON RECORDED TRAFFIC .....</b>	<b>128</b>
<b>ANNEX C (NORMATIVE) DYNAMIC FACTORS 1 + FOR REAL TRAINS .....</b>	<b>132</b>
<b>ANNEX D (NORMATIVE) BASIS FOR THE FATIGUE ASSESSMENT OF RAILWAY STRUCTURES ...</b>	<b>134</b>
D.1     ASSUMPTIONS FOR FATIGUE ACTIONS .....	134
D.2     GENERAL DESIGN METHOD .....	135
D.3     TRAIN TYPES FOR FATIGUE .....	135
<b>ANNEX E (INFORMATIVE) LIMITS OF VALIDITY OF LOAD MODEL HSLM AND THE SELECTION OF THE CRITICAL UNIVERSAL TRAIN FROM HSLM-A .....</b>	<b>141</b>
E.1     LIMITS OF VALIDITY OF LOAD MODEL HSLM .....	141
E.2     SELECTION OF A UNIVERSAL TRAIN FROM HSLM-A .....	142
<b>ANNEX F (INFORMATIVE) CRITERIA TO BE SATISFIED IF A DYNAMIC ANALYSIS IS NOT REQUIRED .....</b>	<b>150</b>
<b>ANNEX G (INFORMATIVE) METHOD FOR DETERMINING THE COMBINED RESPONSE OF A STRUCTURE AND TRACK TO VARIABLE ACTIONS .....</b>	<b>155</b>
G.1     INTRODUCTION .....	155
G.2     LIMITS OF VALIDITY OF CALCULATION METHOD .....	155
G.3     STRUCTURES CONSISTING OF A SINGLE BRIDGE DECK .....	156
G.4     STRUCTURES CONSISTING OF A SUCCESSION OF DECKS .....	162
<b>ANNEX H (INFORMATIVE) LOAD MODELS FOR RAIL TRAFFIC LOADS IN TRANSIENT DESIGN SITUATIONS .....</b>	<b>164</b>