ISO 19142:2010-12 (E)

Geographic information - Web Feature Service

Contents

Page

Foreword xi

Introduction xii

1 Scope 1

2 Conformance 2

3 Normative references 3

4 Terms and definitions 4

5 Conventions 8
5.1 Abbreviated terms 8
5.2 Use of examples 9
5.3 XML schemas 9
5.4 UML Notation 9
5.4.1 Class diagrams 9
5.4.2 State machine notation 10

6 Basic service elements 11
6.1 Introduction 11
6.2 Version numbering and negotiation 11
6.2.1 Version number form and value 11
6.2.2 Appearance in service metadata and in requests 11
6.2.3 Version number negotiation 11
6.2.4 Request encoding 11
6.2.5 KVP parameter encoding rules 12
6.3 Namespaces 13
6.4 Service bindings 13

7 Common elements 13
7.1 Encoding of features 13
7.2 Resource identifiers 13
7.2.1 Assigning resource identifiers 13
7.2.2 Encoding resource identifiers 14
7.2.3 Version identification 14
7.3 Property references 14
7.3.1 XPath subset 14
7.3.2 Accessor function 14
7.4 Predicate expression encoding 15
7.5 Exception reporting 15
7.6 Common request parameters 17
7.6.1 Introduction 17
7.6.2 Base request type 17
7.6.3 Standard presentation parameters 19
7.6.4 Standard resolve parameters 22
7.6.5 Standard input parameters 25
7.6.6 Additional common keywords for KVP-encoded requests 26
7.7 Standard response parameters 27
7.7.1 Parameter semantics 27
7.7.2 XML encoding 27

7.7.3 KVP encoding 27
7.7.4 Parameter discussion 27
7.8 Use of the schemaLocation attribute 30
7.9 Query expressions 30
7.9.1 Introduction 30
7.9.2 Ad hoc query expression 30
7.9.3 Stored query expression 40

8 GetCapabilities operation 42
8.1 Introduction 42
8.2 Request 43
8.2.1 Request semantics 43
8.2.2 XML encoding 43
8.2.3 KVP encoding 43
8.3 Response 43
8.3.1 Response semantics 43
8.3.2 XML encoding 44
8.3.3 Capabilities document 45
8.3.4 FeatureTypeList section 45
8.3.5 Parameters domains and constraints 48
8.4 Extension points 52
8.5 Exceptions 54

9 DescribeFeatureType operation 54
9.1 Introduction 54
9.2 Request 54
9.2.1 Request semantics 54
9.2.2 XML Encoding 54
9.2.3 KVP Encoding 55
9.2.4 Parameter discussion 55
9.3 Response 56
9.3.1 Introduction 56
9.3.2 Supporting multiple namespaces 56
9.4 Exceptions 57

10 GetPropertyValue operation 57
10.1 Introduction 57
10.2 Request 57
10.2.1 Request semantics 57
10.2.2 XML Encoding 58
10.2.3 KVP Encoding 58
10.2.4 Parameter discussion 58
10.3 Response 60
10.3.1 Response semantics 60
10.3.2 XML encoding 60
10.3.3 State parameter 61
10.3.4 Standard response parameters 61
10.4 Exceptions 61

11 GetFeature operation 62
11.1 Introduction 62
11.2 Request 62
11.2.1 Request semantics 62
11.2.2 XML encoding 63
11.2.3 KVP encoding 63
11.2.4 Parameter discussions 64
11.3 Response 64
11.3.1 Response semantics 64
11.3.2 XML encoding 65
11.3.3 Parameter discussions 66
11.3.4 Additional objects 69
11.3.5 GetFeatureById response 69

11.4 Exceptions 70

12 LockFeature operation 70
12.1 Introduction 70
12.2 Request 70
12.2.1 Request semantics 70
12.2.2 XML encoding 71
12.2.3 KVP encoding 71
12.2.4 Parameter discussions 72
12.2.5 State machine for WFS locking 73
12.3 Response 74
12.3.1 Response semantics 74
12.3.2 XML encoding 74
12.4 Exceptions 75

13 GetFeatureWithLock operation 75
13.1 Introduction 75
13.2 Request 75
13.2.1 Request semantics 75
13.2.2 XML encoding 75
13.2.3 KVP encoding 76
13.2.4 Parameter discussion 76
13.3 Response 77
13.3.1 Introduction 77
13.3.2 lockId parameter 77
13.4 Exceptions 77

14 Stored query management 77
14.1 Introduction 77
14.2 Defining stored queries 78
14.2.1 XML encoding 78
14.2.2 Parameter discussion 78
14.3 ListStoredQueries operation 81
14.3.1 Request semantics 81
14.3.2 XML encoding 82
14.3.3 KVP encoding 82
14.3.4 Response 82
14.3.5 Exceptions 83
14.4 DescribeStoredQueries operations 83
14.4.1 Request semantics 83
14.4.2 XML encoding 83
14.4.3 KVP encoding 84
14.4.4 Response 84
14.5 CreateStoredQuery operation 85
14.5.1 Request semantics 85
14.5.2 XML encoding 85
14.5.3 KVP encoding 85
14.5.4 Parameter discussions 85
14.5.5 Response 86
14.6 DropStoredQuery operations 86
14.6.1 Request semantics 86
14.6.2 XML encoding 87
14.6.3 KVP encoding 87
14.6.4 Response 87
14.7 Exceptions 87

15 Transaction operation 88
15.1 Introduction 88
15.2 Request 88
15.2.1 Request semantics 88
15.2.2 XML encoding 89
15.2.3 Parameter discussions 90

15.2.4 Insert action ... 91
15.2.5 Update action ... 92
15.2.6 Replace action ... 94
15.2.7 Delete action ... 94
15.2.8 Native action ... 95
15.3 Response ... 96
15.3.1 Response semantics ... 96
15.3.2 TransactionResponse element ... 96
15.3.3 TransactionSummary element ... 97
15.3.4 InsertResults element ... 97
15.3.5 UpdateResults element ... 98
15.3.6 ReplaceResults element ... 98
15.4 Exceptions ... 98

Annex A (normative) Conformance testing ... 99

A.1 Conformance classes ... 99
A.1.1 Simple WFS ... 99
A.1.2 Basic WFS ... 99
A.1.3 Transactional WFS ... 99
A.1.4 Locking WFS ... 100
A.1.5 HTTP GET ... 100
A.1.6 HTTP POST ... 100
A.1.7 SOAP ... 100
A.1.8 Inheritance ... 101
A.1.9 Remote resolve ... 101
A.1.10 Response paging ... 101
A.1.11 Standard joins ... 101
A.1.12 Spatial joins ... 101
A.1.13 Temporal joins ... 102
A.1.14 Feature versions ... 102
A.1.15 Manage stored queries ... 102
A.2 Basic tests ... 102
A.2.1 Version negotiation ... 102
A.2.2 Lists version number 2.0.0 as a supported request version number ... 103
A.2.3 Invalid version number ... 103
A.2.4 Version negotiation for the GetCapabilities request ... 103
A.2.5 Response to XML- and KVP-encoded. requests ... 103
A.2.6 Parameter ordering and case ... 104
A.2.7 Unrecognized parameters ... 104
A.2.8 Server operates on GML features ... 104
A.2.9 Feature identifiers ... 105
A.2.10 Invariant identifier ... 105
A.2.11 Versioning ... 105
A.2.12 XPath subset ... 106
A.2.13 Predicate encoding ... 106
A.2.14 Exception reporting ... 106
A.2.15 Common request parameters ... 107
A.2.16 Standard presentation parameters ... 108
A.2.17 Standard resolve parameters ... 109
A.2.18 Standard input parameters ... 112
A.2.19 Standard response parameters ... 113
A.2.20 Response paging ... 114
A.2.21 schemaLocation parameter ... 115
A.2.22 Query expressions ... 115
A.2.23 Declaring conformance ... 120

Annex B (informative) Examples ... 121

B.1 Exception report example ... 121
B.2 DescribeFeatureType examples ... 121
B.2.1 Example 1 ... 121

B.2.2 Example 2 124
B.3 GetFeature examples 128
B.3.1 Introduction 128
B.3.2 Example 1 128
B.3.3 Example 2 128
B.3.4 Example 3 129
B.3.5 Example 4 129
B.3.6 Example 5 131
B.3.7 Example 6 131
B.3.8 Example 7 131
B.3.9 Example 8 132
B.3.10 Example 9 134
B.3.11 Example 10 136
B.3.12 Example 11 137
B.3.13 Example 12 138
B.3.14 Example 13 139
B.3.15 Example 14 142
B.3.16 Example 15 143
B.3.17 Example 16 143
B.3.18 Example 17 144
B.3.19 Example 18 145
B.3.20 Example 19 145
B.4 GetPropertyValue examples 146
B.4.1 Introduction 146
B.4.2 Example 1 147
B.4.3 Example 2 149
B.4.4 Example 3 149
B.4.5 Example 4 151
B.4.6 Example 5 152
B.4.7 Example 6 153
B.4.8 Example 7 154
B.4.9 Example 8 154
B.4.10 Example 9 155
B.5 LockFeature examples 156
B.5.1 Example 1 156
B.5.2 Example 2 157
B.5.3 Example 3 157
B.5.4 Example 4 158
B.6 Transaction examples 159
B.6.1 Insert example 159
B.6.2 Update examples 160
B.6.3 Delete examples 162
B.6.4 Mixed transaction example 163
B.6.5 Transaction response example 166
B.7 GetCapabilities example 167
B.8 KVP examples 182
B.8.1 Conventions 182
B.8.2 DescribeFeatureType examples 182
B.8.3 GetPropertyValue examples 183
B.8.4 GetFeature examples 185
B.8.5 LockFeature examples 190

Annex C (informative) Consolidated XML schema 192

C.1 Introduction 192
C.2 wfs.xsd 192

Annex D (normative) Service bindings 203

D.1 Introduction 203
D.2 HTTP GET and POST binding 203
D.3 HTTP status codes 203

D.4 SOAP binding 204
D.4.1 Introduction 204
D.4.2 SOAP Envelope 205
D.4.3 SOAP Header 205
D.4.4 SOAP Body 205
D.4.5 Encoding XML Schema in a SOAP Body 206
D.4.6 SOAP Fault 207
D.4.7 SOAP HTTP Binding 208

Annex E (normative) Web Service Description Language (WSDL) 209

E.1 Introduction 209
E.2 WFS Operations in WSDL 209
E.3 SOAP Binding 209
E.4 Binding style 210
E.5 Service 211
E.6 Service description using WSDL 211
E.6.1 Introduction 211
E.6.2 wfs-xml-interfaces.wsdl 211
E.6.3 wfs-kvp-interfaces.wsdl 213
E.6.4 wfs-responses.wsdl 215
E.6.5 wfs-http-bindings.wsdl 215
E.6.6 wfs-kvp-bindings.wsdl 218
E.6.7 wfs-soap-bindings.wsdl 219
E.6.8 Ancillary files 221
E.6.9 Examples (informative) 226

Annex F (informative) Abstract model 229

F.1 Overview 229
F.2 Abstract Resource Model 229
F.2.1 Introduction 229
F.2.2 Basic Accessor Functions 229
F.3 Mapping of the General Feature Model (GFM) to the WFS Abstract Model 231
F.4 Identifiers 231
F.5 valueOf() function 231
F.6 WFS Operations 231
F.6.1 Introduction 231
F.6.2 featureTypeNameList() function 232
F.6.3 featureType() function 232
F.6.4 Query function 232
F.6.5 propertyValue() function 233
F.6.6 lock() function 234
F.6.7 transaction() function 234
F.6.8 Stored query operations 235
F.7 WFS Operations 236
F.8 Conceptual schema 236

Bibliography 238

Figures Figure 1 -- UML notation in class diagrams 9

Figure 2 -- Summary of UML state diagram notations 10

Figure 3 -- BaseRequest 17

Figure 4 -- StandardPresentationParameters 19

Figure 5 -- StandardResolveParameters 22

Figure 6 -- StandardInputParameters 25

Figure 7 -- StandardResponseParameters 27
Figure 8 -- Ad hoc query expression 31
Figure 9 -- Query projection clause 35
Figure 10 -- Query sorting clause 39
Figure 11 -- StoredQuery 41
Figure 12 -- GetCapabilities request 43
Figure 13 -- GetCapabilities response 44
Figure 14 -- DescribeFeatureType request 54
Figure 15 -- GetPropertyValue request 57
Figure 16 -- GetPropertyValue response 60
Figure 17 -- GetFeature request 63
Figure 18 -- GetFeature response 65
Figure 19 -- LockFeature request 70
Figure 20 -- State diagram for a WFS lock 73
Figure 21 -- LockFeature response 74
Figure 22 -- GetFeatureWithLock request 75
Figure 23 -- ListStoredQueries request 81
Figure 24 -- ListStoredQueriesResponse 82
Figure 25 -- DescribeStoredQueries request 83
Figure 26 -- DescribeStoredQueriesResponse 84
Figure 27 -- CreateStoredQuery request 85
Figure 28 -- CreateStoredQuery response 86
Figure 29 -- DropStoredQuery request 86
Figure 30 -- Transaction request 89
Figure 31 -- Transaction response 96
Figure F.1 -- Web Feature Service interfaces overview 237
Tables Table 1 -- Conformance Classes 2
Table 2 -- Operation request encoding 12
Table 3 -- WFS exception codes 16
Table 4 -- KVP encoding of the base request type 18
Table 5 -- KVP encoding of standard presentation parameters 19

Table 6 -- KVP encoding of standard resolve parameters 23

Table 7 -- Additional common keywords for KVP-encoded. WFS requests 26

Table 8 -- Keywords for Ad hoc query KVP encoding 32

Table 9 -- KVP encoding of projection clause 35

Table 10 -- Keywords for Stored query KVP encoding 41

Table 11 -- Elements to describe feature types 47

Table 12 -- Parameter domains for WFS operations 48

Table 13 -- Service constraints 50

Table 14 -- Operation Constraints 51

Table 15 -- DescribeFeatureType KVP encoding 55

Table 16 -- Keywords for GetPropertyValue KVP encoding 58

Table 17 -- Keywords for GetFeature KVP encoding 64

Table 18 -- Keywords for LockFeature KVP encoding 71

Table 19 -- Additional keywords for GetFeatureWithLock KVP encoding 76

Table 20 -- Keywords for ListStoredQueries KVP encoding 82

Table 21 -- Keywords for DescribeStoredQueries KVP encoding 84

Table 22 -- Keywords for DropStoredQuery KVP encoding 87

Table D.1 -- Request encoding and transport methods 203

Table D.2 -- Correlate OWS and WFS exception codes to HTTP status codes 204

Table F.1 -- Mapping the WFS Abstract Model operations to WFS operations 236