

DIN EN 1457-1:2012-04 (E)

Chimneys - Clay/ceramic flue liners - Part 1: Flue liners operating under dry conditions - Requirements and test methods

Contents		Page
Foreword		5
1	Scope	6
2	Normative references	6
3	Terms and definitions	6
4	Flue liners and openings	8
4.1	Flue liner cross-sections	8
4.2	Inspection openings and chimney junctions and inspection doors	8
5	Types of flue liner	9
6	Materials	10
7	Tolerances on dimensions	10
7.1	Transverse dimension	10
7.2	Height	10
7.3	Angle of curvature	10
7.4	Straightness	11
7.5	Squareness of ends	11
7.6	Deviation from shape of cross section	11
7.7	Geometry of joints	11
8	Proof load	11
8.1	Straight flue liners	11
8.2	Curved flue liners	11
8.3	Minimum load for inspection opening sections	11
9	Gas tightness /leakage, thermal resistance and soot fire resistance for straight flue liners	12
9.1	Initial test	12
9.2	Final gas tightness after testing	12
9.2.1	General	12
9.2.2	Final gas tightness after sootfire testing	12
9.2.3	Final gas tightness after thermal shock testing	12
10	Durability	13
10.1	Corrosion resistance	13
10.2	Freeze/Thaw resistance	13
11	Water absorption and bulk density	13
11.1	General	13
11.2	Water absorption	13
11.3	Bulk density	14
12	Abrasion resistance	14
13	Flow resistance	14

14	Thermal resistance	14
15	Evaluation of conformity	14
15.1	General	14
15.2	Initial type testing	14
15.3	Further type tests	14
15.4	Factory production control	15
16	Test methods	15
16.1	Size	15
16.2	Height	15
16.3	Angle of curvature	16
16.4	Straightness	16
16.5	Squareness of ends	16
16.6	Deviation from shape of cross-section	17
16.7	Proof load	19
16.7.1	Test specimen	19
16.7.2	Testing equipment	19
16.7.3	Test procedure	19
16.8	Thermal testing	20
16.8.1	Test flue	20
16.8.2	Test equipment	20
16.8.3	Assembly of test flue	22
16.8.4	Thermal conditioning	22
16.8.5	Measurement of leakage rate	23
16.8.6	Expression of results	23
16.9	Corrosion resistance	23
16.9.1	Test specimens	23
16.9.2	Test equipment	24
16.9.3	Test procedure	24
16.9.4	Expression of results	25
16.10	Water absorption	25
16.10.1	Test specimen	25
16.10.2	Test equipment	25
16.10.3	Test procedure	25
16.10.4	Expression of results	25
16.11	Bulk density	26
16.11.1	Test specimen	26
16.11.2	Test equipment	26
16.11.3	Test procedure	26
16.11.4	Expression of results	26
16.12	Abrasion resistance	26
16.12.1	Test flue	26
16.12.2	Test equipment	27
16.12.3	Test procedure	27
16.12.4	Expression of results	27
17	Designation	28
18	Marking	29
	Annex A (normative) Sampling procedures for an AQL of 10 % and inspection level S2	30
A.1	Acceptability determination	30
A.1.1	Single sampling	30
A.1.2	Double sampling	30
A.2	Normal inspection	30
A.3	Normal to reduced inspection	31
A.4	Reduced to normal inspection	32
A.5	Tightened inspection	32
A.6	Tightened to normal inspection	32
A.7	Discontinuation of inspection	32

Annex B (normative) Thermal resistance	33
B.1 Method 1: simplified calculation for flue liners without cavities	33
B.2 Method 2: thermal resistance of flue liners with or without cavities	33
B.2.1 General	33
B.2.2 Data	34
B.2.3 Specific conditions for the cavities	35
B.2.4 Calculations	38
B.3 Method Approximate thermal resistance values	38
Annex C (normative) Measurement of the coefficient of friction of chimneys	40
Annex D (informative) Comparison with designation given in EN 1443:2003	42
Annex ZA (informative) Clauses of this European Standard addressing the provisions of the EU Construction Products Directive	43
ZA.1 Scope and relevant characteristics	43
ZA.2 Procedure of attestation of conformity of clay/ceramic flue liners and fittings	44
ZA.2.1 System of attestation of conformity	44
ZA.2.2 EC Certificate and Declaration of conformity	45
ZA.3 CE Marking and labelling	46
Bibliography	49